

# 15-859(B) Machine Learning Theory

Avrim Blum  
01/16/07

## Lecture 2: Online learning I

### Mistake-bound model:

- Basic results, halving and StdOpt algorithms
- Connections to information theory

### Combining "expert advice":

- (Randomized) Weighted Majority algorithm
- Regret-bounds and connections to game-theory

## Recap from last time

- Last time: PAC model and Occam's razor.
  - If data set has at least  $(1/\epsilon)[s \ln(2) + \ln(1/\delta)]$  examples, then whp any consistent hypothesis with  $\text{size}(h) < s$  has  $\text{err}(h) < \epsilon$ .
  - "compression  $\Rightarrow$  learning"
- [KV] book has esp. good coverage of this and related topics.
- Occam bounds  $\Rightarrow$  any class is learnable if computation time is no object.

## Online learning

- What if we don't want to make assumption that data is coming from some fixed distribution? Or any assumptions at all?
- Can no longer talk about past performance predicting future results.
- Can we hope to say anything interesting??

Idea: mistake bounds & regret bounds.

## Mistake-bound model

- View learning as a sequence of stages.
- In each stage, algorithm is given  $x$ , asked to predict  $f(x)$ , and then is told correct value.
- Make no assumptions about order of examples.
- Goal is to bound total number of mistakes.

Alg A learns class C with mistake bound M if A makes  $\leq M$  mistakes on any sequence of examples consistent with some  $f \in C$ .

## Mistake-bound model

Alg A learns class C with mistake bound M if A makes  $\leq M$  mistakes on any sequence of examples consistent with some  $f \in C$ .

- Note: can no longer talk about "how much data do I need to converge?" Maybe see same examples over again and learn nothing new. But that's OK if don't make mistakes either...
- Want mistake bound  $\text{poly}(n, s)$ , where  $n$  is size of example and  $s$  is size of smallest consistent  $f \in C$ .
- C is **learnable** in MB model if exists alg with mistake bound and running time per stage  $\text{poly}(n, s)$ .

## Simple example: disjunctions

- Suppose features are boolean:  $X = \{0,1\}^n$ .
- Target is an OR function, like  $x_3 \vee x_9 \vee x_{12}$ .
- Can we find an on-line strategy that makes at most  $n$  mistakes?
- Sure.
  - Start with  $h(x) = x_1 \vee x_2 \vee \dots \vee x_n$
  - Invariant:  $\{\text{vars in } h\} \supseteq \{\text{vars in } f\}$
  - Mistake on negative: throw out vars in  $h$  set to 1 in  $x$ . Maintains invariant and decreases  $|h|$  by 1.
  - No mistakes on positives. So at most  $n$  mistakes total.

### Simple example: disjunctions

- Algorithm makes at most  $n$  mistakes.
- No deterministic alg can do better:

1 0 0 0 0 0 + or - ?  
0 1 0 0 0 0 + or - ?  
0 0 1 0 0 0 + or - ?  
0 0 0 1 0 0 + or - ?  
...

### MB model properties

An alg  $A$  is "conservative" if it only changes its state when it makes a mistake.

Claim: if  $C$  is learnable with mistake-bound  $M$ , then it is learnable by a conservative alg.

Why?

- Take generic alg  $A$ . Create new conservative  $A'$  by running  $A$ , but rewinding state if no mistake is made.
- Still  $\leq M$  mistakes because  $A$  still sees a legal sequence of examples.

### MB learnable $\Rightarrow$ PAC learnable

Say alg  $A$  learns  $C$  with mistake-bound  $M$ .

Transformation 1:

- Run (conservative)  $A$  until it produces a hyp  $h$  that survives  $\geq (1/\epsilon)\ln(M/\delta)$  examples.
  - $\Pr(\text{fooled by any given } h) \leq \delta/M$ .
  - $\Pr(\text{fooled ever}) \leq \delta$ .
- Uses at most  $(M/\epsilon)\ln(M/\delta)$  examples total.

### MB learnable $\Rightarrow$ PAC learnable

Say alg  $A$  learns  $C$  with mistake-bound  $M$ .

Transformation 2:  $O(\epsilon^{-1}[M + \ln(1/\delta)])$  examples

- Run conservative  $A$  for  $O(\epsilon^{-1}[M + \ln(1/\delta)])$  examples. Argue that whp at least one of hyps produced has error  $\leq \epsilon/2$ .
- Test the  $M$  hyps produced on  $O(\epsilon^{-1}\ln(M/\delta))$  new examples and take the best.
- Wait on full analysis until we get to Chernoff bounds...

### One more example...

- Say we view each example as an integer between 0 and  $2^n - 1$ .
- $C = \{[0, a] : a < 2^n\}$ . (device fails if it gets too hot)
- In PAC model we could just pick any consistent hypothesis. Does this work in MB model?
- What would work?

### What can we do with unbounded computation time?

- "Halving algorithm": take majority vote over all consistent  $h \in C$ . Makes at most  $\lg(|C|)$  mistakes.
- What if  $C$  has functions of different sizes?
- For any (prefix-free) representation, can make at most 1 mistake per bit of target.
  - give each  $h$  a weight of  $(\frac{1}{2})^{\text{size}(h)}$
  - Total sum of weights  $\leq 1$ .
  - Take weighted vote. Each mistake removes at least  $\frac{1}{2}$  of total weight left.

### What can we do with unbounded computation time?

- "Halving algorithm": take majority vote over all consistent  $h \in C$ . Makes at most  $\lg(|C|)$  mistakes.
- What if we had a "prior"  $p$  over fns in  $C$ ?
  - Weight the vote according to  $p$ . Make at most  $\lg(1/p_f)$  mistakes, where  $f$  is target fn.
- What if  $f$  was really chosen according to  $p$ ?
  - Expected number of mistakes  $\leq \sum_h [p_h \cdot \lg(1/p_h)]$   
= entropy of distribution  $p$ .

### Is halving alg optimal?

- Not necessarily (see hwk).
- Can think of MB model as 2-player game between alg and adversary.
  - Adversary picks  $x$  to split  $C$  into  $C_-(x)$  and  $C_+(x)$ . [fns that label  $x$  as - or + respectively]
  - Alg gets to pick one to throw out.
  - Game ends when all fns left are equivalent.
  - Adversary wants to make game last as long as possible.
- $OPT(C) = MB$  when both play optimally.

### Is halving alg optimal?

- Halving algorithm: throw out larger set.
- Optimal algorithm: throw out set with larger mistake bound.
- You'll think about this more on the hwk...

### What if there is no perfect function?

Think of as  $h \in C$  as "experts" giving advice to you. Want to do nearly as well as best of them in hindsight.

These are called "regret bounds".  
 $\emptyset$  Show that our algorithm does nearly as well as best predictor in some class.

We'll look at a strategy whose running time is  $O(|C|)$ . So, only computationally efficient when  $C$  is small.

### Using "expert" advice

Say we want to predict the stock market.

- We solicit  $n$  "experts" for their advice. (Will the market go up or down?)
- We then want to use their advice somehow to make our prediction. E.g.,

Expt 1	Expt 2	Expt 3	neighbor's dog	truth
down	up	up	up	up
down	up	up	down	down
...	...	...	...	...

Can we do nearly as well as best in hindsight?

["expert"  $\equiv$  someone with an opinion. Not necessarily someone who knows anything.]

[note: would be trivial in PAC (i.i.d.) setting]

### Using "expert" advice

If one expert is perfect, can get  $\leq \lg(n)$  mistakes with halving alg.

But what if none is perfect? Can we do nearly as well as the best one in hindsight?

Strategy #1:

- Iterated halving algorithm. Same as before, but once we've crossed off all the experts, restart from the beginning.
- Makes at most  $\lg(n)[OPT+1]$  mistakes, where  $OPT$  is #mistakes of the best expert in hindsight.

Seems wasteful. Constantly forgetting what we've "learned". Can we do better?

## Weighted Majority Algorithm

Intuition: Making a mistake doesn't completely disqualify an expert. So, instead of crossing off, just lower its weight.

Weighted Majority Alg:

- Start with all experts having weight 1.
- Predict based on weighted majority vote.
- Penalize mistakes by cutting weight in half.

weights	1	1	1	1		prediction	correct
predictions	Y	Y	Y	N	Y		Y
weights	1	1	1	.5			
predictions	Y	N	N	Y	N		Y
weights	1	.5	.5	.5			

## Analysis: do nearly as well as best expert in hindsight

- $M$  = # mistakes we've made so far.
- $m$  = # mistakes best expert has made so far.
- $W$  = total weight (starts at  $n$ ).
- After each mistake,  $W$  drops by at least 25%. So, after  $M$  mistakes,  $W$  is at most  $n(3/4)^M$ .
- Weight of best expert is  $(1/2)^m$ . So,

$$\begin{aligned} (1/2)^m &\leq n(3/4)^M \\ (4/3)^M &\leq n2^m \\ M &\leq 2.4(m + \lg n) \end{aligned}$$

constant ratio

## Randomized Weighted Majority

$2.4(m + \lg n)$  not so good if the best expert makes a mistake 20% of the time. Can we do better? Yes.

- Instead of taking majority vote, use weights as probabilities. (e.g., if 70% on up, 30% on down, then pick 70:30) Idea: smooth out the worst case.
- Also, generalize  $\frac{1}{2}$  to  $1 - \epsilon$ .

Solves to:  $M \leq \frac{-m \ln(1 - \epsilon) + \ln(n)}{\epsilon} \approx (1 + \epsilon/2)m + \frac{1}{\epsilon} \ln(n)$

$M = \text{expected \#mistakes}$   $M \leq 1.39m + 2 \ln n \leftarrow \epsilon = 1/2$

$M \leq 1.15m + 4 \ln n \leftarrow \epsilon = 1/4$

$M \leq 1.07m + 8 \ln n \leftarrow \epsilon = 1/8$

unlike most worst-case bounds, numbers are pretty good.

## Analysis

- Say at time  $t$  we have fraction  $F_t$  of weight on experts that made mistake.
- So, we have probability  $F_t$  of making a mistake, and we remove an  $\epsilon F_t$  fraction of the total weight.
  - $W_{\text{final}} = n(1 - \epsilon F_1)(1 - \epsilon F_2) \dots$
  - $\ln(W_{\text{final}}) = \ln(n) + \sum_t [\ln(1 - \epsilon F_t)] \leq \ln(n) - \epsilon \sum_t F_t$  (using  $\ln(1-x) < -x$ )
  - $= \ln(n) - \epsilon M$  ( $\sum F_t = E[\text{\# mistakes}]$ )
- If best expert makes  $m$  mistakes, then  $\ln(W_{\text{final}}) > \ln((1 - \epsilon)^m)$ .
- Now solve:  $\ln(n) - \epsilon M > m \ln(1 - \epsilon)$ .

$$M \leq \frac{-m \ln(1 - \epsilon) + \ln(n)}{\epsilon} \approx (1 + \epsilon/2)m + \frac{1}{\epsilon} \ln(n)$$

## Summarizing

- $E[\text{\# mistakes}] \leq (1 + \epsilon)\text{OPT} + \epsilon^{-1} \log(n)$ .
- If set  $\epsilon = (\log(n)/\text{OPT})^{1/2}$  to balance the two terms out (or use guess-and-double), get bound of  $E[\text{mistakes}] \leq \text{OPT} + 2(\text{OPT} \cdot \log n)^{1/2} \leq \text{OPT} + 2(T \log n)^{1/2}$
- Define average regret in  $T$  time steps as: (avg per-day cost of alg) - (avg per-day cost of best fixed expert in hindsight).  
Goes to 0 or better as  $T \rightarrow \infty$  [= "no-regret" algorithm].

## What can we use this for?

- Can use to combine multiple algorithms to do nearly as well as best in hindsight.
- Can apply RWM in situations where experts are making choices that cannot be combined.
  - Choose expert  $i$  with probability  $p_i = w_i / \sum_i w_i$ .
  - Experts could be different strategies for some task, or rows in a matrix game. (Alg generalizes to case where in each time step, each expert gets a cost in  $[0, 1]$ )


### Minimax Theorem (von Neumann 1928)

- Every 2-player zero-sum game has a unique value  $V$ .
- Minimax optimal strategy for  $R$  guarantees  $R$ 's expected gain at least  $V$ .
- Minimax optimal strategy for  $C$  guarantees  $C$ 's expected loss at most  $V$ .

Counterintuitive: Means it doesn't hurt to publish your strategy if both players are optimal. (Borel had proved for symmetric  $5 \times 5$  but thought was false for larger games)

### Nice proof of minimax thm

- Suppose for contradiction it was false.
- This means some game  $G$  has  $V_C > V_R$ :
  - If Column player commits first, there exists a row that gets the Row player at least  $V_C$ .
  - But if Row player has to commit first, the Column player can make him get only  $V_R$ .
- Scale matrix so payoffs to row are in  $[-1, 0]$ . Say  $V_R = V_C - \delta$ .



### Proof, contd

- Now, consider playing randomized weighted-majority alg as Row, against Col who plays optimally against Row's distrib.
- In  $T$  steps, 

How can we think of RWM as an alg for repeatedly playing a matrix game???

  - Alg gets  $\geq (1-\epsilon/2)[\text{best row in hindsight}] - \log(n)/\epsilon$
  - $\text{BRiH} \geq T \cdot V_C$  [Best against opponent's empirical distribution]
  - $\text{Alg} \leq T \cdot V_R$  [Each time, opponent knows your randomized strategy]
  - Gap is  $\delta T$ . Contradicts assumption if use  $\epsilon = \delta$ , once  $T > 2\log(n)/\epsilon^2$ .

### A natural generalization

- A natural generalization of this setting: say we have a list of  $n$  prediction rules, but not all rules fire on any given example.
  - E.g., document classification. Rule: "if  $\langle \text{word-X} \rangle$  appears then predict  $\langle Y \rangle$ ". E.g., if has football then classify as sports.
  - Natural goal: simultaneously, for each rule  $i$ , guarantee to do nearly as well as it *on the time steps in which it fires*.
    - For all  $i$ , want  $E[\text{cost}_i(\text{alg})] \leq (1+\epsilon)\text{cost}_i(i) + O(\epsilon^{-1} \log n)$ .
  - So, if 90% of documents with football *are* about sports, we should have error  $\leq 11\%$  on them.
- "Specialists" or "sleeping experts" problem. Will get to this later...