Analysis of Algorithms: Solutions 8



Problem 1
Give the adjacency-list and adjacency-matrix representation of the following weighted graph.





	a	b	c	d	e	f
a	0	1	0	0	0	0
b	0	0	0	4	0	0
c	0	2	0	0	0	0
d	3	0	0	0	7	0
e	0	0	0	0	0	8
f	0	5	6	0	0	0

Problem 2
Write algorithms for converting (a) an adjacency-list representation of a graph into an adjacency matrix and (b) an adjacency matrix into adjacency lists.

We denote the adjacency list of a vertex u by $Adj\text{-}List[u]$, and the adjacency-matrix element for vertices u and v by $Adj\text{-}Matrix[u, v]$. The time complexity of both algorithms is $\Theta(V^2)$.

(a) Converting adjacency lists into a matrix.

LISTS-TO-MATRIX(G) ▷ G is represented by adjacency lists
for each $u \in V[G]$
  do for each $v \in V[G]$
    do $Adj\text{-}Matrix[u, v] \leftarrow 0$
for each $u \in V[G]$
  do for each $v \in Adj\text{-}List[u]$
    do $Adj\text{-}Matrix[u, v] \leftarrow 1$

(b) Converting an adjacency matrix into lists.

MATRIX-TO-LISTS(G) ▷ G is represented by an adjacency matrix
for each $u \in V[G]$
  do initialize an empty list $Adj\text{-}List[u]$
for each $u \in V[G]$
  do for each $v \in V[G]$
    do if $Adj\text{-}Matrix[u, v] = 1$
      then add v to $Adj\text{-}List[u]$

Problem 3
Consider a directed graph with n vertices, represented by a matrix $M[1..n, 1..n]$. A vertex is called a *sink* if it has $(n-1)$ incoming edges and no outgoing edges. Give an algorithm that finds the sink vertex; if the graph has no sink, it should return 0.

The following algorithm consists of two parts: the first loop finds a vertex i that *may* be a sink, and ensures that no other vertex is a sink; the second loop tests whether i is indeed a sink. The running time is $\Theta(n)$.

```
FIND-SINK(M, n)
i ← 1
j ← 1
while i < n and j ≤ n        ▷ find a sink candidate i
    do if M[i, j] = 0
            then j ← j + 1
            else i ← i + 1
for k ← 1 to n        ▷ check whether i is a sink
    do if M[i, k] = 1
            then return 0
         if k ≠ i and M[k, i] = 0
            then return 0
return i
```