



10-601 Introduction to Machine Learning

Machine Learning Department School of Computer Science Carnegie Mellon University

Linear Regression

Linear Regression Readings:

Murphy 7.1 – 7.3

Bishop 3.1

HTF 3.1 - 3.4

Mitchell 4.1-4.3

Logistic Regression Readings:

Murphy 8.1-8.3, 8.6

Bishop 4.3.2, 4.3.4

HTF 4.1, 4.4

Mitchell -

Matt Gormley Lecture 8 February 13, 2016

"Generative ... Logistic Regression" (Mitchell, 2016)

"Maximum ... Gradient Training"

(Elkan, 2014)

Reminders

- Homework 2: Naive Bayes
 - Release: Wed, Feb. 1
 - Due: Mon, Feb. 13 at 5:30pm
- Homework 3: Linear / Logistic Regression
 - Release: Mon, Feb. 13
 - Due: Wed, Feb. 22 at 5:30pm

Linear Regression Outline

Regression Problems

- Definition
- Linear functions
- Residuals
- Notation trick: fold in the intercept

Linear Regression as Function Approximation

- Objective function: Mean squared error
- Hypothesis space: Linear Functions

Optimization for Linear Regression

- Normal Equations (Closed-form solution)
 - Computational complexity
 - Stability
- SGD for Linear Regression
 - Partial derivatives
 - Update rule
- Gradient Descent for Linear Regression

Probabilistic Interpretation of Linear Regression

- Generative vs. Discriminative
- Conditional Likelihood
- Background: Gaussian Distribution
- Case #1: 1D Linear Regression
- Case #2: Multiple Linear Regression

Last Lecture

This Lecture

Regression Problems

- Definition
- Linear functions
- Residuals
- Notation trick: fold in the intercept

Linear Regression as Function Approximation

- Objective function: Mean squared error
- Hypothesis space: Linear Functions

Optimization for Linear Regression


- Normal Equations (Closed-form solution)
 - Computational complexity
 - Stability
- SGD for Linear Regression
 - Partial derivatives
 - Update rule
- Gradient Descent for Linear Regression

Probabilistic Interpretation of Linear Regression

- Generative vs. Discriminative
- Conditional Likelihood
- Background: Gaussian Distribution
- Case #1: 1D Linear Regression
- Case #2: Multiple Linear Regression

Convergence Curves

Log-log plot of training MSE versus epochs



- For the batch method, the training MSE is initially large due to uninformed initialization
- In the online update,
 N updates for every
 epoch reduces MSE to
 a much smaller value.