# **Floating Point**

15-213: Introduction to Computer Systems 4<sup>th</sup> Lecture, Sep 5, 2013

#### **Instructors:**

Randy Bryant, Dave O'Hallaron, and Greg Kesden


## **Today: Floating Point**

- Background: Fractional binary numbers
- IEEE floating point standard: Definition
- Example and properties
- Rounding, addition, multiplication
- Floating point in C
- Summary

# **Fractional binary numbers**

■ What is 1011.101<sub>2</sub>?

## **Fractional Binary Numbers**



- Representation
  - Bits to right of "binary point" represent fractional powers of 2
  - Represents rational number:

$$\sum_{k=-i}^{i} b_k \times 2^k$$

## **Fractional Binary Numbers: Examples**

Value
Representation

5 3/4 101.11<sub>2</sub>

2 7/8 10.111<sub>2</sub>

1 7/16 1.01112

#### Observations

- Divide by 2 by shifting right (unsigned)
- Multiply by 2 by shifting left
- Numbers of form 0.111111...<sub>2</sub> are just below 1.0
  - $1/2 + 1/4 + 1/8 + ... + 1/2^i + ... \rightarrow 1.0$
  - Use notation 1.0 ε

## **Representable Numbers**

- Limitation #1
  - Can only exactly represent numbers of the form x/2<sup>k</sup>
    - Other rational numbers have repeating bit representations
  - Value Representation

    - 1/5 0.001100110011[0011]...<sub>2</sub>
    - **1/10** 0.0001100110011[0011]...2
- Limitation #2
  - Just one setting of binary point within the w bits
    - Limited range of numbers (very small values? very large?)

## **Today: Floating Point**

- Background: Fractional binary numbers
- IEEE floating point standard: Definition
- Example and properties
- Rounding, addition, multiplication
- Floating point in C
- Summary

## **IEEE Floating Point**

- IEEE Standard 754
  - Established in 1985 as uniform standard for floating point arithmetic
    - Before that, many idiosyncratic formats
  - Supported by all major CPUs
- Driven by numerical concerns
  - Nice standards for rounding, overflow, underflow
  - Hard to make fast in hardware
    - Numerical analysts predominated over hardware designers in defining standard

## **Floating Point Representation**

Numerical Form:

$$(-1)^{s} M 2^{E}$$

- Sign bit s determines whether number is negative or positive
- Significand M normally a fractional value in range [1.0,2.0).
- Exponent E weights value by power of two
- Encoding
  - MSB S is sign bit s
  - exp field encodes E (but is not equal to E)
  - frac field encodes M (but is not equal to M)

S	ехр	frac
---	-----	------

## **Precision options**

■ Single precision: 32 bits

S	exp	frac
1	8-bits	23-bits

■ Double precision: 64 bits

S	ехр	frac
1	11-bits	52-bits

Extended precision: 80 bits (Intel only)

S	exp	frac
1	15-bits	63 or 64-bits

### "Normalized" Values

- When:  $\exp \neq 000...0$  and  $\exp \neq 111...1$
- Exponent coded as a biased value: E = Exp Bias
  - Exp: unsigned value exp
  - Bias =  $2^{k-1}$  1, where k is number of exponent bits
    - Single precision: 127 (Exp: 1...254, E: -126...127)
    - Double precision: 1023 (Exp: 1...2046, E: -1022...1023)
- Significand coded with implied leading 1: M = 1.xxx...x2
  - xxx...x: bits of frac
  - Minimum when frac=000...0 (M = 1.0)
  - Maximum when frac=111...1 (M =  $2.0 \varepsilon$ )
  - Get extra leading bit for "free"

## **Normalized Encoding Example**

```
■ Value: Float F = 15213.0;

■ 15213<sub>10</sub> = 11101101101101<sub>2</sub>

= 1.1101101101101<sub>2</sub> x 2<sup>13</sup>
```


### Significand

```
M = 1.101101101_2
frac= 101101101101_000000000_2
```

#### Exponent

```
E = 13
Bias = 127
Exp = 140 = 10001100_{2}
```

#### Result:




### **Denormalized Values**

- Condition: exp = 000...0
- Exponent value: E = -Bias + 1 (instead of E = 0 Bias)
- Significand coded with implied leading 0: M = 0.xxx...x<sub>2</sub>
  - xxx...x: bits of frac
- Cases
  - exp = 000...0, frac = 000...0
    - Represents zero value
    - Note distinct values: +0 and -0 (why?)
  - $\exp = 000...0$ ,  $frac \neq 000...0$ 
    - Numbers closest to 0.0
    - Equispaced

## **Special Values**

- **■** Condition: exp = 111...1
- Case: exp = 111...1, frac = 000...0
  - Represents value ∞ (infinity)
  - Operation that overflows
  - Both positive and negative
  - E.g.,  $1.0/0.0 = -1.0/-0.0 = +\infty$ ,  $1.0/-0.0 = -\infty$
- Case: exp = 111...1, frac ≠ 000...0
  - Not-a-Number (NaN)
  - Represents case when no numeric value can be determined
  - E.g., sqrt(-1),  $\infty \infty$ ,  $\infty \times 0$


## **Visualization: Floating Point Encodings**



## **Today: Floating Point**

- Background: Fractional binary numbers
- IEEE floating point standard: Definition
- Example and properties
- Rounding, addition, multiplication
- Floating point in C
- Summary

## **Tiny Floating Point Example**




- 8-bit Floating Point Representation
  - the sign bit is in the most significant bit
  - the next four bits are the exponent, with a bias of 7
  - the last three bits are the frac
- Same general form as IEEE Format
  - normalized, denormalized
  - representation of 0, NaN, infinity

# **Dynamic Range (Positive Only)**


	s exp	frac	E	Value
	0 0000	000	-6	0
	0 0000	001	-6	1/8*1/64 = 1/512 closest to zero
Denormalized	0 0000	010	-6	2/8*1/64 = 2/512
numbers	•••			
	0 0000	110	-6	6/8*1/64 = 6/512
	0 0000	111	-6	7/8*1/64 = 7/512 largest denorm
	0 0001	000	-6	8/8*1/64 = 8/512 smallest norm
	0 0001	001	-6	9/8*1/64 = 9/512
	0 0110	110	-1	14/8*1/2 = 14/16
	0 0110	111	-1	15/8*1/2 = 15/16 closest to 1 below
Normalized	0 0111	000	0	8/8*1 = 1
numbers	0 0111	001	0	9/8*1 = 9/8 closest to 1 above
	0 0111	010	0	10/8*1 = 10/8
	•••			
	0 1110	110	7	14/8*128 = 224
	0 1110	111	7	15/8*128 = 240   largest norm
	0 1111	000	n/a	inf

## **Distribution of Values**

- 6-bit IEEE-like format
  - e = 3 exponent bits
  - f = 2 fraction bits
  - Bias is 23-1-1 = 3





■ Notice how the distribution gets denser toward zero.



## Distribution of Values (close-up view)

- 6-bit IEEE-like format
  - e = 3 exponent bits
  - f = 2 fraction bits
  - Bias is 3





## **Special Properties of the IEEE Encoding**

- FP Zero Same as Integer Zero
  - All bits = 0
- Can (Almost) Use Unsigned Integer Comparison
  - Must first compare sign bits
  - Must consider -0 = 0
  - NaNs problematic
    - Will be greater than any other values
    - What should comparison yield?
  - Otherwise OK
    - Denorm vs. normalized
    - Normalized vs. infinity

## **Today: Floating Point**

- Background: Fractional binary numbers
- IEEE floating point standard: Definition
- Example and properties
- Rounding, addition, multiplication
- Floating point in C
- Summary

## Floating Point Operations: Basic Idea

$$\blacksquare x +_f y = Round(x + y)$$

$$\blacksquare$$
 x  $\times_f$  y = Round(x  $\times$  y)

#### ■ Basic idea

- First compute exact result
- Make it fit into desired precision
  - Possibly overflow if exponent too large
  - Possibly round to fit into frac

# Rounding

■ Rounding Modes (illustrate with \$ rounding)

	\$1.40	\$1.60	\$1.50	\$2.50	-\$1.50
<ul><li>Towards zero</li></ul>	\$1	\$1	\$1	\$2	<b>-</b> \$1
Round down (-∞)	\$1	\$1	\$1	\$2	<b>-</b> \$2
Round up (+∞)	\$2	\$2	\$2	\$3	<b>-</b> \$1
<ul><li>Nearest Even (default)</li></ul>	\$1	\$2	\$2	\$2	<b>-</b> \$2

### Closer Look at Round-To-Even

- Default Rounding Mode
  - Hard to get any other kind without dropping into assembly
  - All others are statistically biased
    - Sum of set of positive numbers will consistently be over- or underestimated
- Applying to Other Decimal Places / Bit Positions
  - When exactly halfway between two possible values
    - Round so that least significant digit is even
  - E.g., round to nearest hundredth

1.2349999	1.23	(Less than half way)
1.2350001	1.24	(Greater than half way)
1.2350000	1.24	(Half way—round up)
1.2450000	1.24	(Half wav—round down)

## **Rounding Binary Numbers**

- Binary Fractional Numbers
  - "Even" when least significant bit is 0
  - "Half way" when bits to right of rounding position = 100...2

### Examples

Round to nearest 1/4 (2 bits right of binary point)

Value	Binary	Rounded	Action	Rounded Value
2 3/32	10.000112	10.002	(<1/2—down)	2
2 3/16	10.00 <mark>110</mark> 2	10.012	(>1/2—up)	2 1/4
2 7/8	10.11 <mark>100</mark> 2	11.002	( 1/2—up)	3
2 5/8	10.10 <mark>100</mark> 2	10.102	( 1/2—down)	2 1/2

## **FP Multiplication**

- $\blacksquare$  (-1)<sup>s1</sup> M1 2<sup>E1</sup> x (-1)<sup>s2</sup> M2 2<sup>E2</sup>
- Exact Result: (-1)<sup>s</sup> M 2<sup>E</sup>
  - Sign s: s1 ^ s2
  - Significand M: M1 x M2
  - Exponent E:
    E1 + E2

### Fixing


- If M ≥ 2, shift M right, increment E
- If E out of range, overflow
- Round M to fit frac precision

### Implementation

Biggest chore is multiplying significands

## **Floating Point Addition**

- $\blacksquare$  (-1)<sup>s1</sup> M1 2<sup>E1</sup> + (-1)<sup>s2</sup> M2 2<sup>E2</sup>
  - Assume E1 > E2
- Exact Result: (-1)<sup>s</sup> M 2<sup>E</sup>
  - Sign s, significand M:
    - Result of signed align & add
  - Exponent E: E1



- Fixing
  - If M ≥ 2, shift M right, increment E
  - ■if M < 1, shift M left k positions, decrement E by k
  - Overflow if E out of range
  - Round M to fit frac precision

## **Today: Floating Point**

- Background: Fractional binary numbers
- IEEE floating point standard: Definition
- Example and properties
- Rounding, addition, multiplication
- Floating point in C
- Summary

## **Floating Point in C**

- C Guarantees Two Levels
  - •float single precision
  - •double double precision
- Conversions/Casting
  - •Casting between int, float, and double changes bit representation
  - double/float → int
    - Truncates fractional part
    - Like rounding toward zero
    - Not defined when out of range or NaN: Generally sets to TMin
  - int  $\rightarrow$  double
    - Exact conversion, as long as int has ≤ 53 bit word size
  - int → float
    - Will round according to rounding mode

## Summary

- IEEE Floating Point has clear mathematical properties
- Represents numbers of form M x 2<sup>E</sup>
- One can reason about operations independent of implementation
  - As if computed with perfect precision and then rounded
- Not the same as real arithmetic
  - Violates associativity/distributivity
  - Makes life difficult for compilers & serious numerical applications programmers

## **Floating Point Puzzles**

- For each of the following C expressions, either:
  - Argue that it is true for all argument values
  - Explain why not true

```
int x = ...;
float f = ...;
double d = ...;
```

Assume neither d nor f is NaN

## **Creating Floating Point Number**

### Steps

- Normalize to have leading 1
- Round to fit within fraction

S	exp	frac
1	4-bits	3-bits

Postnormalize to deal with effects of rounding

### Case Study

Convert 8-bit unsigned numbers to tiny floating point format

### **Example Numbers**

128	10000000
15	00001101
33	00010001
35	00010011
138	10001010
63	00111111

## **Normalize**

S	exp	frac
1	4-bits	3-bits

- Requirement
  - Set binary point so that numbers of form 1.xxxxx
  - Adjust all to have leading one
    - Decrement exponent as shift left

Value	Binary	Fraction	Exponent
128	10000000	1.0000000	7
15	00001101	1.1010000	3
17	00010001	1.0001000	4
19	00010011	1.0011000	4
138	10001010	1.0001010	7
63	00111111	1.1111100	5

# Rounding

# 1.BBGRXXX

Guard bit: LSB of result

Sticky bit: OR of remaining bits

Round bit: 1st bit removed

### Round up conditions

- Round = 1, Sticky =  $1 \rightarrow > 0.5$
- Guard = 1, Round = 1, Sticky = 0 → Round to even

Value	Fraction	GRS	Incr?	Rounded
128	1.0000000	000	N	1.000
15	1.1010000	100	N	1.101
17	1.0001000	010	N	1.000
19	1.0011000	110	Υ	1.010
138	1.0001010	011	Υ	1.001
63	1.1111100	111	Υ	10.000

## **Postnormalize**

- Issue
  - Rounding may have caused overflow
  - Handle by shifting right once & incrementing exponent

Value	Rounded	Exp	Adjusted	Result
128	1.000	7		128
15	1.101	3		15
17	1.000	4		16
19	1.010	4		20
138	1.001	7		134
63	10.000	5	1.000/6	64

## **More Slides**

# **Interesting Numbers**

■ Double  $\approx 1.8 \times 10^{308}$ 

{single, double}

Description	ехр	frac	Numeric Value			
Zero	0000	0000	0.0			
Smallest Pos. Denorm.	0000	0001	$2^{-\{23,52\}} \times 2^{-\{126,1022\}}$			
■ Single $\approx 1.4 \times 10^{-45}$						
■ Double $\approx 4.9 \times 10^{-324}$						
<ul><li>Largest Denormalized</li></ul>	0000	1111	$(1.0 - \varepsilon) \times 2^{-\{126,1022\}}$			
■ Single $\approx 1.18 \times 10^{-38}$						
■ Double $\approx 2.2 \times 10^{-308}$						
Smallest Pos. Normalized	0001	0000	$1.0 \times 2^{-\{126,1022\}}$			
<ul> <li>Just larger than largest denormalized</li> </ul>						
One	0111	0000	1.0			
<ul><li>Largest Normalized</li></ul>	1110	1111	$(2.0 - \varepsilon) \times 2^{\{127,1023\}}$			
Single ≈ 3.4 x 10 <sup>38</sup>						

## **Mathematical Properties of FP Add**

- Compare to those of Abelian Group
  - Closed under addition?
    - But may generate infinity or NaN
  - Commutative?
  - Associative?
    - Overflow and inexactness of rounding
  - 0 is additive identity?
  - Every element has additive inverse
    - Except for infinities & NaNs
- Monotonicity
  - $a \ge b \Rightarrow a+c \ge b+c$ ?
    - Except for infinities & NaNs

## **Mathematical Properties of FP Mult**

- Compare to Commutative Ring
  - Closed under multiplication?
    - But may generate infinity or NaN
  - Multiplication Commutative?
  - Multiplication is Associative?
    - Possibility of overflow, inexactness of rounding
  - 1 is multiplicative identity?
  - Multiplication distributes over addition?
    - Possibility of overflow, inexactness of rounding
- Monotonicity
  - $a \ge b$  &  $c \ge 0 \Rightarrow a * c \ge b *c$ ?
    - Except for infinities & NaNs