

15-213
"The course that gives CMU its Zip!"

Integer Arithmetic Operations
Jan. 25, 2001

Topics

- **Basic operations**
 - Addition, negation, multiplication
- **Programming Implications**
 - Consequences of overflow
 - Using shifts to perform power-of-2 multiply/divide

class04.ppt

CS 213 S'01

C Puzzles

- Taken from Exam #2, CS 347, Spring '97
- Assume machine with 32 bit word size, two's complement integers
- For each of the following C expressions, either:
 - Argue that is true for all argument values
 - Give example where not true

Initialization

```
int x = foo();
int y = bar();
unsigned ux = x;
unsigned uy = y;
```

- $x < 0 \Rightarrow ((x*2) < 0)$
- $ux \geq 0$
- $x \& 7 == 7 \Rightarrow (x < 30) < 0$
- $ux > -1$
- $x > y \Rightarrow -x < -y$
- $x * x \geq 0$
- $x > 0 \&\& y > 0 \Rightarrow x + y > 0$
- $x \geq 0 \Rightarrow -x \leq 0$
- $x \leq 0 \Rightarrow -x \geq 0$

class04.ppt

- 2 -

CS 213 S'01

Unsigned Addition

Operands: w bits

```

      u
      | | | | |
+     v
      | | | | |
-----
u + v
  
```

True Sum: $w+1$ bits

```

u + v
| | | | |
  
```

Discard Carry: w bits

```

UAddw(u, v)
| | | | |
  
```

Standard Addition Function

- Ignores carry output

Implements Modular Arithmetic

$$s = \text{UAdd}_w(u, v) = u + v \bmod 2^w$$

$$\text{UAdd}_w(u, v) = \begin{cases} u + v & u + v < 2^w \\ u + v - 2^w & u + v \geq 2^w \end{cases}$$

class04.ppt


- 3 -

CS 213 S'01

Visualizing Integer Addition

Integer Addition

- 4-bit integers u and v
- Compute true sum $\text{Add}_4(u, v)$
- Values increase linearly with u and v
- Forms planar surface



class04.ppt



- 4 -

CS 213 S'01

Visualizing Unsigned Addition

Wraps Around

- If true sum $\geq 2^w$
- At most once



class04.ppt

- 5 -

CS 213 S'01

Mathematical Properties

Modular Addition Forms an Abelian Group

- **Closed under addition**
 $0 \leq \text{UAdd}_w(u, v) \leq 2^w - 1$
- **Commutative**
 $\text{UAdd}_w(u, v) = \text{UAdd}_w(v, u)$
- **Associative**
 $\text{UAdd}_w(t, \text{UAdd}_w(u, v)) = \text{UAdd}_w(\text{UAdd}_w(t, u), v)$
- **0 is additive identity**
 $\text{UAdd}_w(u, 0) = u$
- **Every element has additive inverse**
 - Let $\text{UComp}_w(u) = 2^w - u$
 $\text{UAdd}_w(u, \text{UComp}_w(u)) = 0$

class04.ppt

- 6 -

CS 213 S'01

Detecting Unsigned Overflow

Task

- Given $s = \text{UAdd}_w(u, v)$
- Determine if $s = u + v$

Application

unsigned s, u, v ;
 $s = u + v$;

- Did addition overflow?


Claim

- Overflow iff $s < u$
 $\text{ovf} = (s < u)$
- Or symmetrically iff $s < v$


Proof

- Know that $0 \leq v < 2^w$
- No overflow $\Rightarrow s = u + v \geq u + 0 = u$
- Overflow $\Rightarrow s = u + v - 2^w < u + 0 = u$

No Overflow



Overflow





class04.ppt

- 7 -


CS 213 S'01

Two's Complement Addition


Operands: w bits



True Sum: $w+1$ bits



Discard Carry: w bits



TAdd and UAdd have Identical Bit-Level Behavior

- Signed vs. unsigned addition in C:

```
int s, t, u, v;  
s = (int) ((unsigned) u + (unsigned) v);  
t = u + v  
• Will give s == t
```

class04.ppt



- 8 -

CS 213 S'01

Characterizing TAdd

Functionality

- True sum requires $w+1$ bits
- Drop off MSB
- Treat remaining bits as 2's comp. integer



$$TAdd_w(u, v) = \begin{cases} u + v + 2^{w-1} & u + v < TMin_w \text{ (NegOver)} \\ u + v & TMin_w \leq u + v \leq TMax_w \\ u + v - 2^{w-1} & TMax_w < u + v \text{ (PosOver)} \end{cases}$$

class04.ppt

- 9 -

CS 213 S'01


Visualizing 2's Comp. Addition

Values

- 4-bit two's comp.
- Range from -8 to +7

Wraps Around

- If $\text{sum} \geq 2^{w-1}$
 - Becomes negative
 - At most once
- If $\text{sum} < -2^{w-1}$
 - Becomes positive
 - At most once



class04.ppt

- 10 -

CS 213 S'01

Detecting 2's Comp. Overflow

Task


- Given $s = TAdd_w(u, v)$
- Determine if $s = Add_w(u, v)$
- Example
int s, u, v;
s = u + v;

Claim

- Overflow iff either:
 - $u, v < 0, s \geq 0$ (NegOver)
 - $u, v \geq 0, s < 0$ (PosOver)
- $ovf = (u < 0 == v < 0) \&\& (u < 0 != s < 0);$

Proof

- Easy to see that if $u \geq 0$ and $v < 0$, then $TMin_w \leq u + v \leq TMax_w$
- Symmetrically if $u < 0$ and $v \geq 0$
- Other cases from analysis of TAdd



class04.ppt

- 11 -

CS 213 S'01

Mathematical Properties of TAdd

Isomorphic Algebra to UAdd

- $TAdd_w(u, v) = U2T(UAdd_w(T2U(u), T2U(v)))$
 - Since both have identical bit patterns

Two's Complement Under TAdd Forms a Group

- Closed, Commutative, Associative, 0 is additive identity
- Every element has additive inverse

$$\text{Let } TComp_w(u) = U2T(UComp_w(T2U(u)))$$

$$TAdd_w(u, TComp_w(u)) = 0$$

$$TComp_w(u) = \begin{cases} -u & u \neq TMin_w \\ TMin_w & u = TMin_w \end{cases}$$

class04.ppt

- 12 -

CS 213 S'01

Two's Complement Negation

Mostly like Integer Negation

- $TComp(u) = -u$

TMin is Special Case

- $TComp(TMin) = TMin$

Negation in C is Actually


TComp

$$mx = -x$$

- $mx = TComp(x)$

- Computes additive inverse for TAdd

$$x + -x == 0$$



class04.ppt

- 13 -

CS 213 S'01

Negating with Complement & Increment

In C

$$\sim x + 1 == -x$$

Complement

- Observation: $\sim x + x == 1111...11_2 == -1$

$$\begin{array}{r} x \quad 10011101 \\ + \sim x \quad 01100010 \\ \hline -1 \quad 11111111 \end{array}$$

Increment

- $\sim x + \cancel{x} + (\cancel{-x} + 1) == \cancel{-x} + (-x + \cancel{1})$
- $\sim x + 1 == -x$

Warning: Be cautious treating int's as integers

- OK here: We are using group properties of TAdd and TComp

class04.ppt

- 14 -

CS 213 S'01

Comp. & Incr. Examples

x = 15213

	Decimal	Hex	Binary
x	15213	3B 6D	00111011 01101101
$\sim x$	-15214	C4 92	11000100 10010010
$\sim x + 1$	-15213	C4 93	11000100 10010011
y	-15213	C4 93	11000100 10010011

TMin

	Decimal	Hex	Binary
TMin	-32768	80 00	10000000 00000000
$\sim TMin$	32767	7F FF	01111111 11111111
$\sim TMin + 1$	-32768	80 00	10000000 00000000

0

	Decimal	Hex	Binary
0	0	00 00	00000000 00000000
~ 0	-1	FF FF	11111111 11111111
$\sim 0 + 1$	0	00 00	00000000 00000000

class04.ppt


- 15 -

CS 213 S'01

Comparing Two's Complement Numbers

Task

- Given signed numbers u, v
- Determine whether or not $u > v$
 - Return 1 for numbers in shaded region below



Bad Approach

- Test $(u - v) > 0$
 - $TSub(u, v) = TAdd(u, TComp(v))$
- Problem: Thrown off by either Negative or Positive Overflow

class04.ppt



- 16 -

CS 213 S'01

Comparing with TSub

Will Get Wrong Results

- **NegOver:** $u < 0, v > 0$
– but $u-v > 0$
- **PosOver:** $u > 0, v < 0$
– but $u-v < 0$



class04.ppt



- 17 -

CS 213 S'01



Working Around Overflow Problems

Partition into Three Regions

- $u < 0, v \geq 0 \Rightarrow u < v$
- $u \geq 0, v < 0 \Rightarrow u > v$



- u, v same sign $\Rightarrow u-v$ does not overflow
– Can safely use test $(u-v) > 0$



class04.ppt

- 18 -

CS 213 S'01

Multiplication

Computing Exact Product of w -bit numbers x, y

- Either signed or unsigned

Ranges

- **Unsigned:** $0 \leq x * y \leq (2^w - 1)^2 = 2^{2w} - 2^{w+1} + 1$
– Up to $2w$ bits
- **Two's complement min:** $x * y \geq (-2^{w-1}) * (-2^{w-1} - 1) = -2^{2w-2} + 2^{w-1}$
– Up to $2w-1$ bits
- **Two's complement max:** $x * y \leq (2^{w-1} - 1)^2 = 2^{2w-2} - 2^{w-1} + 1$
– Up to $2w$ bits, but only for $TMin_w^2$

Maintaining Exact Results

- Would need to keep expanding word size with each product computed
- Done in software by “arbitrary precision” arithmetic packages
- Also implemented in Lisp, ML, and other “advanced” languages

class04.ppt

- 19 -

CS 213 S'01

Unsigned Multiplication in C

Operands: w bits

u [] [] [] [] [] [] [] []

v [] [] [] [] [] [] [] []

True Product: $2 * w$ bits

$u * v$ [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] []

Discard w bits: w bits

$UMult_w(u, v)$ [] [] [] [] [] [] [] []

Standard Multiplication Function

- Ignores high order w bits

Implements Modular Arithmetic

$$UMult_w(u, v) = u \cdot v \bmod 2^w$$

class04.ppt

- 20 -

CS 213 S'01

Unsigned vs. Signed Multiplication

Unsigned Multiplication

- ```
unsigned ux = (unsigned) x;
unsigned uy = (unsigned) y;
unsigned up = ux * uy
```
- Truncates product to  $w$ -bit number  $up = \text{UMult}_w(ux, uy)$
  - Simply modular arithmetic  
 $up = ux \cdot uy \bmod 2^w$

### Two's Complement Multiplication

- ```
int x, y;
int p = x * y;
```
- Compute exact product of two w -bit numbers x, y
 - Truncate result to w -bit number $p = \text{TMult}_w(x, y)$

Relation

- Signed multiplication gives same bit-level result as unsigned
- $up == (\text{unsigned}) p$

class04.ppt

- 21 -

CS 213 S'01

Multiplication Examples

```
short int x = 15213;
int    txx = ((int) x) * x;
int    xx  = (int) (x * x);
int    xx2 = (int) (2 * x * x);
```

```
x      = 15213:      00111011 01101101
txx    = 231435369: 00001101 11001011 01101100 01101001
xx     = 27753:  00000000 00000000 01101100 01101001
xx2    = -10030: 11111111 11111111 11011000 11010010
```

Observations

- Casting order important
 - If either operand `int`, will perform `int` multiplication
 - If both operands `short int`, will perform `short int` multiplication
- Really is modular arithmetic
 - Computes for `xx`: $15213^2 \bmod 65536 = 27753$
 - Computes for `xx2`: $(\text{int}) 55506 \text{U} = -10030$
- Note that `xx2 == (xx << 1)`

class04.ppt


- 22 -

CS 213 S'01

Power-of-2 Multiply with Shift

Operation

- $u \ll k$ gives $u \cdot 2^k$
- Both signed and unsigned



Examples

- $u \ll 3 == u * 8$
- $u \ll 5 - u \ll 3 == u * 24$
- Most machines shift and add much faster than multiply
 - Compiler will generate this code automatically

class04.ppt


- 23 -

CS 213 S'01

Unsigned Power-of-2 Divide with Shift

Quotient of Unsigned by Power of 2

- $u \gg k$ gives $\lfloor u / 2^k \rfloor$
- Uses logical shift



	Division	Computed	Hex	Binary
<code>x</code>	15213	15213	3B 6D	00111011 01101101
<code>x >> 1</code>	7606.5	7606	1D B6	00011101 10110110
<code>x >> 4</code>	950.8125	950	03 B6	00000011 10110110
<code>x >> 8</code>	59.4257813	59	00 3B	00000000 00111011

class04.ppt


- 24 -

CS 213 S'01

2's Comp Power-of-2 Divide with Shift

Quotient of Signed by Power of 2

- $u \gg k$ gives $\lfloor u / 2^k \rfloor$
- Uses arithmetic shift
- Rounds wrong direction when $u < 0$



	Division	Computed	Hex	Binary
y	-15213	-15213	C4 93	11000100 10010011
y >> 1	-7606.5	-7607	E2 49	11100010 01001001
y >> 4	-950.8125	-951	FC 49	11111100 01001001
y >> 8	-59.4257813	-60	FF C4	11111111 11000100

class04.ppt

- 25 -


CS 213 S'01

Correct Power-of-2 Divide

Quotient of Negative Number by Power of 2

- Want $\lceil u / 2^k \rceil$ (Round Toward 0)
- Compute as $\lfloor (u+2^k-1) / 2^k \rfloor$
 - In C: $(u + (1<<k) - 1) \gg k$
 - Biases dividend toward 0

Case 1: No rounding



Biasing has no effect


class04.ppt

- 26 -

CS 213 S'01

Correct Power-of-2 Divide (Cont.)

Case 2: Rounding



Biasing adds 1 to final result

class04.ppt

- 27 -

CS 213 S'01

Correct Power-of-2 Divide Examples

	$y/2^k$	Computed	Hex	Binary
y	-15213	-15213	C4 93	11000100 10010011
y+1	-15212	-15212	C4 94	11000100 10010100
(y+1)>>1	-7606.5	-7606	E2 4A	11100010 01001010
y	-15213	-15213	C4 93	11000100 10010011
y+15	-15197	-15197	C4 A2	11000100 10100010
(y+15)>>4	-950.8125	-950	FC 4A	11111100 01001010
y	-15213	-15213	C4 93	11000100 10010011
y+255	-14958	-14958	C5 92	11000101 10010010
(y+255)>>8	-59.4257813	-59	FF C5	11111111 11000101

class04.ppt

- 28 -

CS 213 S'01

Properties of Unsigned Arithmetic

Unsigned Multiplication with Addition Forms Commutative Ring

- Addition is commutative group
- Closed under multiplication
 $0 \leq \text{UMult}_w(u, v) \leq 2^w - 1$
- Multiplication Commutative
 $\text{UMult}_w(u, v) = \text{UMult}_w(v, u)$
- Multiplication is Associative
 $\text{UMult}_w(t, \text{UMult}_w(u, v)) = \text{UMult}_w(\text{UMult}_w(t, u), v)$
- 1 is multiplicative identity
 $\text{UMult}_w(u, 1) = u$
- Multiplication distributes over addition
 $\text{UMult}_w(t, \text{UAdd}_w(u, v)) = \text{UAdd}_w(\text{UMult}_w(t, u), \text{UMult}_w(t, v))$

class04.ppt

- 29 -

CS 213 S'01

Properties of Two's Comp. Arithmetic

Isomorphic Algebras

- Unsigned multiplication and addition
 – Truncating to w bits
- Two's complement multiplication and addition
 – Truncating to w bits

Both Form Rings

- Isomorphic to ring of integers mod 2^w

Comparison to Integer Arithmetic

- Both are rings
- Integers obey ordering properties, e.g.,
 $u > 0 \Rightarrow u + v > v$
 $u > 0, v > 0 \Rightarrow u \cdot v > 0$
- These properties are not obeyed by two's complement arithmetic
 $TMax + 1 == TMin$
 $15213 * 30426 == -10030$ (16-bit words)

class04.ppt

- 30 -

CS 213 S'01

C Puzzle Answers

- Assume machine with 32 bit word size, two's complement integers
- *TMin* makes a good counterexample in many cases

- | | | |
|----------------------|------------------------------|-------------------------------------|
| • $x < 0$ | $\Rightarrow ((x*2) < 0)$ | False: <i>TMin</i> |
| • $ux \geq 0$ | | True: $0 = UMin$ |
| • $x \& 7 == 7$ | $\Rightarrow (x \ll 30) < 0$ | True: $x_1 = 1$ |
| • $ux > -1$ | | False: 0 |
| • $x > y$ | $\Rightarrow -x < -y$ | False: -1, <i>TMin</i> |
| • $x * x \geq 0$ | | False: 65535
($x*x = -131071$) |
| • $x > 0 \&\& y > 0$ | $\Rightarrow x + y > 0$ | False: <i>TMax</i> , <i>TMax</i> |
| • $x \geq 0$ | $\Rightarrow -x \leq 0$ | True: $-TMax < 0$ |
| • $x \leq 0$ | $\Rightarrow -x \geq 0$ | False: <i>TMin</i> |

class04.ppt

- 31 -

CS 213 S'01