

## 15-251

# **Great Theoretical Ideas** in Computer Science


### **Graphs**

Lecture 20 (Nov 1, 2007)










Tree



#### **How Many n-Node Trees?**

- 1: 0
- 2: 0-0
- 3: 0-0-0

4: O—O—O O

5: 0-0-0-0 0-0-0

#### **Notation**

In this lecture:

n will denote the number of nodes in a graph e will denote the number of edges in a graph

Theorem: Let G be a graph with n nodes and e edges

The following are equivalent:

- 1. G is a tree (connected, acyclic)
- 2. Every two nodes of G are joined by a unique path
- 3. G is connected and n = e + 1
- 4. G is acyclic and n = e + 1
- G is acyclic and if any two non-adjacent points are joined by a line, the resulting graph has exactly one cycle

To prove this, it suffices to show

 $1 \Rightarrow 2 \Rightarrow 3 \Rightarrow 4 \Rightarrow 5 \Rightarrow 1$ 

 $1 \Rightarrow 2$  1. G is a tree (connected, acyclic)

2. Every two nodes of G are joined by a unique path

Proof: (by contradiction)

Assume G is a tree that has two nodes connected by two different paths:




Then there exists a cycle!

 $2 \Rightarrow 3$   $\,\,$  2. Every two nodes of G are joined by a unique path

3. G is connected and n = e + 1

Proof: (by induction)

Assume true for every graph with < n nodes Let G have n nodes and let x and y be adjacent




Let  $n_1$ ,  $e_1$  be number of nodes and edges in  $G_1$ Then  $n = n_1 + n_2 = e_1 + e_2 + 2 = e + 1$   $3 \Rightarrow 4$  3. G is connected and n = e + 1

4. G is acyclic and n = e + 1

**Proof: (by contradiction)** 

Assume G is connected with n = e + 1, and G has a cycle containing k nodes



Note that the cycle has k nodes and k edges Start adding nodes and edges until you cover the whole graph

Number of edges in the graph will be at least n

Corollary: Every nontrivial tree has at least two endpoints (points of degree 1)

Proof:


Assume all but one of the points in the tree have degree at least 2

In any graph, sum of the degrees = 2e

Then the total number of edges in the tree is at least (2n-1)/2 = n - 1/2 > n - 1

How many labeled trees are there with three nodes?

### How many labeled trees are there with four nodes?



How many labeled trees are there with five nodes?

5 labelings 5 x 4 x 3

5!/2

labelings

labelings

125 labeled trees

### How many labeled trees are there with n nodes?

3 labeled trees with 3 nodes

16 labeled trees with 4 nodes

125 labeled trees with 5 nodes

n<sup>n-2</sup> labeled trees with n nodes

### Cayley's Formula

The number of labeled trees on n nodes is n<sup>n-2</sup>



The proof will use the correspondence principle

Each labeled tree on n nodes corresponds to

A sequence in {1,2,...,n}<sup>n-2</sup> (that is, n-2 numbers, each in the range [1..n])

How to make a sequence from a tree? Loop through i from 1 to n-2

Let L be the degree-1 node with the lowest label

Define the i<sup>th</sup> element of the sequence as the label of the node adjacent to L

Delete the node L from the tree

Example:

 $\begin{bmatrix} 5 \\ 1 \\ 2 \end{bmatrix} \begin{bmatrix} 3 \\ 6 \end{bmatrix} \begin{bmatrix} 8 \\ 7 \end{bmatrix}$ 

1 3 3 4 4 4

How to reconstruct the unique tree from a sequence S:

Let I = {1, 2, 3, ..., n}

Loop until S is empty

Let i = smallest # in I but not in S

Let s = first label in sequence S

Add edge {i, s} to the tree

Delete i from I

Delete s from S

Add edge {a,b}, where I = {a,b}

5 3 4 7

1 3 3 4 4 4


#### **Spanning Trees**


A spanning tree of a graph G is a tree that touches every node of G and uses only edges from G






Every connected graph has a spanning tree





http://www.planarity.net




#### **Euler's Formula**


If G is a connected planar graph with n vertices, e edges and f faces, then n-e+f=2



Rather than using induction, we'll use the important notion of the dual graph



Dual = put a node in every face, and an edge between every adjacent face



Let G\* be the dual graph of G

Let T be a spanning tree of G

Let  $T^{\star}$  be the graph where there is an edge in dual graph for each edge in G-T

Then T\* is a spanning tree for G\*

$$n = e_T + 1$$
  $n + f = e_T + e_{T^*} + 2$   
 $f = e_{T^*} + 1$   $= e + 2$ 

Corollary: Let G be a simple planar graph with n > 2 vertices. Then:

- 1. G has a vertex of degree at most 5
- 2. G has at most 3n 6 edges

#### Proof of 1:

In any graph, (sum of degrees) = 2eAssume all vertices have degree  $\geq 6$ 


Then  $e \ge 3n$ 

Furthermore, since G is simple,  $3f \le 2e$ 

So  $3n + 3f \le 3e \Rightarrow 3(n-e+f) \le 0$ , contradict.

#### **Graph Coloring**

A coloring of a graph is an assignment of a color to each vertex such that no neighboring vertices have the same color



#### **Graph Coloring**

Arises surprisingly often in CS

Register allocation: assign temporary variables to registers for scheduling instructions. Variables that interfere, or are simultaneously active, cannot be assigned to the same register

Theorem: Every planar graph can be 6-colored

Proof Sketch (by induction):

Assume every planar graph with less than n vertices can be 6-colored

Assume G has n vertices

Since G is planar, it has some node v with degree at most 5

Remove v and color by Induction Hypothesis

Not too difficult to give an inductive proof of 5-colorability, using same fact that some vertex has degree  $\leq 5$ 

4-color theorem remains challenging!



#### **Implementing Graphs**

#### **Adjacency Matrix**

Suppose we have a graph G with n vertices. The adjacency matrix is the n x n matrix A=[a<sub>ii</sub>] with:

 $a_{ij} = 1$  if (i,j) is an edge  $a_{ij} = 0$  if (i,j) is not an edge

Good for dense graphs!

### **Example**



 $A = \begin{bmatrix} 0111 \\ 1011 \\ 1101 \\ 1110 \end{bmatrix}$ 

#### **Counting Paths**

The number of paths of length k from node i to node j is the entry in position (i,j) in the matrix A<sup>k</sup>




$$A^{2} = \begin{bmatrix} 0 & 1 & 1 & 1 \\ 1 & 0 & 1 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{bmatrix} \begin{bmatrix} 0 & 1 & 1 & 1 \\ 1 & 0 & 1 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{bmatrix}$$
$$= \begin{bmatrix} 3 & 2 & 2 & 2 \\ 2 & 3 & 2 & 2 \\ 2 & 2 & 3 & 2 \\ 2 & 2 & 2 & 3 \end{bmatrix}$$

#### **Adjacency List**

Suppose we have a graph G with n vertices. The adjacency list is the list that contains all the nodes that each node is adjacent to

Good for sparse graphs!

### **Example**



#### **Trees**



Here's What You Need to Know...

- Counting Trees
- Different Characterizations

#### **Planar Graphs**

- Definition
- Euler's Theorem
- Coloring Planar Graphs

# Adjacency Matrix and List • Definition

- · Useful for counting