
Some 15-251
Great Theoretical Ideas
in Computer Science
for

Complexity Theory: Efficient Reductions Between Computational Problems

Lecture 27 (April 24, 2008)



A Graph Named "Gadget"

K-Coloring


We define a k-coloring of a graph:

Each node gets colored with one color

At most k different colors are used

If two nodes have an edge between them they must have different colors

A graph is called k-colorable if and only if it has a k-coloring



A 2-CRAYOLA Question!

Given a graph G, how can we decide if it is 2-colorable?

Answer: Enumerate all 2ⁿ possible colorings to look for a valid 2-color

How can we efficiently decide if G is 2-colorable?

Theorem: G contains an odd cycle if and only if G is not 2-colorable

Alternate coloring algorithm:

To 2-color a connected graph G, pick an arbitrary node v, and color it white

Color all v's neighbors black


Color all their uncolored neighbors white, and so on


If the algorithm terminates without a color conflict, output the 2-coloring

Else, output an odd cycle

A 2-CRAYOLA Question!


Theorem: G contains an odd cycle if and only if G is not 2-colorable








3-Coloring Is Decidable by Brute Force


Try out all 3ⁿ colorings until you determine if G has a 3-coloring
























K-Cliques

A K-clique is a set of K nodes with all K(K-1)/2 possible edges between them



This graph contains a 4-clique

A Graph Named "Gadget"


Given: (G, k)

Question: Does G contain a k-clique?


BRUTE FORCE: Try out all n choose k possible locations for the k clique

Independent Set

An independent set is a set of nodes with no edges between them



This graph contains an independent set of size 3



Given: (G, k)

Question: Does G contain an independent set of size k?

BRUTE FORCE: Try out all n choose k possible locations for the k independent


set


Clique / Independent Set


Two problems that are cosmetically different, but substantially the same


Complement of G


Given a graph G, let G*, the complement of G, be the graph obtained by the rule that two nodes in G* are connected if and only if the corresponding nodes of G are not connected















Clique / Independent Set

Two problems that are cosmetically different, but substantially the same












Circuit-Satisfiability


Given: A circuit with n-inputs and one output, is there a way to assign 0-1 values to the input wires so that the output value is 1 (true)?


BRUTE FORCE: Try out all 2ⁿ assignments



























You can quickly transform a method to decide 3-coloring into a method to decide circuit satifiability!



Circuit-SAT / 3-Colorability

Two problems that are cosmetically different, but substantially the same

Four problems that are cosmetically different, but substantially the same

FACT: No one knows a way to solve any of the 4 problems that is fast on all instances

Summary

Many problems that appear different on the surface can be efficiently reduced to each other, revealing a deeper similarity