Outline

- Navigating and changing the IR
- The machine type system
- Using and writing passes

LLVM, in Greater Detail

Thanks to Gabe Weisz for some content.

LLVM Overview

1

LLVM IR

- C++-based compiler framework
- (Fairly) well documented API
- Structures to help you process programs
 - Iterators for modules, functions, blocks, uses
 - Functions to inspect data types and constants
 - Many classes have dump() member functions that print instances to standard error
 - In GDB, use p obj->dump() to see the contents of obj

- Mostly machine-independent assembly
 - Target triples define alignment, pointer sizes
- Arbitrary number of "registers"
 - Really, stack locations or SSA values
 - Virtual registers appear in lower-level IRs
- Locals start with %, globals with @
 - Instructions that produce values can be named

2

Iterators – navigating the IR

- Module::iterator
 - Modules are translation units
 - Iterates through functions in the module
- · Function::iterator
 - Iterates through a function's basic blocks
- BasicBlock::iterator
 - Iterates through instructions in a block

- Value::use_iterator
 - Iterates through uses
 - Instructions are values; so are constants
 - How does SSA help?
- User::op_iterator
 - Iterates over operands.
 (Instructions are users!)
 - Many instruction classes define convenient accessors
 - LoadInst::getPointerOperand

More Iterators

- Some iterators wrap other iterators
 - inst iterator walks over all instructions in a function

 - In Transforms/Utils/FunctionUtils.h
- Prefer ++i over i++ and precompute the end iterator
 - Especially for fancier iterators
- Most iterators automatically cast to a pointer to the object type (inst_iterator does not)
- Be careful about modifying the object you're iterating over during iteration

5

6

Instructions

- Instruction is subclassed for various types of operation
 - Loadinst, Storeinst, Cmpinst, Branchinst, etc
- Most arithmetic operations are BinaryOperators that contain a code for the operation
- Some instructions can only appear in certain places
 - Branches are only at the end of a basic block
 - Phi instructions are only at the beginning

(Re)moving Instructions

- eraseFromParent()
 - Remove from basic block, drop all references, delete
- removeFromParent()
 - Remove from basic block
 - Use if you will re-attach the instruction
 - Does not drop references (or clear the use list), so if you don't re-attach it Bad Things will happen
- moveBefore/insertBefore/insertAfter are also available
- ReplaceInstWithValue and ReplaceInstWithInst are also useful to have

IR Types

- Primitive types
 - Integers (iN of N bits, N from 1 to 2²³-1)
 - Floating point (half, float, double, x86_fp80, ...)
 - Weirdos (x86mmx, void, ...)
- Derived types
 - Arrays ([# elements (>= 0) x element type])
 - Functions (<u>returntype</u> (<u>paramlist</u>))
 - Pointers (<u>type</u>*, <u>type</u> addrspace(<u>N</u>)*)
 - Vectors (<<u># elements (> 0)</u> x <u>element type</u>>)
 - Structures ({ typelist }) ...

IR Types

- getelementptr instruction gives you the address of a field or an array cell (why have this?)
- Types in the LLVM IR are structural
 - Mostly compared by shape, not by name
 - Once allocated, there is only one 32-bit integer until the end of time
 - Only one instance of a given shape exists at once
 - Benefit?
 - Exception: "identified" structures
 - Problem: how do you write down the type of a singly-linked list?

Identified Structs

- LLVM 3 came with a redesign of the IR type system mainly over the issue of recursive and abstract types
- Literal structs are compared by shape and must not be recursive; all fields must be known
 - {i32, i32}; StructType::get
- Only identified structs can be recursive; declaration and definition of fields is separate
 - %T1 = type { type list }; StructType::create
 - <u>type list</u> may directly or indirectly refer to %T1
 - %T1 = type opaque "I'll fill in the fields later."
- LLVM may rename your identifiers

Examples of Types

```
[40 x i32]
[3 x [4 x i32]]
%sll =
   type { i32, %sll* }
i32 (%sll*)*

%struct.a =
   type { %struct.b* }
%struct.b =
   type opaque
{ i32, [0 x float] }
```

10

Last words about opaque types

- Opaque types are not void* (C void* is i8*)
- Consider %local a = alloca %a, align 4

```
- %a = type { %b* }
  %b = type opaque
  • OK!
- %a = type { %b }
  %b = type opaque
  • "Cannot allocate unsized type"
- %a = type { %b }
```

• "Segmentation fault"

%b = type { %a }

Module Verifier (-verify)

- opt runs this automatically unless you disable it
- Sanity-checks passes
 - You may need to break module invariants while operating on them, eg:
 - Types of binary operator parameters are the same
 - Terminators (branches) only at the end of basic blocks
 - Functions are called with correct argument types
 - Instructions belong to basic blocks
 - Constants in a switch are the right type
 - Entry node has no predecessors (and so on...)

Passes

- For assignments, don't use provided LLVM passes unless instructed to
 - We want you to implement them yourself to understand how they really work
- For projects, use whatever you want
- Two major kinds of passes
 - Analysis: provide information
 - Transform: modify the program

The mem2reg transform pass

- The LLVM IR is natively SSA
 - An Instruction is the same thing as the Value it produces
 - %foo = inst in the LLVM IR just gives a name to inst in the syntax; %foo does not exist inside the compiler
- It may be nontrivial for frontends to emit SSA directly
- mem2reg understands certain use patterns that frontends use to emit "variables"

14

mem2reg conventions

```
define i32 @ssa1() nounwind {
  int ssa1() {
                                entry:
    int z = f() + 1;
                                  %call = call i32 @f()
    return z;
                                  %add = add nsw i32 %call, 1
                                  ret i32 %add
alloca in the entry block
                                define i32 @ssa1() nounwind {
                                entry:
                                  %z = alloca i32, align 4
                                  %call = call i32 @f()
                                  %add = add nsw i32 %call, 1
only used by load and store
                                ► store i32 %add, i32* %z, align 4
                                ▲ %0 = load i32* %z, align 4
                                  ret i32 %0
```

int ssa2() { define i32 @ssa2() nounwind { entry:

mem2reg might add SSA features

```
int y, z;
y = f();
if (y < 0)
                  %call = call i32 @f()
  z = v + 1;
                  %cmp = icmp slt i32 %call, 0
                   br i1 %cmp, label %if.then, label %if.else
else
  z = y + 2;
return z;
                   %add = add nsw i32 %call. 1
                   br label %if.end
                if.else:
                   %add1 = add nsw i32 %call, 2
                   br label %if.end
                if.end:
                   %z.0 = phi i32 [ %add, %if.then ], [ %add1, %if.else ]
                   ret i32 %z.0
```

18

Rules for Phi instructions

- phi type [val1, inedge1], [val2, inedge2]
 - Select *val1* if coming from *inedge1*; *val2* if from *inedge2*
- Phi nodes may refer to themselves (loops!) and may select undef (undefined) values for certain in-edges
- Placement requirements:
 - must be at the beginning of the block
 - must have one entry for each predecessor
 - must have at least one entry

mem2reg confuses easily

```
int ssa3() {
    int z:
    return *(&z + 1 - 1);
                  define i32 @ssa3() nounwind {
                  entry:
                    %z = alloca i32, align 4
getelementptr
                    %add.ptr = getelementptr inbounds i32* %z, i32 1
abstracts away
                    %add.ptr1 = getelementptr inbounds i32* %add.ptr, i32 -1
offset calculation
                    %0 = load i32* %add.ptr1, align 4
                    ret i32 %0
```

Why not make mem2reg smarter? (note that compiling with -O2 optimizes this down to ret_undef)

Loop information (-loops)

- Analysis/LoopInfo.h
- Basic blocks in a loop
- Headers and pre-headers
- Exit and exiting blocks
- Back-edges
- "Canonical induction variable"
 - Starts at 0 and counts up by 1?
 - Starts at some number and counts down to 0
- Loop count

21

23

Scalar Evolution (-scalar-evolution)

- Tracks changes to variables through multiple loop nests
- Gives start value, step size, kind of evolution
 - Constant
 - Add a value each iteration
 - Multiply a value each iteration
 - More complicated relationships as well
- Useful to aggregate accesses into arrays into larger blocks or to improve cache performance

Using an analysis pass

- #include "llvm/Analysis/LoopInfo.h"
- AU.addRequired<LoopInfo>();
 in qetAnalysisUsage()
- LoopInfo& LI = getAnalysis<LoopInfo>(F); in a function called from runOnModule with function F inside that module
- LI.dump()
 "Loop at depth 1 containing:
 %for.cond<header><exiting>,%for.body,
 %for.inc<latch>" (from loop.c)
- PassManager sequences both kinds of passes using getAnalysisUsage()

Target Data (-targetdata)

- Endian-ness
- Pointer sizes
- Alignment
- Actual size (in bits) of variables
- Actual layout of structures
 - (taking into account platform alignment requirements)

22

Alias Analyses


%1 = load i32* %Astore i32 5, i32* <u>%B</u> %3 = add i32 %1, i32 9store i32 %3, i32* %C

If we know that %A != %B != %C we have more freedom to reorder code, promote to registers, etc.

- LLVM includes a number of passes that collect various kinds of alias information
- Can get information about both global and local variables
- Included passes take into account the behavior of the C standard library (eg, sin() will not make new aliases)

Simplify CFG

- A cleanup pass
- Removes unnecessary basic blocks by merging unconditional branches if the second block has only one predecessor



- Removes unreachable blocks
- Removes Phi instructions in blocks with single predecessors

25

26

Other useful passes

- Liveness-based dead code elimination
 - Assumes code is dead unless proven otherwise
- Sparse conditional constant propagation
 - Aggressively search for constants
- Correlated propagation
 - Replace select instructions that select on a constant
- Loop invariant code motion
 - Move code out of loops where possible
- · Dead global elimination
- Canonicalize induction variables
 - All loops start from 0
- Canonicalize loops
 - Put loop structures in standard form

Notes on Writing Passes

- Declare which passes you use (and what your pass mutates) in getAnalysisUsage
- The CommandLine library allows you to add command line parameters very quickly
 - Conflicts in parameter names won't show up until runtime, since passes are loaded dynamically
- Be mindful of correctness; the module verifier is like a syntax checker
 - Does your pass make sense in a multithreaded environment?

Transformations and memory

 For regular loads/stores, LLVM forbids introducing new stores to externally observable locations:

```
int x;
void f(int* a) {
  for (int i = 0; i < 100; i++) {
    if (a[i])
        x += 1;
  }
}

x += 1;
}

x = xtemp;
}</pre>
int x;
void f(int* a) {
  int xtemp = x;
  for (int i = 0; i < 100; i++) {
    if (a[i])
        xtemp += 1;
  }

x = xtemp;
}
```

- volatile marks memory operations that cannot be reordered (wrt volatile operations) or removed
- To support new features in C++11, LLVM provides other atomic orderings that can be applied to loads and stores

Links

- When in doubt, read the documentation—and the code!
 - http://llvm.org/doxygen/
- Articles on the LLVM site are very useful
 - http://llvm.org/docs/Passes.html
 - http://llvm.org/docs/ProgrammersManual.html
 - http://llvm.org/docs/Atomics.html
 - http://llvm.org/docs/LangRef.html

Projects using LLVM

- Just a few from llvm.org:
 - Clang: a C-family language frontend
 - LLDB: an improved debugger using Clang data
 - vmkit: building Java/.NET VMs
 - klee: a symbolic virtual machine for LLVM IR
- Emscripten: LLVM bitcode → JavaScript
 - http://emscripten.org/

29

- Vellvm: a formalization of the LLVM IR
 - http://www.cis.upenn.edu/~jianzhou/Vellvm/

30


Supplemental

High-level view of atomic orderings

- NotAtomic ordinary loads/stores; races are undefined
- Unordered races have "somewhat sane" results
 - A load cannot see a value which was never stored
 - May not be supported for all types on all platforms
 - Used for shared variables in Java, "safe" languages
- Monotonic single locations have consistent order
- Acquire/Release when paired together, strong enough to write a lock
- SequentiallyConsistent Acquire loads, Release stores, and all SequentiallyConsistent operations have a total order
 - Java volatile

Your module, post-IL

- LLVM still has to generate machine code!
- Your module goes through ~3 more stages:



Atomic orderings and you

- If your project is about fine-grained parallelism or lock-free data structures, you need to think about these things
 - LLVM also exposes cmpxchg, atomicrmw, fence
 - LLVM does not expose LL/SC
- If not, just don't, in general:
 - reorder LLVM volatile operations wrt other volatile operations
 - introduce new stores to (shared) locations that would not have been previously stored to
- More details at http://llvm.org/docs/LangRef.html#memmodel

33


34

LLVM IL → SelectionDAG

LLVM IL → SelectionDAG

if.then:
%add = add nsw i32 %a, %b
br label %return

return:
%retval.0 = phi i32 ...
ret i32 %retval.0




SelectionDAG transformations

- Build initial DAG from LLVM IR
- Simplify!
- Legalize types (vectors → scalars)
- Simplify!
- Legalize ops (x86 doesn't do byte-size CMOVs)
- Simplify!
- Select instructions
- Schedule instructions

37


38

Instruction selection



Target-Independent Code Generation


- There are a lot of different machines!
 - And even on x86, there are a lot of different ADDs!
- Make the process data-driven



tablegen

- The tablegen tool is run when compiling the LLVM library for each target
- It accepts a custom text-based record description format and generates C++ definitions using various backends
 - defm ADD : ArithBinOp_RF<0x00, 0x02, 0x04, "add", MRM0r, MRM0m, X86add_flag, add, 1, 1>;
 - ArithBinOp_RF is actually another macro...
- There is still a lot of human-written code in the backends (X86 instruction encoding, for one)

Scheduling



We have choices to make (here, which CopyFromReg executes first?)

ADD32rr


```
def ADD32rr {
  Format BinOpRR:f = MRMDestReg;
  Domain I:d = GenericDomain;
  string Namespace = "X86";
  dag OutOperandList = (outs GR32:$dst);
  dag InOperandList = (ins GR32:$src1, GR32:$src2);
  string AsmString = "add{l} {$src2, $src1|$src1, $src2}";
  list<dag> Pattern =
    [(set GR32:$dst, EFLAGS,
       (X86add_flag GR32:$src1, GR32:$src2))];
  list<Register> Uses = [];
  list<Register> Defs = [EFLAGS];
  list<Predicate> Predicates = [];
  InstrItinClass Itinerary = IIC BIN NONMEM;
  string Constraints = "$src1 = $dst";
  bits<8> Opcode = { 0, 0, 0, 0, 0, 0, 0, 1 };
  Format Form = MRMDestReg;
  bits<6> FormBits = { 0, 0, 0, 0, 1, 1 };
  ... lots more ...
```

41 ... lots more ...

Scheduling

42

44



Chains add control dependency. **Glue** forbids breaking up instructions.

Lowering to MC


%EAX<def> = COPY %vreg2; GR32:%vreg2

RET

MC transformations

- SSA-based MC optimizations
- Register allocation
 - 2AC correction and Leave SSA; copy coalescing; add spillcode
- Prolog/epilog insertion
- Stack layout
- Last-chance MC optimizations/spillcode scheduling
- Encoding

Thanks, abstraction!



46