

Announcements

- Written Assignment2 is out, due March 8
- Graded Programming Assignment2 next Tuesday

Spatial Data Structures

Hierarchical Bounding Volumes
Grids
Octrees
BSP Trees

Speeding Up Computations

- Ray Tracing
 - Spend a lot of time doing ray object intersection tests
- Hidden Surface Removal – painters algorithm
 - Sorting polygons front to back
- Collision between objects
 - Quickly determine if two objects collide



n^2 computations

Spatial data-structures





Spatial Data Structures

- We'll look at
 - Hierarchical bounding volumes
 - Grids
 - Octrees
 - K-d trees and BSP trees
- Good data structures can give speed up ray tracing by 10x or 100x


Bounding Volumes

- Wrap things that are hard to check for intersection in things that are easy to check
 - Example: wrap a complicated polygonal mesh in a box
 - Ray can't hit the real object unless it hits the box
 - Adds some overhead, but generally pays for itself.
- Most common bounding volume types: sphere and box
 - box can be axis-aligned or not
- You want a snug fit!
- But you don't want expensive intersection tests!



Bad!



5




Good!

Bounding Volumes

- You want a snug fit!
- But you don't want expensive intersection tests!
- Use the ratio of the object volume to the enclosed volume as a measure of fit.
- $\text{Cost} = n*B + m*I$
 - n - is the number of rays tested against the bounding volume
 - B - is the cost of each test (Do not need to compute exact intersection!)
 - m - is the number of rays which actually hit the bounding volume
 - I - is the cost of intersecting the object within




6




Bounding Volumes

- You want a snug fit!
- But you don't want expensive intersection tests!
- Use the ratio of the object volume to the enclosed volume as a measure of fit.
- $\text{Cost} = n*B + m*I$
 - n - is the number of rays tested against the bounding volume
 - B - is the cost of each test (Do not need to compute exact intersection!)
 - m - is the number of rays which actually hit the bounding volume
 - I - is the cost of intersecting the object within




Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones





Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones





Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones




Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones




Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones




Check intersect root
If not return no intersections




Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones




Check intersect root
If intersect

check intersect left sub-tree
check intersect right sub-tree




Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones




Check intersect root
If intersect

check intersect left sub-tree
check intersect right sub-tree



Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones




Check intersect root

If intersect


check intersect left sub-tree

check intersect right sub-tree




Hierarchical Bounding Volumes

- Still need to check ray against every object --- $O(n)$
- Use tree data structure
 - Larger bounding volumes contain smaller ones





Check intersect root
If intersect

check intersect left sub-tree
check intersect right sub-tree




Hierarchical Bounding Volumes

- Many ways to build a tree for the hierarchy
- Works well:
 - Binary
 - Roughly balanced
 - Boxes of sibling trees not overlap too much




Hierarchical Bounding Volumes

- Sort the surfaces along the axis before dividing into two boxes
- Carefully choose axis each time
- Choose axis that minimizes sum of volumes



Hierarchical Bounding Volumes

- Sort the surfaces along the axis before dividing into two boxes
- Carefully choose axis each time
- Choose axis that minimizes sum of volumes



Hierarchical Bounding Volumes

- Works well if you use good (appropriate) bounding volumes and hierarchy
- Should give $O(\log n)$ rather than $O(n)$ complexity ($n = \#$ of objects)
- Can have multiple classes of bounding volumes and pick the best for each enclosed object

Hierarchical bounding volumes

Spatial Subdivision


- Grids
- Octrees
- K-d trees and BSP trees

3D Spatial Subdivision

- Bounding volumes enclose the objects (object-centric)
- Instead could divide up the space—the further an object is from the ray the less time we want to spend checking it
 - Grids
 - Octrees
 - K-d trees and BSP trees

Grids


- Data structure: a 3-D array of cells (voxels) that tile space
 - Each cell points to list of all surfaces intersecting that cell



- Intersection testing:
 - Start tracing at cell where ray begins
 - Step from cell to cell, searching for the first intersection point
 - At each cell, test for intersection with all surfaces pointed to by that cell
 - If there is an intersection, return the closest one


Grids

- Cells are traversed in an incremental fashion
- Hits of sets of parallel lines are very regular



More on Grids


- Be Careful! The fact that a ray passes through a cell and hits an object doesn't mean the ray hit that object in *that* cell
- Optimization: cache intersection point and ray id in “mailbox” associated with each object



- Step from cell to cell
- Get object intersecting cell
- Find closest intersection
- If found intersection --- done


More on Grids

- Grids are a poor choice when the world is nonhomogeneous (clumpy)
 - many polygons clustered in a small space
- How many cells to use?
 - too few \Rightarrow many objects per cell \Rightarrow slow
 - too many \Rightarrow many empty cells to step through \Rightarrow slow
- Non-uniform spatial subdivision is better!




Octrees

- Quadtree is the 2-D generalization of binary tree
 - node (cell) is a square
 - recursively split into four equal sub-squares
 - stop when leaves get “simple enough”



Octrees

- Quadtree is the 2-D generalization of binary tree
 - node (cell) is a square
 - recursively split into four equal sub-squares
 - stop when leaves get “simple enough”
- Octree is the 3-D generalization of quadtree
 - node (cell) is a cube, recursively split into eight equal sub-cubes
 - for ray tracing:
 - stop subdivision based on number of objects
 - internal nodes store pointers to children, leaves store list of surfaces
 - more expensive to traverse than a grid
 - but an octree adapts to non-homogeneous scenes better



```
trace(cell, ray) {           // returns object hit or NONE
    if cell is leaf, return closest(objects_in_cell(cell))
    for child cells pierced by ray, in order      // 1 to 4 of these
        obj = trace(child, ray)
        if obj!=NONE return obj
    return NONE
}
```

Which Data Structure is Best for Ray Tracing?

Grids

- Easy to implement

- Require a lot of memory

- Poor results for inhomogeneous scenes

Octrees

- Better on most scenes (more adaptive)

Spatial subdivision expensive for animations


- Hierarchical bounding volumes

- Better for dynamic scenes

- Natural for hierarchical objects


k-d Trees and BSP Trees

- Relax the rules for quadtrees and octrees:
- k-dimensional (k-d) tree
 - don't always split at midpoint
 - split only one dimension at a time (i.e. x or y or z)
- binary space partitioning (BSP) tree
 - permit splits with any line
 - In 2-D space split with lines (most of our examples)
 - 3-D space split with planes
 - K-D space split with $k-1$ dimensional hyperplanes
- useful for Painter's algorithm (hidden surface removal)



Painters Algorithm

Hidden Surface Elimination





Painters Algorithm

- Need to sort objects back to front
- Order depends on the view point
- Partition objects using BSP tree
- View independent



Building a BSP Tree

- Let's look at simple example with 3 line segments
- Arrowheads are to show left and right sides of lines.
- Using line 1 or 2 as root is easy.
- (examples from <http://www.geocities.com/SiliconValley/2151/bsp.html>)





Drawing Objects

- Traverse the tree from the root
- If view point is on the left of the line --- traverse right sub-tree first
- Draw the root
- Traverse left sub-tree



Building the Tree 2

Using line 3 for the root requires a split




Triangles

Use plane containing triangle T_1 to split the space

If view point is on one side of the plane draw polygons on the other side first

T_2 does not intersect plane of T_1





Triangles

Use plane containing triangle T_1 to split the space



If view point is on one side of the plane draw polygons on the other side first

T_2 does not intersect plane of T_1



Triangles

Split Triangle



Building a Good Tree - the tricky part

- A naïve partitioning of n polygons will yield $O(n^3)$ polygons because of splitting!
- Algorithms exist to find partitionings that produce $O(n^2)$.
 - For example, try all remaining polygons and add the one which causes the fewest splits
 - Fewer splits \rightarrow larger polygons \rightarrow better polygon fill efficiency
- Also, we want a balanced tree.

Painter's Algorithm with BSP trees

- Build the tree
 - Involves splitting some polygons
 - Slow, but done only once for static scene
- Correct traversal lets you draw in back-to-front or front-to-back order for any viewpoint
 - Order is view-dependent
 - Pre-compute tree once
 - Do the “sort” on the fly
- Will not work for changing scenes

Drawing a BSP Tree

- Each polygon has a set of coefficients:
 $Ax + By + Cz + D$
- Plug the coordinates of the viewpoint in and see:
 - >0 : front side
 - <0 : back facing
 - =0 : on plane of polygon
- Back-to-front draw: inorder traversal, do farther child first
- Front-to-back draw: inorder traversal, do near child first



```
front_to_back(tree, viewpt) {  
    if (tree == null) return;  
    if (positive_side_of(root(tree), viewpt)) {  
        front_to_back(positive_branch(tree, viewpt);  
        display_polygon(root(tree));  
        front_to_back(negative_branch(tree, viewpt);  
    }  
    else { ...draw negative branch first...}  
}
```

Drawing Back to Front

- Use Painter's Algorithm for hidden surface removal

Steps:

- Draw objects on far side of line 3
 - » Draw objects on far side of line 2a
- Draw line 1
 - » Draw line 2a
- Draw line 3
 - Draw objects on near side of line 3
 - » Draw line 2b




Further Speedups

- Do backface culling
- Draw front to back, and...
 - Keep track of partially filled spans
 - Only render parts that fall into spans that are still open
 - Quit when the image is filled

Clipping Using Spatial Data Structures

Clip the BSP tree against the portions of space that you can see! Accelerate Clipping

- The goal is to accept or reject whole sets of polygons
- Can use spatial data structure
- Much faster than clipping every polygon
- The $O(n)$ task becomes $O(\log n)$
 - terrain fly-throughs
 - gaming



Hierarchical bounding volumes



Octrees

Further Speedups

- Clip the BSP tree against the portions of space that you can see!
 - Called *portals*
 - Initial view volume is entire viewing frustum
 - When you look through a doorway, intersect current volume with “beam” defined by doorway

Demos

BSP Tree construction

<http://symbolcraft.com/graphics/bsp/index.html>

- KD Tree construction

<http://www.cs.umd.edu/~brabec/quadtree/index.html>

Real-time and Interactive Ray Tracing

The OpenRT Real-Time Ray-Tracing Project

<http://www.openrt.de/index.php>

- Interactive ray tracing via space subdivision

<http://www.cs.utah.edu/~reinhard/egwr/>

- Interactive ray tracing with good hardware

<http://www.cs.utah.edu/vissim/projects/raytracing/>

Announcements

- Written Assignment2 is out, due March 8
- Graded Programming Assignment2 next Tuesday