

# 15-150 Fall 2011

## Lab 2

September 7, 2011

The goal for the second lab is to make you more comfortable writing functions in SML using the methodology discussed in the last couple of lectures, and doing inductive proofs. Please take advantage of this opportunity to practice with the assistance of the TAs and your classmates: You are encouraged to collaborate with your classmates and to ask the TAs for help!

## 1 Introduction

### 1.1 Getting Started

Please download the `lab2.sml` file from the course Web site or copy it from the lab afs directory

`/afs/andrew.cmu.edu/course/15/150/asgn/lab/02/`

This file contains some of the functions that were discussed in the last two lectures.

### 1.2 Methodology

Recall from lecture the five step methodology for writing functions:

1. Write the type of the function. For example, the first step we took in writing the function `double` was to write the declaration:

```
fun double (n : int) : int = ...
```

which specifies that `double` has type `int -> int`.

2. Write the purpose or specification of the function. This should appear in a comment above the body of the function.
3. Write a few examples of how the function should transform a value of the argument type into a value of the result type. This should also appear in a comment above the body of the function.

4. Write the body of the function. The purpose and the examples will help you with this step. The body will often follow a pattern of recursion like the ones given later in this lab.
5. Finally, test the function. The examples can be turned into tests. We can write these tests using pattern matching since constants are patterns in SML.

Putting these five steps together results in code that looks like this:

```
(* Purpose: double the number n
 * Examples:
 *   double 0 ==> 0
 *   double 2 ==> 4
 *)
fun double (n : int) : int = <... body of double ...>

(* Tests for double *)
val 0 = double 0
val 4 = double 2
```

Make sure to use this five step methodology for all of the functions you write.

## 2 Recitation Time: Review of Mathematical Induction

The TAs will review the proof from the pretest that every natural number is even or odd. Use this as a model for the proofs later in the lab.

## 3 Recursion on the Natural Numbers

We will write several recursive functions over the natural numbers.

### 3.1 Structural Recursion

The bodies of the first two of these functions will follow the basic pattern of *structural recursion* that we discussed in lecture. To review: They will consist of a **case** statement on the argument that has two branches. The first branch will specify the base case when the argument is zero. The second branch will specify the induction case when the argument is greater than zero. The induction case will include a recursive application of the function to an argument that is one less. So the definitions of the first two functions will match the pattern:

```
fun f (x : int) : int =
  case x of
```

```

0 => (* base case *)
| _ => ... f (x - 1) ...

```

with the base case and ellipses filled in appropriately based on the purpose of the function.

**Summorial** We begin by writing a recursive function that takes a natural number, `n`, and calculates the sum of the numbers from 0 to `n`:

```
summorial n ==> 0 + 1 + 2 + ... + n
```

**Task 3.1** Define the `summ` function such that `summ n` equals the sum of the natural numbers from 0 to `n`. Remember to follow the steps of the methodology. What should the type of `summ` be? Write a purpose for `summ` and a few examples. Write the body of the `summ` function and as you write it, attempt to justify its correctness to yourself. After you write the body of the function, write a few tests based on your examples.

**Squaring** We will now write a recursive function with a more complicated induction case.

**Task 3.2** Define the `square` function such that `square n` returns the product of `n` with itself. Remember to follow the five step methodology. Do not use integer multiplication in the body of `square`. *Hint:* You may apply the `double` function in the body of `square`, and use the following identity:

$$n^2 = (n - 1)^2 + 2n - 1$$

## 3.2 More Advanced Patterns of Recursion

**Odd** In lecture, we defined the `evenP` function of type `int -> bool` that transforms a natural number, `n`, into `true` if and only if it is even. The definition of `evenP` is given in `lab2.sml`. This definition uses a different pattern of recursion:

To define a function on all natural numbers, it suffices to give cases for

- 0
- 1
- $2 + n$ , using a recursive call on  $n$

Therefore, the `case` statement in the body of `evenP` has three branches rather than two. The first two branches give the base cases, and the third branch includes a recursive application of the function to the natural number that is two less than the argument:

```

fun g (x : int) : bool =
  case x of
    0 => (* base case 0 *)
  | 1 => (* base case 1 *)
  | _ => ... g (x - 2) ...

```

with the base cases and ellipses filled in appropriately based on the purpose of the function.

We will now define the `oddP` function using this pattern.

**Task 3.3** Define the `oddP` function of type `int -> bool` that transforms a natural number `n` into `true` if and only if it is odd. Once again, remember to follow the five step methodology. Do not call `evenP` in the definition of `oddP`. *Hint:* How do the base cases of `evenP` and `oddP` differ?

**Divisible by Three** Next, you will define a function `divisibleByThree : int -> bool` such that `divisibleByThree n` evaluates to `true` if  $n$  is a multiple of 3 and to `false` otherwise. Do not use the SML `mod` operator for this task.

**Task 3.4** Define this function, following the five-step methodology. *Hint:* You will need a new pattern of recursion to define this function. Explain the pattern here:

To define a function on all natural numbers, it suffices to give cases for

## 4 Two-argument Functions

Suppose we didn't have `+` built in; how could we define it?

So far we have only defined functions with argument type `int`. In this problem, you will define a *two-argument function*

```
fun add (x : int, y : int) : int = ...
```

that computes the sum of `x` and `y`. *Hint:* The body of the `add` function should start with a `case` statement on `x`. The base case will give the sum of 0 and `y`, and the induction case will use the sum of `x-1` and `y` to compute the sum of `x` and `y`. That is, `add` should follow the pattern of *structural recursion on x*.

**Task 4.1** Define the `add` function that computes the sum of a pair of natural numbers. You may use SML addition and subtraction of `int` constants in the definition of `add` (e.g. `+` 1 and `-` 1), but you may not add variables. Remember to follow the five step methodology.

## 5 Induction

**Ask a TA to check your definition of `add` before doing this task!**

If you defined `add` correctly, then it is a simple calculation to see that for any  $n$ , `add (0,n) ==> n`.

However, to show that for all natural numbers  $m$ , `add (m,0) ==> m` requires an inductive proof. In this proof, we do induction on only the first argument  $m$ , leaving the second argument alone.

**Task 5.1** Fill in the proof on the following page.

**Theorem 1.** *For all natural numbers  $m$ ,  $\text{add}(m, 0) ==> m$ .*

The proof is by induction on  $m$ .

The predicate to be proved is

- **Case for 0**

To show:

Proof:

- **Case for  $1 + k$**

Inductive hypothesis:

To show:

Proof: