

15-213

“The course that gives CMU its Zip!”

Code Optimization I: Machine Independent Optimizations Sept. 26, 2002

Topics

- Machine-Independent Optimizations
 - Code motion
 - Reduction in strength
 - Common subexpression sharing
- Tuning
 - Identifying performance bottlenecks

class10.ppt

Optimizing Compilers

Provide efficient mapping of program to machine

- register allocation
- code selection and ordering
- eliminating minor inefficiencies

Don't (usually) improve asymptotic efficiency

- up to programmer to select best overall algorithm
- big-O savings are (often) more important than constant factors
 - but constant factors also matter

Have difficulty overcoming “optimization blockers”

- potential memory aliasing
- potential procedure side-effects

- 3 -

15-213, F'02

Great Reality #4

There's more to performance than asymptotic complexity

Constant factors matter too!

- Easily see 10:1 performance range depending on how code is written
- Must optimize at multiple levels:
 - algorithm, data representations, procedures, and loops

Must understand system to optimize performance

- How programs are compiled and executed
- How to measure program performance and identify bottlenecks
- How to improve performance without destroying code modularity and generality

- 2 -

15-213, F'02

Limitations of Optimizing Compilers

Operate Under Fundamental Constraint

- Must not cause any change in program behavior under any possible condition
- Often prevents it from making optimizations when would only affect behavior under pathological conditions.

Behavior that may be obvious to the programmer can be obfuscated by languages and coding styles

- e.g., data ranges may be more limited than variable types suggest

Most analysis is performed only within procedures

- whole-program analysis is too expensive in most cases

Most analysis is based only on *static* information

- compiler has difficulty anticipating run-time inputs

When in doubt, the compiler must be conservative

- 4 -

15-213, F'02

Machine-Independent Optimizations

- Optimizations you should do regardless of processor / compiler

Code Motion

- Reduce frequency with which computation performed
 - If it will always produce same result
 - Especially moving code out of loop

```

for (i = 0; i < n; i++)
  for (j = 0; j < n; j++)
    a[n*i + j] = b[j];
    
```

→

```

for (i = 0; i < n; i++) {
  int ni = n*i;
  for (j = 0; j < n; j++)
    a[ni + j] = b[j];
}
    
```

Compiler-Generated Code Motion

- Most compilers do a good job with array code + simple loop structures

Code Generated by GCC

```

for (i = 0; i < n; i++)
  for (j = 0; j < n; j++)
    a[n*i + j] = b[j];
    
```

→

```

for (i = 0; i < n; i++) {
  int ni = n*i;
  int *p = a+ni;
  for (j = 0; j < n; j++)
    *p++ = b[j];
}
    
```

→

```

imull %ebx,%eax      # i*n
movl 8(%ebp),%edi    # a
leal (%edi,%eax,4),%edx # p = a+i*n (scaled by 4)
# Inner Loop
.L40:
movl 12(%ebp),%edi   # b
movl (%edi,%ecx,4),%eax # b+j (scaled by 4)
movl %eax,(%edx)     # *p = b[j]
addl $4,%edx        # p++ (scaled by 4)
incl %ecx           # j++
jl .L40             # loop if j<n
    
```

Reduction in Strength

- Replace costly operation with simpler one
- Shift, add instead of multiply or divide
 - 16*x --> x << 4
 - Utility machine dependent
 - Depends on cost of multiply or divide instruction
 - On Pentium II or III, integer multiply only requires 4 CPU cycles
- Recognize sequence of products

```

for (i = 0; i < n; i++)
  for (j = 0; j < n; j++)
    a[n*i + j] = b[j];
    
```

→

```

int ni = 0;
for (i = 0; i < n; i++) {
  for (j = 0; j < n; j++)
    a[ni + j] = b[j];
  ni += n;
}
    
```

Make Use of Registers

- Reading and writing registers much faster than reading/writing memory

Limitation

- Compiler not always able to determine whether variable can be held in register
- Possibility of *Aliasing*
- See example later

Machine-Independent Opts. (Cont.)

Share Common Subexpressions

- Reuse portions of expressions
- Compilers often not very sophisticated in exploiting arithmetic properties

```
/* Sum neighbors of i,j */
up = val[(i-1)*n + j];
down = val[(i+1)*n + j];
left = val[i*n + j-1];
right = val[i*n + j+1];
sum = up + down + left + right;
```

3 multiplications: $i*n$, $(i-1)*n$, $(i+1)*n$

```
int inj = i*n + j;
up = val[inj - n];
down = val[inj + n];
left = val[inj - 1];
right = val[inj + 1];
sum = up + down + left + right;
```


1 multiplication: $i*n$

```
leal -1(%edx),%ecx # i-1
imull %ebx,%ecx # (i-1)*n
leal 1(%edx),%eax # i+1
imull %ebx,%eax # (i+1)*n
imull %ebx,%edx # i*n
```

- 9 -

15-213, F02

Vector ADT



Procedures

`vec_ptr new_vec(int len)`

- Create vector of specified length

`int get_vec_element(vec_ptr v, int index, int *dest)`

- Retrieve vector element, store at *dest
- Return 0 if out of bounds, 1 if successful

`int *get_vec_start(vec_ptr v)`

- Return pointer to start of vector data

- Similar to array implementations in Pascal, ML, Java

- E.g., always do bounds checking

- 10 -

15-213, F02

Optimization Example

```
void combinel(vec_ptr v, int *dest)
{
    int i;
    *dest = 0;
    for (i = 0; i < vec_length(v); i++) {
        int val;
        get_vec_element(v, i, &val);
        *dest += val;
    }
}
```

Procedure

- Compute sum of all elements of vector
- Store result at destination location

- 11 -

15-213, F02

Time Scales

Absolute Time

- Typically use nanoseconds
 - 10^{-9} seconds
- Time scale of computer instructions

Clock Cycles


- Most computers controlled by high frequency clock signal
- Typical Range
 - 100 MHz
 - » 10^8 cycles per second
 - » Clock period = 10ns
 - 2 GHz
 - » 2×10^9 cycles per second
 - » Clock period = 0.5ns
- Fish machines: 550 MHz (1.8 ns clock period)

- 12 -

15-213, F02

Cycles Per Element

- Convenient way to express performance of program that operators on vectors or lists
- Length = n
- $T = CPE * n + \text{Overhead}$



- 13 -

15-213, F'02

Optimization Example

```
void combine1(vec_ptr v, int *dest)
{
    int i;
    *dest = 0;
    for (i = 0; i < vec_length(v); i++) {
        int val;
        get_vec_element(v, i, &val);
        *dest += val;
    }
}
```

Procedure

- Compute sum of all elements of integer vector
- Store result at destination location
- Vector data structure and operations defined via abstract data type

Pentium II/III Performance: Clock Cycles / Element

- 14 - ■ 42.06 (Compiled -g) 31.25 (Compiled -O2)

15-213, F'02

Understanding Loop

```
void combine1-goto(vec_ptr v, int *dest)
{
    int i = 0;
    int val;
    *dest = 0;
    if (i >= vec_length(v))
        goto done;
    loop:
        get_vec_element(v, i, &val);
        *dest += val;
        i++;
        if (i < vec_length(v))
            goto loop;
    done:
}
```

1 iteration

Inefficiency

- Procedure `vec_length` called every iteration
- Even though result always the same

- 15 -

15-213, F'02

Move `vec_length` Call Out of Loop

```
void combine2(vec_ptr v, int *dest)
{
    int i;
    int length = vec_length(v);
    *dest = 0;
    for (i = 0; i < length; i++) {
        int val;
        get_vec_element(v, i, &val);
        *dest += val;
    }
}
```

Optimization

- Move call to `vec_length` out of inner loop
 - Value does not change from one iteration to next
 - Code motion
- CPE: 20.66 (Compiled -O2)
 - `vec_length` requires only constant time, but significant overhead

- 16 -

15-213, F'02

Code Motion Example #2

Procedure to Convert String to Lower Case

```
void lower(char *s)
{
    int i;
    for (i = 0; i < strlen(s); i++)
        if (s[i] >= 'A' && s[i] <= 'Z')
            s[i] -= ('A' - 'a');
}
```


- Extracted from 213 lab submissions, Fall, 1998

- 17 -

15-213, F'02

Lower Case Conversion Performance

- Time quadruples when double string length
- Quadratic performance



- 18 -

15-213, F'02

Convert Loop To Goto Form

```
void lower(char *s)
{
    int i = 0;
    if (i >= strlen(s))
        goto done;
loop:
    if (s[i] >= 'A' && s[i] <= 'Z')
        s[i] -= ('A' - 'a');
    i++;
    if (i < strlen(s))
        goto loop;
done:
}
```

- `strlen` executed every iteration
- `strlen` linear in length of string
 - Must scan string until finds `'\0'`
- Overall performance is quadratic

- 19 -

15-213, F'02

Improving Performance

```
void lower(char *s)
{
    int i;
    int len = strlen(s);
    for (i = 0; i < len; i++)
        if (s[i] >= 'A' && s[i] <= 'Z')
            s[i] -= ('A' - 'a');
}
```


- Move call to `strlen` outside of loop
- Since result does not change from one iteration to another
- Form of code motion

- 20 -

15-213, F'02

Lower Case Conversion Performance

- Time doubles when double string length
- Linear performance



- 21 -

15-213, F02

Optimization Blocker: Procedure Calls

Why couldn't the compiler move `vec_len` or `strlen` out of the inner loop?

- Procedure may have side effects
 - Alters global state each time called
- Function may not return same value for given arguments
 - Depends on other parts of global state
 - Procedure `lower` could interact with `strlen`

Why doesn't compiler look at code for `vec_len` or `strlen`?

- Linker may overload with different version
 - Unless declared static
- Interprocedural optimization is not used extensively due to cost

Warning:

- Compiler treats procedure call as a black box
- Weak optimizations in and around them

- 22 -

15-213, F02

Reduction in Strength

```
void combine3(vec_ptr v, int *dest)
{
    int i;
    int length = vec_length(v);
    int *data = get_vec_start(v);
    *dest = 0;
    for (i = 0; i < length; i++) {
        *dest += data[i];
    }
}
```

Optimization

- Avoid procedure call to retrieve each vector element
 - Get pointer to start of array before loop
 - Within loop just do pointer reference
 - Not as clean in terms of data abstraction
- CPE: 6.00 (Compiled -O2)
 - Procedure calls are expensive!
 - Bounds checking is expensive

- 23 -

15-213, F02

Eliminate Unneeded Memory Refs

```
void combine4(vec_ptr v, int *dest)
{
    int i;
    int length = vec_length(v);
    int *data = get_vec_start(v);
    int sum = 0;
    for (i = 0; i < length; i++)
        sum += data[i];
    *dest = sum;
}
```

Optimization

- Don't need to store in destination until end
- Local variable `sum` held in register
- Avoids 1 memory read, 1 memory write per cycle
- CPE: 2.00 (Compiled -O2)
 - Memory references are expensive!

- 24 -

15-213, F02

Detecting Unneeded Memory Refs.

Combine3

```
.L18:  
    movl (%ecx,%edx,4),%eax  
    addl %eax,(%edi)  
    incl %edx  
    cmpl %esi,%edx  
    jl .L18
```

Combine4

```
.L24:  
    addl (%eax,%edx,4),%ecx  
  
    incl %edx  
    cmpl %esi,%edx  
    jl .L24
```

Performance

- **Combine3**
 - 5 instructions in 6 clock cycles
 - addl must read and write memory
- **Combine4**
 - 4 instructions in 2 clock cycles

- 25 -

15-213, F02

Optimization Blocker: Memory Aliasing

Aliasing

- Two different memory references specify single location

Example

- v: [3, 2, 17]
- combine3(v, get_vec_start(v)+2) --> ?
- combine4(v, get_vec_start(v)+2) --> ?

Observations

- Easy to have happen in C
 - Since allowed to do address arithmetic
 - Direct access to storage structures
- Get in habit of introducing local variables
 - Accumulating within loops
 - Your way of telling compiler not to check for aliasing

- 26 -

15-213, F02

Machine-Independent Opt. Summary

Code Motion

- Compilers are good at this for simple loop/array structures
- Don't do well in presence of procedure calls and memory aliasing

Reduction in Strength

- Shift, add instead of multiply or divide
 - compilers are (generally) good at this
 - Exact trade-offs machine-dependent
- Keep data in registers rather than memory
 - compilers are not good at this, since concerned with aliasing

Share Common Subexpressions

- compilers have limited algebraic reasoning capabilities

- 27 -

15-213, F02

Important Tools

Measurement

- Accurately compute time taken by code
 - Most modern machines have built in cycle counters
 - Using them to get reliable measurements is tricky
- Profile procedure calling frequencies
 - Unix tool gprof

Observation

- Generating assembly code
 - Lets you see what optimizations compiler can make
 - Understand capabilities/limitations of particular compiler

- 28 -

15-213, F02

Code Profiling Example

Task

- Count word frequencies in text document
- Produce sorted list of words from most frequent to least

Steps

- Convert strings to lowercase
- Apply hash function
- Read words and insert into hash table
 - Mostly list operations
 - Maintain counter for each unique word
- Sort results

Data Set

- Collected works of Shakespeare
- 946,596 total words, 26,596 unique
- Initial implementation: 9.2 seconds

Shakespeare's most frequent words

29,801	the
27,529	and
21,029	I
20,957	to
18,514	of
15,370	a
14010	you
12,936	my
11,722	in
11,519	that

Code Profiling

Augment Executable Program with Timing Functions

- Computes (approximate) amount of time spent in each function
- Time computation method
 - Periodically (~ every 10ms) interrupt program
 - Determine what function is currently executing
 - Increment its timer by interval (e.g., 10ms)
- Also maintains counter for each function indicating number of times called

Using

```
gcc -O2 -pg prog. -o prog
```

```
./prog
```

- Executes in normal fashion, but also generates file `gmon.out`

```
gprof prog
```

- Generates profile information based on `gmon.out`

Profiling Results

% time	cumulative seconds	self seconds	calls	self ms/call	total ms/call	name
86.60	8.21	8.21	1	8210.00	8210.00	sort_words
5.80	8.76	0.55	946596	0.00	0.00	lower1
4.75	9.21	0.45	946596	0.00	0.00	find_ele_rec
1.27	9.33	0.12	946596	0.00	0.00	h_add


Call Statistics

- Number of calls and cumulative time for each function

Performance Limiter


- Using inefficient sorting algorithm
- Single call uses 87% of CPU time

Code Optimizations



- First step: Use more efficient sorting function
- Library function `qsort`

Further Optimizations



- **Iter first:** Use iterative function to insert elements into linked list
 - Causes code to slow down
- **Iter last:** Iterative function, places new entry at end of list
 - Tend to place most common words at front of list
- **Big table:** Increase number of hash buckets
- **Better hash:** Use more sophisticated hash function
- **Linear lower:** Move `strlen` out of loop

- 33 -

15-213, F'02

Profiling Observations

Benefits

- Helps identify performance bottlenecks
- Especially useful when have complex system with many components

Limitations

- Only shows performance for data tested
- E.g., linear lower did not show big gain, since words are short
 - Quadratic inefficiency could remain lurking in code
- Timing mechanism fairly crude
 - Only works for programs that run for > 3 seconds

- 34 -

15-213, F'02