Visualization and Nonphotorealistic Rendering

Adrien Treuille
Carnegie Mellon Universtiy

Outline

- Visualization
- Non-photorealistic Rendering
- Cutaway Illustration
- Contour Drawing
- Good photographs.
- Map Drawing

Visualization

http://medvis.vrvis.at/fileadmin/hvr/images/headlarge.jpg

- Goal: Use computer graphics to understand data.
- For virtual every data type there is a corresponding visualization.
  - The importance of graphics!

Numerical Data



http://www.manifold.net/news/fly_through.jpg

Graphs



http://www.wandora.org/wandora/wiki/images/Tree_graph_example.gif

Graphs



http://www.designinginteractions.com/chapters/7

Geographic Data



http://flowingdata.com/wp-content/plugins/yet-another-photoblog/cache/g_econ.6zhzwniskpgcwwgs00okoco4s.7dm680981og04ocskgcsckco4.th.jpeg

Flow Visualization



http://www.faculty.iu-bremen.de/llinsen/publications/ParkYuHotzKreylosLinsenHamann06.jpg

3D Volume Data



http://medvis.vrvis.at/fileadmin/hvr/images/headlarge.jpg

Figure 2.4: An example of a visualization of a single respiratory phase of a 4DCT visualization showing lung, bone, and skin.

[Burak Erem, Thesis]

Volume Rendering

- Visualize Large dataset for scientific / medical application.
- Generally do not start with a 3D model.

INPUT



CT Scan - White means higher radiodensity.

OUTPUT



Large Datasets

INPUT



CT Scan - White means higher radiodensity.

OUTPUT

- CT or MRI:
- e.g. 512×512×200 ≈ 50MB
- Visible Human:
- 512×512×1734 ≈ 433MB

Two Options



- Surface Rendering



- Volume Rendering

Surface Rendering



- Threshold volume data.

- Then run our favorite algorithm....
- Hint: rhymes with "starching dudes"





Volume Rendering

- Some data better visualized as a volume, not a surface.
- Idea: Use voxels and transparency.



Raytraced Isosurface



Volume Rendering

Outline

- Visualization
- **Non-photorealistic Rendering**
- Cutaway Illustration
- Contour Drawing
- Good photographs.
- Map Drawing

Basic Idea

- Which best conveys "reality?"

Photograph.

Painting.
A Rough Sea at a Jetty, 1650.
Jacob van Ruysdael.



Computer Graphics
Duncan Brinsmead

source: Jos Stam. *Photography changes what we think "reality" looks like.*

Reality

A Rough Sea at a Jetty, 1650. - Jacob van Ruysdael.

- This instance in time never happened!
- Perhaps a better match of "subjective reality."
- Better illustration of "what was going on."

NPR



- Perhaps we can do better graphics...
- By doing **non-photorealistic graphics!**

...ed!

...n of "subjective reality."

...ustration of "what was going on."

NPR Pipeline

- NPR Research often follows this pipeline...



(1) Study Existing Rendering or Illustration Technique



(2) Extract General Aesthetic Rules



(b) Thorax

(3) "Algorithmicize" These Rules

Outline

- Visualization
- Non-photorealistic Rendering
- **Cutaway Illustration**
- Contour Drawing
- Good photographs.
- Map Drawing

Goal


Cardiacus superior of
To Stom
Trachea
Subcl.
Parietal Pleura
Aorta
Phrenic M. to Diaphra
r. lung removed
Right Auricle
Right Ventricle
Pericardial Sac (cut)
Diaphragm
Liver

Box Cut



Box Cut



Object-aligned box cut

Window Cut

Window cut

Wedge Cut

Wedge Cut



Wedge cut

Transverse Tube Cut



Transverse tube cut

Cut Taxonomy



Results

Interactive Cutaway Illustrations of Complex 3D Models

Wilmot Li [1] Lincoln Ritter[1]
Maneesh Agrawala[2] Brian Curless[1] David Salesin[1,3]

[1]University of Washington [2]University of California, Berkeley [3]Adobe Systems

(Source: Li et al. InteractiveCutawayIllustrationsofComplex3DModels)

Outline

- Visualization
- Non-photorealistic Rendering
- Cutaway Illustration
- **Contour Drawing**
- Good photographs.
- Map Drawing

Goal

http://www.cs.princeton.edu/gfx/pubs/Cole_2008_WDP/index.php

Contours

$$\mathbf{n}(\mathbf{p}) \cdot \mathbf{v}(\mathbf{p}) = 0$$

Suggestive Contours



$$\min \ \mathbf{n}(\mathbf{p}) \cdot \mathbf{v}(\mathbf{p})$$

Examples



Suggestive Contours for Conveying Shape

Doug DeCarlo[1] Adam Finkelstein[2] Szymon Rusinkiewicz[2] Anthony Santella[1]

More Examples



Where Do People Draw Lines?
Forrester Cole, Aleksey Golovinskiy, Alex Limpaecher, Heather Stoddart Barros, Adam Finkelstein, Thomas Funkhouser, and Szymon Rusinkiewicz

Depth Edge Camera







Depth Discontinuities

Internal and external
Shape boundaries, Occluding contour, Silhouettes


Photo


Result


Our Method


Canny Intensity
Edge Detection


Left Flash
Right Flash
Max
Top Flash
Bottom Flash
Depth Edge Confidence Map



Shadows

Clutter

Many Colors

Highlight Shape Edges

Mark moving parts

Basic colors

Outline

- Visualization
- Non-photorealistic Rendering
- Cutaway Illustration
- Contour Drawing
- Good photographs.
- **Map Drawing**

Goal


N
W
E
S
101 FWY
SOUTH
(HOLLYWOOD)
110 FWY
SOUTH
9TH
FIGUEROA
FLOWER
OLYMPIC
HOTEL
FIGUEROA
KANAN
CORNELL WAY
CORNELL RD
PARAMOUNT
RANCH
NATIONAL
PARK

Reality


US-101
19.2
Roadside Dr
Kanan Rd
0.5
Cornell Way
0.1
Cafeta Rd
Cornell Rd
2.2
Paramount Ranch National Park
US-101 South
14.1
CA 110
1.1
8th Pl 0.2
9th St 0.1
James M Wood Blvd 0.2
Hotel Figueroa
Flower St
Olympic Blvd 0.1
S Figueroa St
0.1
NORTH
MAPBLAST!
San Fernando
210
170
Burbank
134
Glendale
Cornell Rd
405
Beverly Hills
5
939 S Figueroa St
Culver City
10
Santa Monica
Inglewood
Pacific Ocean
El Segundo
110
105
5 mi
©2000 Mapsty Corp, ©DT, NavTech

MapBlast / LineDrive



[Rendering effective route maps:..., Agrawala and Stolte]

MapBlast / LineDrive



Figure 2: The LineDrive system. (a) Given a route as a sequence of roads, LineDrive designs a route map by processing the route through five consecutive stages. (b) The resulting LineDrive map. (c) The same map rendered without applying the generalization techniques performed by LineDrive. The constant scale factor and retention of detailed road shape make it difficult to identify many of the roads.

MapBlast / LineDrive



(a) San Francisco to Atlanta





Practice Problem

Of all of the NPR examples you saw in class today, which did you think was most effective for what it was trying to do and why?