

Lecture 2

Local Optimizations

- I. Basic blocks/Flow graphs
- II. Abstraction 1: DAG
- III. Abstraction 2: Value numbering

I. Basic Blocks & Flow Graphs

- **What is**
 - a basic block?
 - a flow graph?
- **How do we restructure a sequential list of instructions into a flow graph of basic blocks?**
 - ALSU pp. 529-531
- **Reachability of basic blocks**

```
if x {                               bfls r1, L1
    ...                               ...
    return;                          ret
} else {                               jmp L2
    ...                               L1: ...
}                                       L2: ...
```

II. Local Optimizations

- **Common subexpression elimination**
 - array expressions
 - field access in records
 - access to parameters

Graph Abstractions

- **Example 1: an expression**
 $a+a*(b-c)+(b-c)*d$

- **ALSU pp. 359-362**

How well do DAGs hold up across statements?


- **Example 2**
 - a = b+c;
 - b = a-d;
 - c = b+c;
 - d = a-d;

Critique of DAGs

- **Cause of problems**
 - Assignment statements
 - Value of variable depends on TIME
- **How to fix problem?**
 - build graph in order of execution
 - attach variable name to latest value
- **Final graph created is not very interesting**
 - Key: variable->value mapping across time
 - loses appeal of abstraction

III. Value Number: Another Abstraction

- John Cocke & Jack Schwartz in unpublished book: "Programming Languages and their Compilers", (1970) (ALSU pp. 360-362)
- More explicit with respect to VALUES, and TIME



- each value has its own "number"
 - common subexpression means same value number
 - var2value: current map of variable to value
 - used to determine the value number of current expression
- $r1 + r2 \Rightarrow \text{var2value}(r1) + \text{var2value}(r2)$

Algorithm

Data structure:

```
VALUES = Table of
expression
var          (temporary holding variable)
```

For each instruction (dst = op src1 src2) in execution order

```
IF [OP var2value(src1) var2value(src2)] is in VALUES
  v = the index of expression
  Replace instruction with CPY dst = VALUES[v].var
ELSE
  Add
  expression = [OP var2value(src1) var2value(src2)]
  var        = dst
  to VALUES
  v = index of new entry

set_var2value (dst, v)
```

More Details

- **What are the initial values of the variables?**
 - values at beginning of the basic block
- **Possible implementations:**
 - Initialization: create "initial values" for all variables
 - Or dynamically create them as they are used
- **Implementation of VALUES and var2value: hash tables**

Example

```
Assign: a->r1,b->r2,c->r3,d->r4
a = b+c;   ADD t1 = r2,r3
           CPY r1 = t1
b = a-d;   SUB t2 = r1,r4
           CPY r2 = t2
c = b+c;   ADD t3 = r2,r3
           CPY r3 = t3
d = a-d;   SUB t4 = r1,r4
           CPY r4 = t4
```

Conclusions

- **Comparisons of two abstractions**
 - DAGs
 - Value numbering
- **Value numbering**
 - VALUE: distinguish between variables and VALUES
 - TIME
 - Interpretation of instructions in order of execution
 - Keep dynamic state information

Question

- **How do you extend value numbering to constant folding?**

a = 1

b = 2

c = a+b