

# Lecture 12

## Region-Based Analysis


- I. Basic Idea
- II. Algorithm
- III. Optimization and Complexity
- IV. Comparing region-based analysis with iterative algorithms

Reading: ALSU 9.7

### Motivation for Studying Region-Based Analysis

- Exploit the structure of block-structured programs in data flow
- Tie in several concepts studied:
  - Use of structure in induction variables, loop invariant
    - motivated by nature of the problem
    - *This lecture: can we use structure for speed?*
  - Iterative algorithm for data flow
    - *This lecture: an alternative algorithm*
  - Reducibility
    - all retreating edges of DFST are back edges
    - reducible graphs converge quickly
    - *This lecture: algorithm exploits & requires reducibility*
- Usefulness in practice
  - Faster for "harder" analyses
  - Useful for analyses related to structure
- Theoretically interesting: better understanding of data flow

### I. Big Picture



### Basic Idea

- In **Iterative Analysis**:
  - DEFINITION: Transfer function  $F_B$ :  
summarize effect from beginning to end of basic block B
- In **Region-Based Analysis**:
  - DEFINITION: Transfer function  $F_{R,B}$ :  
summarize effect from beginning of R to end of basic block B
  - Recursively
    - construct a larger region R from smaller regions
    - construct  $F_{R,B}$  from transfer functions for smaller regions
    - until the program is one region
  - Let P be the region for the entire program, and v be initial value at entry node
    - $out[B] = F_{P,B}(v)$
    - $in[B] = \bigwedge_{B'} out[B']$ , where B' is a predecessor of B

## II. Algorithm

1. Operations on transfer functions
2. How to build nested regions?
3. How to construct transfer functions that correspond to the larger regions?


## 1. Operations on Transfer Functions

- **Example: Reaching Definitions**
- $F(x) = Gen \cup (x - Kill)$
- $F_2(F_1(x)) = Gen_2 \cup (F_1(x) - Kill_2)$   
 $= Gen_2 \cup (Gen_1 \cup (x - Kill_1) - Kill_2)$   
 $= Gen_2 \cup (Gen_1 - Kill_2) \cup (x - (Kill_1 \cup Kill_2))$
- $F_1(x) \wedge F_2(x) = Gen_1 \cup (x - Kill_1) \cup Gen_2 \cup (x - Kill_2)$   
 $= (Gen_1 \cup Gen_2) \cup (x - (Kill_1 \cap Kill_2))$
- $F^*(x) \leq F^n(x), \forall n \geq 0$   
 $= x \cup F(x) \cup F(F(x)) \cup \dots$   
 $= x \cup (Gen \cup (x - Kill)) \cup (Gen \cup ((Gen \cup (x - Kill)) - Kill)) \cup \dots$   
 $= Gen \cup (x - \emptyset)$

## 2. Structure of Nested Regions (An Example)


- A **region** in a flow graph is a set of nodes that
  - includes a **header**, which **dominates all other nodes in a region**
- **T1-T2 rule (Hecht & Ullman)**
  - **T1: Remove a loop**  
If  $n$  is a node with a **loop**, i.e. an **edge  $n \rightarrow n$** , **delete that edge**
  - **T2: Remove a vertex**  
If there is a node  $n$  that has a **unique predecessor,  $m$** , then  $m$  may consume  $n$  by **deleting  $n$  and making all successors of  $n$  be successors of  $m$** .

## Example




- In reduced graph:
  - each **vertex** represents a **subgraph of original graph (a region)**.
  - each **edge** represents an **edge in original graph**
- **Limit flow graph**: result of **exhaustive application of T1 and T2**
  - independent of order of application.
  - if limit flow graph has a **single vertex**  $\rightarrow$  **reducible**
- Can define larger regions (e.g. Allen&Cocke's intervals)
  - simple regions  $\rightarrow$  simple composition rules for transfer functions

### 3. Transfer Functions for T2 Rule





- **Transfer function**
- $F_{R,B}$ : summarizes the effect from beginning of R to end of B
- $F_{R,in(H2)}$ : summarizes the effect from beginning of R to beginning of H2
  - Unchanged for blocks B in region  $R_1$  ( $F_{R,B} = F_{R1,B}$ )
  - $F_{R,in(H2)} = \wedge_p F_{R,p}$ , where p is a predecessor of H2
  - For blocks B in region  $R_2$ :  $F_{R,B} = F_{R2,B} \cdot F_{R,in(H2)}$

### Transfer Functions for T1 Rule



- **Transfer Function  $F_{R,B}$** 
  - $F_{R,in(H)} = (\wedge_p F_{R1,p})^*$ , where p is a predecessor of H in R
  - $F_{R,B} = F_{R1,B} \cdot F_{R,in(H)}$



### First Example



R	$T_1/T_2$	R'	$F_{R,in(R')}$	$F_{R,B1}$	$F_{R,B2}$	$F_{R,B3}$	$F_{R,B4}$
$R_1$	$T_2$	$B_2$					
$R_2$	$T_2$	$R_1$					
$R_3$	$T_1$	$R_2$					
$R_4$	$T_2$	$B_4$					

- R: region name
- R': region whose header will be subsumed


### First Example



R	$T_1/T_2$	R'	$F_{R,in(R')}$	$F_{R,B1}$	$F_{R,B2}$	$F_{R,B3}$	$F_{R,B4}$
$R_1$	$T_2$	$B_2$	$F_{B1}$	$F_{B1}$	$F_{B2} \cdot F_{R1,in(B2)}$		
$R_2$	$T_2$	$R_1$	$F_{B3}$	$F_{R1,B1} \cdot F_{R2,in(R1)}$	$F_{R1,B2} \cdot F_{R2,in(R1)}$	$F_{B3}$	
$R_3$	$T_1$	$R_2$	$(F_{R2,B1} \wedge F_{R2,B2})^*$	$F_{R2,B1} \cdot F_{R3,in(R2)}$	$F_{R2,B2} \cdot F_{R3,in(R2)}$	$F_{R2,B3} \cdot F_{R3,in(R2)}$	
$R_4$	$T_2$	$B_4$	$F_{R3,B3} \wedge F_{R3,B2}$	$F_{R3,B1}$	$F_{R3,B2}$	$F_{R3,B3}$	$F_{B4} \cdot F_{R4,in(B4)}$

- R: region name
- R': region whose header will be subsumed


### III. Complexity of Algorithm



R	T <sub>1</sub> /T	R'	F <sub>R,in(R)</sub>	F <sub>R,B1</sub>	F <sub>R,B2</sub>	F <sub>R,B3</sub>	F <sub>R,B4</sub>	F <sub>R,B5</sub>
R <sub>1</sub>	T <sub>2</sub>	B <sub>2</sub>	F <sub>B2</sub>	F <sub>B1</sub> · F <sub>B2</sub>	F <sub>B2</sub>			
R <sub>2</sub>	T <sub>2</sub>	R <sub>1</sub>	F <sub>B3</sub>	F <sub>R1,B1</sub> · F <sub>B3</sub>	F <sub>R1,B2</sub> · F <sub>B3</sub>	F <sub>B3</sub>		
R <sub>3</sub>	T <sub>2</sub>	R <sub>2</sub>	F <sub>B4</sub>	F <sub>R2,B1</sub> · F <sub>B4</sub>	F <sub>R2,B2</sub> · F <sub>B4</sub>	F <sub>R2,B3</sub> · F <sub>B4</sub>	F <sub>B4</sub>	
R <sub>4</sub>	T <sub>2</sub>	R <sub>3</sub>	F <sub>B5</sub>	F <sub>R3,B1</sub> · F <sub>B5</sub>	F <sub>R3,B2</sub> · F <sub>B5</sub>	F <sub>R3,B3</sub> · F <sub>B5</sub>	F <sub>B4</sub> · F <sub>B5</sub>	F <sub>B5</sub>

R	F <sub>R4,in(R)</sub>
R <sub>4</sub>	I
R <sub>3</sub>	F <sub>B5</sub> · F <sub>R4,in(R4)</sub>
R <sub>2</sub>	F <sub>B4</sub> · F <sub>R4,in(R3)</sub>
R <sub>1</sub>	F <sub>B3</sub> · F <sub>R4,in(R2)</sub>
B <sub>1</sub>	F <sub>B2</sub> · F <sub>R4,in(R1)</sub>


B	F <sub>R4,B</sub>
B <sub>5</sub>	F <sub>B5</sub> · I
B <sub>4</sub>	F <sub>B4</sub> · F <sub>R4,in(R3)</sub>
B <sub>3</sub>	F <sub>B3</sub> · F <sub>R4,in(R2)</sub>
B <sub>2</sub>	F <sub>B2</sub> · F <sub>R4,in(R1)</sub>
B <sub>1</sub>	F <sub>B1</sub> · F <sub>R4,in(B1)</sub>



### Optimization

- Let  $m$  = number of edges,  $n$  = number of nodes
- Ideas for optimization
  - If we compute  $F_{R,B}$  for every region B is in, then it is very expensive
  - We are ultimately only interested in the entire region (E); we need to compute only  $F_{E,B}$  for every B.
    - There are many common subexpressions between  $F_{E,B1}$ ,  $F_{E,B2}$ , ...
    - Number of  $F_{E,B}$  calculated =  $m$
  - Also, we need to compute  $F_{R,in(R')}$ , where  $R'$  represents the region whose header is subsumed.
    - Number of  $F_{R,B}$  calculated, where R is not final =  $n$
- Total number of  $F_{R,B}$  calculated:  $(m + n)$ 
  - Data structure keeps "header" relationship
    - Practical algorithm:  $O(m \log n)$
    - Complexity:  $O(m\alpha(m,n))$ ,  $\alpha$  is inverse Ackermann function

### Reducibility



- If no T1, T2 is applicable before graph is reduced to single node, then **split node** and continue
- Worst case: exponential
- Most graphs (including GOTO programs) are reducible

### IV. Comparison with Iterative Data Flow

- Applicability**
  - Definitions of  $F^*$  can make technique more powerful than iterative algorithms
  - Backward flow**: reverse graph is not typically reducible.
    - Requires more effort to adapt to backward flow than iterative algorithm
  - More important for **interprocedural optimization**
- Speed**
  - Irreducible graphs**
    - Iterative algorithm can process irreducible parts uniformly
    - Serious "irreducibility" can be slow with region-based analysis
  - Reducible graph & Cycles do not add information (common)**
    - Iterative: (depth + 2) passes
    - depth is 2.75 average, independent of code length
    - Region-based analysis: Theoretically almost linear, typically  $O(m \log n)$
  - Reducible & Cycles add information**
    - Iterative takes longer to converge
    - Region-based analysis remains the same