

Problem 1: Wavelets (10pt)

Describe how to invert the 5-tap/3-tap wavelet transform used by the lossless version of JPEG2000 (as described in the class slides). In particular describe how given the outputs of the “high pass” filter and the “low pass” filter you can reconstruct the original sequence. You can ignore the boundary conditions.

Problem 2: Number Theory basics (10pt)

Answer each both of the following.

- A. For what values of n is $\phi(n)$ odd?
- B. Show that if $d|m$ (i.e. d divides m), then $\phi(d)|\phi(m)$.

Problem 3: Diffie-Hellman (10pt)

Extend the Diffie-Hellman scheme to enable three parties to share a single secret.

Problem 4: RSA (10pt each)

The following two questions exhibit what are called *protocol failures*. They show how one can break a cryptosystem if the cryptosystem is used carelessly.

You can solve either one of the two questions or both.

- A. Joe Hacker decides that he wants to have two public-private key pairs to be used with RSA—he feels that two is more prestigious than one. In his infinite wisdom, he decides to use a common value for $n = pq$ and selects two separate encryption exponents e_1 and e_2 , giving two distinct decryption keys d_1 and d_2 . He makes e_1 , e_2 and n public. You can assume that e_1 and e_2 are relatively prime.

Assume Alice and Bob send the same secret plaintext message m to Joe one encrypted with e_1 and the other with e_2 . Suppose that Eve is eavesdropping on the conversation and gets the two encrypted messages. Show how she can use these to reconstruct the original message m . Hint, for any positive integers a and b , the extended Euclid’s algorithm finds integers r and s such that $ra + sb = \gcd(a, b)$.

- B. This problem shows why it is unsafe to use a very small public key in RSA. Suppose Alice, Bob and Carol have the following RSA public keys— $(3, N_A)$, $(3, N_B)$, and $(3, N_C)$ respectively. Joe sends the message m to each one of them, encrypted using their respective public keys. Suppose that Eve is eavesdropping on the conversation and gets the three encrypted messages. Show how she can use these to reconstruct the original message m .

Problem 5: El-Gamal (15pt)

We give an example of the ELGamal Cryptosystem implemented in $\text{GF}(3^3)$ using $x^3 + 2x^2 + 1$ as the irreducible polynomial. We can associate the 26 letters of the alphabet with the 26 nonzero field elements, and thus encrypt ordinary text. The associations are given on below. Suppose Bob uses the polynomial x as the generator (g in the notes) and uses 11 as the random power (i.e., his private key: x in the notes, and a in the slides). Show how Bob will decrypt the following string of ciphertext:

(K, H) (P, X) (N, K) (H, R) (T, F) (V, Y) (E, H) (F, A) (T, W) (J, D) (U, J)

We would advise writing a small program for this. (You may use any method you like to perform the decryption.) Although it might be quicker to do by hand, it would be quite tedious. Also writing a program will help you understand how to implement the Galois Field operations.

A	1	J	$1 + x^2$	S	$1 + 2x^2$
B	2	K	$2 + x^2$	T	$2 + 2x^2$
C	x	L	$x + x^2$	U	$x + 2x^2$
D	$1 + x$	M	$1 + x + x^2$	V	$1 + x + 2x^2$
E	$2 + x$	N	$2 + x + x^2$	W	$2 + x + 2x^2$
F	$2x$	O	$2x + x^2$	X	$2x + 2x^2$
G	$1 + 2x$	P	$1 + 2x + x^2$	Y	$1 + 2x + 2x^2$
H	$2 + 2x$	Q	$2 + 2x + x^2$	Z	$2 + 2x + 2x^2$
I	x^2	R	$2x^2$		