

Dictionaries

15-110 – Friday 10/03

Announcements

- **Hw3** due on Monday
- Sign up for code reviews!
 - <https://www.cs.cmu.edu/~110/hw/hw2-code-review.html>
 - Sign-ups close **today at 5pm**
- Exam grades will be released by Monday

Learning Goals

- Identify the **keys** and **values** in a dictionary
- Use **dictionaries** when writing and reading code that uses pairs of data
- Use **for loops** to iterate over the parts of an **iterable** value

Data Structures Organize Data

So far, we've talked about efficiency in terms of algorithm design. We can solve the same problem multiple ways, and some approaches are more efficient than others.

We can also improve the efficiency of an algorithm by changing the **data structure** we use to store incoming data. For example, a **list** is a good for storing values in sequential (and indexed) order. What other types of data might we work with?

Dictionaries

Python Dictionaries Map Keys to Values

The first data structure we'll discuss is the **dictionary**. Dictionaries store data in **pairs** by mapping **keys** to **values**.

We use dictionary-like data in the real world all the time! Examples include phonebooks (which map names to phone numbers), the index of a book (which maps terms to page numbers), or the CMU directory (which maps andrewIDs to information about people).



INDEX	
APPETIZERS	APPLE
Boulog	(See "CAKES" and "CANDY")
(See "BOUREG")	
Dips/Spreads	BEANS
Baba Ghanousj (Halebian)	Garbanzo/Chickpeas
Baba Ghanousj (Minassian)	Chickpea Pilaf
Baked Artichoke Spread	Chickpea Stew
Eggs	Fajitas
Eggplant Caviar	Garbanzo Bean Salad with Onions
Fresh and Easy Salads	and Parsley
Hummus (Hancock)	Garbanzo Bean Salad with
Hummus (Henehan)	Tahine
Salmon Supreme Spread	Halek
Sprach Dip (Along)	Hummus (Hancock)
Sprach Dip (Baghdasarian)	Hummus (Henehan)
Yogurt Spread	Spry Chickpeas with Ginger
Miscellaneous Appetizers	Miscellaneous Beans
Kran Roll-Up Sandwich	Bean Pilaf
Baselima	Bean Salad
Hassidic Meatballs	Georgian Pickle Bean Soup
Lavash Sandwich	Green Bean Salad
Meatballs (for cocktail time)	(Henehan)
Peggy's Cocktail Frank	Green Bean Salad
Miscellaneous Appetizers	(Henehan)
Artichoke French Bread	Green Beans Greek Style
Stuffed Mushrooms	Green Beans Old Plaf
(See "PICKLES")	Louisa Gengour
Pickles	Strong Bean Stew
Sauces	White Bean Plaki
(See "SAUCE")	BEVERAGES
Yalanchi	Ariane's Punch
Kharpenzie Yalanchi	Armenian Coffee
Yalanchi Dolma (Armenian)	Hot Spiced Tea
Yalanchi Dolma (Minassian)	Tahin (in Yogurt recipe)
Yalanchi Samsa	Zingarda
(Henehan, M.)	
Yalanchi Samsa	BOUREG
(Henehan, R.)	Bird's Nest Boulog
Yalanchi Samsa (Yoram)	Cheese Boulog (Kaplan)

Directory Search Results

Enter first, last or full name, Andrew userID or email address as it appears in the directory.

Use [Advanced Search](#) or [login](#) for additional search options or if you are unsure of the directory name.

Farnam Jahanian (Faculty)

Display Name: Farnam Jahanian
Email: president@cmu.edu
Andrew UserID: farnam

Contact Information

On Campus: Wh 610
Phone: +1 412 268 2200

Departmental Affiliations

Job Title According to HR:
President

Department with which this person is affiliated:
Computer Science Department
ECE: Electrical & Computer Engineering
Heinz General & Administrative
President's Office

Names by Which This Person is Known

Farnam Jahanian

Key-Value Pairs

In a dictionary, a **key-value pair** is two values that have been paired together for organizational purposes. We can access a value by looking up its key, like how we can access a list value using its index.

For example, if we stored a phonebook in a dictionary, a **key** might be the string "CMU", and its **value** would be the string "412-268-2000". It wouldn't make sense to switch the roles because our default action is to look up a phone number based on a name, not vice versa.

Note: keys must be **immutable** (numbers, strings, or Booleans), but values can be any type of data. Why? We'll explain later, when we discuss more search algorithms.

Python Dictionaries

Dictionaries have already been implemented for us in Python.

```
# make an empty dictionary
```

```
d = { }
```

```
# make a dictionary mapping strings to integers
```

```
d = { "apples" : 3, "pears" : 4 }
```


Python Dictionaries – Getting Values

Dictionaries are similar to lists, but they are **unordered** – key-value pairs don't have positions.

Instead of indexing by position, index by key:

```
d = { "apples" : 3, "pears" : 4 }  
d["apples"] # the value paired with this key  
len(d) # number of key-value pairs
```

If you try to access a key that doesn't exist, you'll get a runtime error. The same thing happens if you try to index by value instead of key.

```
d["ice cream"] # KeyError  
d[4] # KeyError
```

It's like the pairs are all jumbled together in a bag.



Python Dictionaries – Adding and Removing

How do we add a new key-value pair? Use **index assignment** with the key.

This works whether or not that key has been assigned a value yet. If the key is already in the dictionary, the value for the key is updated; it does not add a new key-value pair.

```
d = { "apples" : 3, "pears" : 4 }  
d["bananas"] = 7 # adds a new key-value pair  
d["apples"] = d["apples"] + 1 # updates the key-value pair
```

To remove a key-value pair, use **pop** with just the key as a parameter.

```
d.pop("pears") # destructively removes
```

Python Dictionaries – Search

We can **search** for a key in a dictionary using the built-in `in` operation.

```
d = { "apples" : 3, "pears" : 4 }  
"apples" in d # True  
"kiwis" in d # False
```

We can't use `in` to look up the dictionary's values; we need to loop over the keys and check each key's value instead. How do we loop over a dictionary? We'll get there in just a moment!

Activity: Trace the code

In the following code, the keys represent student IDs and the values represent student names. After running the code, which key-value pairs will the dictionary hold?

```
d = { 26: "Chen", 23: "Patrick" }  
d[88] = "Rosa"  
d[23] = "Pat"  
d[51] = d[23]  
if "Chen" in d:  
    d.pop("Chen")
```

For Loops over Iterables

Iterable Values and Loops

An **iterable value** is a value that can be looped over directly by a for loop. They are often composed of some number of individual pieces of data (though not always).

So far, strings and lists have been iterable: a string is a sequence of characters and a list is a sequence of values. Dictionaries are also iterable, as they're composed of key-value pairs.

With both strings and lists, the pieces of data were stored in an ordered sequence. That meant we could identify the **position** of each value and use a **for loop over a range** to visit each position in turn.

A dictionary is **unordered**. That means we can't loop over dictionaries using a for loop with a range, as there are no positions to visit.

For Loops Can Repeat Over Iterable Values

We don't need a `range` to use a for loop. We can loop over the parts of an iterable value directly by providing the value instead of a `range`.

```
for <itemVariable> in <iterableValue>:  
    <itemActionBody>
```

For example, if we run the following code, it will print out each string in the list with an exclamation point after it.

```
wordList = [ "Hello", "World" ]  
for word in wordList:  
    print(word + "!")
```

For Loops on Dictionaries

When we run a for loop directly over a dictionary, the loop visits all key-value pairs in some order. The loop control variable will hold the **key** of each key-value pair. To access the value, you must index into the dictionary with that key.

```
d = { "apples" : 5, "beets" : 2, "lemons" : 1 }  
for k in d:  
    print("Key:", k)  
    print("Value:", d[k])
```


For-Range vs For-Iterable

When should you use a For-Iterable loop instead of a For-Range loop?

For dictionaries, **always use a For-Iterable loop**. There are no indexes, so you can't use For-Range.

For strings and lists, you can iterate directly over the values **if you don't need the indexes**. For example, to sum a list, you could use either:

```
result = 0
for item in lst:
    result = result + item
```

or:

```
result = 0
for i in range(len(lst)):
    result = result + lst[i]
```

Coding with Dictionaries

Example: Processing Dictionaries

Problem-solving with dictionaries often (but not always) involves looping over the dictionary and doing something with each key-value pair.

For example, the following program can sum all the values in a dictionary by capturing each value from its key.

```
def addValues(d):  
    total = 0  
    for key in d:  
        total = total + d[key]  
    return total
```

Example: Building Dictionaries

Another common task is to create a new dictionary based on existing values. In this case it is important to track **which keys have already been added** and need to be updated.

For example, we can create an alphabet dictionary for a list of strings based on the first letter of each string. For each letter, create a new list if the letter has not been seen before, or add to the existing list if it has been seen.

```
def makeAlphabetDict(words):  
    d = { }  
    for word in words:  
        letter = word[0]  
        if letter not in d:  
            d[letter] = [word]  
        else:  
            d[letter].append(word)  
    return d
```

Example: Nested Dictionary

We can even use **nested** dictionaries in a similar way to how we use nested (2D) lists. Just map each key to another dictionary (which will map other keys to specific values).

For example, we can create a multiplication table in a nested dictionary (outer keys are x, inner keys are y, values are $x*y$).

```
def createMultDict(n):  
    d = { }  
    for x in range(1, n+1):  
        innerD = { }  
        for y in range(1, n+1):  
            innerD[y] = x * y  
        d[x] = innerD  
    return d
```

Activity: `hasShortKeys(d, limit)`

You do: write a program that takes a dictionary mapping strings to numbers and a limit (a number) and returns `True` if all the keys are at most the limit in length, and `False` otherwise.

For example, `hasShortKeys({ "abc" : 2, "de" : 5}, 3)` would return `True`, but `hasShortKeys({ "abc" : 2, "defgh" : 2}, 4)` would return `False`.

Learning Goals

- Identify the **keys** and **values** in a dictionary
- Use **dictionaries** when writing and reading code that uses pairs of data
- Use **for loops** to iterate over the parts of an **iterable** value

Advanced Examples

Bonus slides

Coding with Dictionaries – Track Information

We often use dictionaries when problem-solving. One common use of dictionaries is to **track information** about a list of values.

For example, given a 2D list of students and their colleges (a list of two-element lists of "student" and "college"), how many students are in each college?

We will create a dictionary with colleges as the keys and the student counts as the values.

```
def countByCollege(studentLst):  
    collegeDict = { }  
    for pair in studentLst:  
        name = pair[0]  
        college = pair[1]  
        if college not in collegeDict:  
            collegeDict[college] = 0  
        collegeDict[college] += 1  
    return collegeDict
```

```
countByCollege([ ["erhurst" , "CIT"],  
                  ["neerajsa", "SCS"], ["cosorio", "DC"],  
                  ["dtoussai", "CIT"]])
```

Coding with Dictionaries – Find Most Common

We also use dictionaries to find the most common element of a list, by mapping elements to counts.

For example, given the dictionary returned by the previous function, which college is the most popular?

```
def mostPopularCollege(collegeDict):  
    best = None  
    bestScore = -1  
    for college in collegeDict:  
        if collegeDict[college] > bestScore:  
            bestScore = collegeDict[college]  
            best = college  
    return best
```