## **15-410**

"Experience is what you get...
...when you don't get what you want."

Debugging Sep. 16, 2005

**Dave Eckhardt** 

- 1 - L08a\_Debug 15-410, F'05

# What is "Debugging"?

#### Debugging is resolving a clash between stories

- Your hopeful story of achievement
- The world's sad tale of woe

#### The stories look alike!

- At the beginning, they both start with main()...
- Key step: finding the divergence

#### Stories are fractal

- You can zoom in on them and get more detail each time
- The divergence is typically a tiny detail
  - You will need to zoom in quite a lot

- 2 - 15-410, F'05

## **Move Beyond "Plot Summaries"**

#### "When I install my keyboard handler it crashes"

- Insufficient detail
- This is a "plot summary", not a tale of woe
- Don't ask us to look at your code yet!

#### Deepen your level of detail

- What was your story of hope, in detail?
- What parts of your story already happened?

- 3 -

# **Telling Your Story**

#### "When I install my keyboard handler..."

- What do you really hope?
  - Hardware notices keyboard event
  - Hardware posts interrupt
  - CPU recognizes interrupt as keyboard interrupt
  - CPU responds to (vs. ignores) keyboard interrupt
  - CPU stores trap frame
  - CPU vectors through your IDT entry
  - Your wrapper is run
  - Wrapper calls C code
  - C code does ...

- 4 - 15-410, F'05

# Pinpointing Depends on the Story

#### "...it crashes"

- Ok, that's generally what programs do
- Or, at least, that's when we start to pay attention to them...

#### The critical question

How far did your story progress before the crash?

#### Pinpointing the problem

- How can you measure which steps worked ok?
  - "Keypress ⇒ crash" tells you quite a bit!

- 5 - 15-410, F'05

# Matching Phenomena to the Story

## "Keypress ⇒ crash" tells you quite a bit

- $\sqrt{}$  Hardware notices keyboard event
- **√** Hardware posts interrupt
- $\sqrt{\text{CPU recognizes interrupt}}$  as keyboard interrupt
- $\sqrt{\text{CPU responds to (vs. ignores)}}$  keyboard interrupt
- ? CPU stores trap frame
- ? CPU vectors through your IDT entry
- ? Your wrapper is run
- ? Wrapper calls C code
- ? C code does ...

# Measuring

#### How can you measure the other steps?

- ? CPU stores trap frame
- ? CPU vectors through your IDT entry
- ? Your wrapper is run
- ? Wrapper calls C code
- ? C code does ...

- 7 - 15-410, F'05

## **Measurement Techniques**

#### "Obvious"

- printf()
- single-step the program

#### Moving beyond the obvious

- Know your debugger
  - breakpoints, watchpoints
- Those pesky registers
  - %esp, %eip these should always "make sense"
    - » You should always know what would be "sensible"!
  - %CS, %DS, %SS not all that many legal values, right?
  - %EFLAGS, %CR0 "when the going gets tough..."

- 8 -

## **Measurement Techniques**

#### Writing code

- Breakage of a complex data structure is, well complex
- Probably need code to check invariants
  - Doing it by hand is fun at most once

- 9 - 15-410, F'05

# **Asking for Help**

#### "Plot summary" is not enough

- We probaby have no idea what's wrong
  - Really!
  - Please see "triple fault" web page

## You should always have a measurement plan

- What is the next thing to measure?
- How would I measure it?

#### You may reach the end of your rope

- Some things are genuinely tricky to debug
- Things in this class may occasionally qualify
  - This is a good learning experience

- 10 -

# **Asking for Help**

#### When are you ready to ask for help?

- You have a long, detailed story this is critical!!!
  - Based on lecture, handout, Intel docs
  - "Story" often needs one or two pictures
- Parts of the story are clearly happening
  - You have straightforward evidence, you are confident
- You have a measurement problem
  - Too many things to measure?
  - No idea how to measure one complicated thing?
  - Measurement results "make no sense"?

- 11 -

## **Summary**

## Debugging is about reconciling two stories

- "Plot summaries" aren't stories (you must zoom in)
- "If you don't know where you are going, you will wind up somewhere else." — Yogi Berra

Measure multiple things, use multiple mechanisms

You should "always" have a next measurement target

#### When you see us, bring a long story

- ...which you will naturally be an expert on the first part of
- Try to know why each register has the value it does

- 12 - 15-410, F'05