### 15-410 Mid-Semester Review

Dave Eckhardt

- ⇒ Don't forget Homework 1 deadline!
  - Not midnight!!
  - We'll be releasing solutions immediately
  - 3 students have already submitted (excellent!)
- Mid-term exam
  - Rashid Auditorium (GHC 4401 Hillman side)
  - Time: very likely 19:00 Wednesday
    - Watch e-mail
    - If you received conflict-resolution e-mail this morning, please act on it today

- First Project 3 checkpoint
  - Wednesday, March 7<sup>th</sup> during class time
    - Recall there was some ck1 guidance in the P3 lecture
  - Meet in Wean 5207
    - Watch e-mail for your personal arrival time

#### VM is not on the exam

- It could be, but it'll be more fun on the final
- Threading vs. this exam
  - You are responsible for conceptual material covered in class.
  - Your thread library may not be perfect...
  - ...but we expect you to solidly understand what the thread-library primitives do and how to correctly use them.

- Exam will be closed-book
- Who is reading comp.risks?
- About today's review
  - Mentioning key concepts
  - No promise of exhaustive coverage
  - Reading some of the textbook is advisable!
- Will attempt a 4-slide summary at end

### **OS Overview**

- Abstraction/obstruction layer
- Virtualization
- Protected sharing/controlled interference

### Hardware

- Inside the box bridges
- User registers and other registers
- Fairy tales about system calls
- Kinds of memory, system-wide picture
  - User vs. kernel
  - Code, data, stack
  - Per-process kernel stack
- Device driver, interrupt vector, masking interrupts

### Hardware

- System clock
  - "Time of day" clock (aka "calendar")
  - Countdown timer

#### **Process**

- Pseudo-machine (registers, memory, I/O)
- Life cycle: fork()/exec()
  - specifying memory, registers, I/O, kernel state
  - the non-magic of stack setup (argv[])
  - the *non-magic* function that calls main()
- States: running, runnable, blocked, zombie
- Process cleanup: why, what

### **Thread**

- Core concept: schedulable set of registers
  - With access to some resources
    - Address space, system-level objects
      - (Mach terminology: "task")
  - Thread stack
- Why threads?
  - Cheap context switch
  - Cheap access to shared resources
  - Responsiveness
  - Multiprocessors

# Thread types

- Internal (N:1)
  - optional user-space library
  - register save/restore (incl. stack swap)
- Features
  - only one outstanding system call (without tricks)
  - "cooperative" scheduling might not be
  - no win on multiprocessors

# Thread types

- Kernel threads (1:1)
  - resources (memory, ...) shared & referencecounted
  - kernel manages: registers, k-stack, scheduling
- Features
  - good on multiprocessors
  - may be "heavyweight"

# Thread types

- M:N
  - M user threads share N kernel threads
    - dedicated or shared
- Features
  - Best of both worlds
  - Or maybe worst of both worlds

### Thread cancellation

- Asynchronous/immediate
  - Don't try this at home
  - How to garbage collect???
- Deferred
  - Requires checking or cancellation points

#### Race conditions

- Lots of "++x vs. --x" examples using table format
- "Race-condition party" algorithms
  - e.g., Bakery
- The setuid shell script attack
  - (as an example in a different arena)
- This is a core concept
  - (not limited to one part of the course, or to the course as a whole)

# Wacky Memory, "Modern" Machines

- Memory writes may be re-ordered or coalesced
- That's not a bug, it's a feature!
- You may generally assume old-fashioned memory for this class

# Atomic sequences

- short
- require non-interference
- typically nobody is interfering
- store->cash += 50;
- encapsulate in "mutex" / "latch"

# Voluntary de-scheduling

- "Are we there yet?"
- We want somebody else to have our CPU
- Not-running is an OS service!
- Atomic:
  - release state-guarding mutex
  - suspend execution
- Encapsulate in "condition variable"

### Critical Section Problem / Protocol

### Three goals

- Mutual exclusion
- Progress choosing time must be bounded
- Bounded waiting choosing cannot be unboundedly unfair
- Synchronization lectures
  - "Taking Turns When Necessary" algorithm
  - Bakery algorithm

# Mutex implementation

- Hardware flavors
  - XCHG, Test&Set
  - Load-linked, store-conditional
  - i860 magic lock bit
  - Basically isomorphic
- Lamport's algorithm (not on test)
- "Passing the buck" to the OS (or why not!)
- [Oddities: Kernel-assisted instruction sequences]

# **Bounded waiting**

- One approach discussed
- Are there others?
- How critical in real life?
  - Why or why not?
  - When?

### **Environment matters**

- Spin-wait on a uniprocessor????
- How reasonable is your scheduler?
  - Maybe approximate bounded waiting is approximately free?

### Condition variables

- Why we want them
- How to use them
- What's inside?
- The "atomic sleep" problem

# Semaphores

- Concept
  - Thread-safe integer
  - wait()/P()
  - signal()/V()
- Use
  - Can be mutexes or condition variables
- 42 flavors
  - Binary, non-blocking, counting/recursive

### **Monitor**

- Concept
  - Collection of procedures
  - Block of shared state
  - Compiler-provided synchronization code
- Condition variables (again)

### Deadlock

- Definition
  - Group of N processes
  - Everybody waiting for somebody else in the group
- Four requirements
- Process/Resource graphs
- Dining Philosophers example

### Prevention

- "Four Ways To Forgiveness"
- One is used particularly frequently

### **Avoidance**

- Keep system in "safe" states
  - States with an "exit strategy"
    - Assume some process will complete, release resources
    - Make sure this enables another to finish, etc.
    - Banker's Algorithm

#### Detection

- Don't be paranoid (but don't be oblivious)
- Scan for cycles
  - When?
  - What to do when you find one?

### Starvation

- Always a danger
  - Understand vs. deadlock
- Solutions probably application-specific

### Context switch

- yield() by hand (user-space threads)
  - No magic!
- yield() in the kernel
  - Built on the magic process\_switch()
  - Inside the non-magic process\_switch()
    - Scheduling
    - Saving
    - Restoring
- Clock interrupts, I/O completion

### Addresses

- Where addresses come from
  - Program counter
  - Stack pointer
  - Random registers
- Parts / areas / segments / regions of a process/program

# Summary – What is an OS?

- Parts of a machine
  - Memory, registers
  - Interrupts/traps and their handlers
- Parts of a process (incl. thread)
  - Memory, registers, stack
  - System calls (stubs, handlers)

[Next slide: covered, but not coded, so not on test]

# Summary – What is an OS?

- How to assemble machine parts into process parts
  - How to make virtual memory from physical memory
  - How to make a process from memory and registers
    - · And an executable file
- How to share a machine among processes
  - (and how to share a process among threads)
  - Context switch/yield

# Summary – Synchronization

- Basic RAM-based algorithms
  - Be able to read one and think about it
- Mutex, condition variable
  - When to use each one, and why
  - What's inside each one, and why

# Summary – Deadlock

- A fundamental OS problem
  - Affects every OS
  - No "silver bullet"
- What you need for deadlock
- Prevention, Avoidance, Detection/Recovery
  - What each is, how they relate
- Starvation

### Preparation

- Homework 1
- Archive of old mid-terms
  - Write down answers!
- Don't forget to get some sleep