


## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \operatorname{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \operatorname{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \operatorname{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \operatorname{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \operatorname{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \operatorname{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \operatorname{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \operatorname{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \operatorname{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \operatorname{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



## Legend

Score(V)

Leaf(V)

 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \operatorname{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \operatorname{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x | PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x | PS)$$



# Legend

Score(V)

Leaf(V)


 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x | PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x | PS)$$



# Legend

Score(V)

Leaf(V)



 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)



 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$



# Legend

Score(V)

Leaf(V)



 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x | PS)$$


$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x | PS)$$



# Legend

Score(V)

Leaf(V)

 Current

$$\text{SCORE}(V) = \max_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{LEAF}(V) = \text{argmax}_{x \in V} [\text{SCORE}(V - \{x\}) + \text{BESTSCORE}(V, x)]$$

$$\text{BESTSCORE}(V, x) = \max_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

$$\text{BESTPARENTS}(V, x) = \text{argmax}_{PS \subseteq V - \{x\}} \text{NODESCORE}(x|PS)$$

