


Objects Analysis

Threads  Design

15-214

toad

Fall 2013



Principles of Software Construction: Objects, Design, and Concurrency

Objects

Charlie Garrod **Jonathan Aldrich**

Recap of Tuesday



- 214: managing complexity, from programs to systems
 - **T**hreads and concurrency
 - **O**bject-oriented programming
 - **A**nalysis and modeling
 - **D**esign
- Object-oriented programming organizes code around **concepts**
 - Objects contain state and behavior
 - Methods capture behavior, fields capture state
 - Classes as template for objects
 - As we will see, this organization allows
 - Greater reuse of concepts
 - Better support for change when concepts vary

An Object-Oriented Set Library

- We communicate with objects by sending them messages
 - Or, equivalently, invoking their methods
- What messages should we be able to send to a set?
 - *Hint: think about mathematical set operations*

An Object-Oriented Set Library

- We communicate with objects by sending them messages
 - Or, equivalently, invoking their methods
- What messages should we be able to send to a set?
 - *Hint: think about mathematical set operations*
- Let's design an interface to a (functional) set object
 - Equivalent to header files in C
 - But now we are listing the messages understood by an object
 - Java interfaces may not have (instance) fields

```
interface IntSet {  
    /** does the IntSet contain element? */  
    boolean contains(int element);  
    /** is the IntSet a subset of otherSet? */  
    boolean isSubsetOf(IntSet otherSet);  
}
```

Implementing Set

- An implementation of an interface is defined using a **class**
 - Provides method bodies for all the messages in the interface
 - It is an error if we forget one, or change its signature
 - May also define additional methods and/or data fields
 - The class is a **subtype** of the interfaces it implements
- Trivial example: an empty set

implements keyword
specifies implemented
interfaces

```
class EmptySet implements IntSet {  
    /** does the IntSet contain element? */  
    boolean contains(int element) {  
  
    }  
  
}
```

Implementing Set

```
interface IntSet {  
    boolean contains(int element);  
    boolean isSubsetOf(IntSet otherSet);  
}  
class EmptySet implements IntSet { ... }
```

implemented using a **class**
methods in the interface
method signature
data fields
implements

- Trivial example: an empty set

implements keyword
specifies implemented
interfaces

```
class EmptySet implements IntSet {  
    /** does the IntSet contain element? */  
    boolean contains(int element) { return false; }  
}
```

error: method isSubsetOf
from interface IntSet is
not implemented

Implementing Set

- An implementation of an interface is defined using a **class**
 - Provides method bodies for all the messages in the interface
 - It is an error if we forget one, or change its signature
 - May also define additional methods and/or data fields
 - The class is a **subtype** of the interfaces it implements
- Trivial example: an empty set

implements keyword
specifies implemented
interfaces

```
class EmptySet implements IntSet {  
    /** does the IntSet contain element? */  
    boolean contains(int element) { return false; }  
    /** is the IntSet a subset of otherSet? */  
    boolean isSubsetOf(IntSet otherSet) { return true; }  
}
```

Using an EmptySet

```
class EmptySet implements IntSet {  
    /** does the IntSet contain element? */  
    boolean contains(int element) { return false; }  
    /** is the IntSet a subset of otherSet? */  
    boolean isSubsetOf(IntSet otherSet) { return true; }  
}
```

```
IntSet s = new EmptySet();  
boolean f = s.contains(0); // false  
boolean t = s.isSubsetOf(s); // true
```

Allocates
memory for the
EmptySet

The **receiver**,
an implicit argument,
called **this** inside the
method

The method **name**.
Identifies which method to
use, of all the methods the
receiver's class defines

Method
arguments,
just like function
arguments

Typechecking client code

```
interface IntSet {  
    boolean contains(int element);  
    boolean isSubsetOf(IntSet otherSet);  
}  
class EmptySet implements IntSet { ... }
```

2. OK to assign an EmptySet to an IntSet, because EmptySet **implements** IntSet

1. The **new** expression has type EmptySet

```
IntSet s = new EmptySet();
```

```
boolean f = s.contains(0); // false
```

5. contains() returns a **boolean**, which we can assign safely to f

3. s has type IntSet. We check that IntSet defines a contains method.

4. The contains method in IntSet accepts an **int** argument so the actual argument is OK

Typechecking: What Could Go Wrong?

```
interface IntSet {  
    boolean contains(int element);  
    boolean isSubsetOf(IntSet otherSet);  
}  
class EmptySet implements IntSet { ... }
```

2. Can't assign an IntSet to an EmptySet because IntSet is not a subtype of (i.e. does not implement) EmptySet

1. Can't instantiate an interface; its methods are undefined.

```
EmptySet s = new IntSet();
```


```
int f = s.contains("hello"); // false
```

5. contains() returns a **boolean**, which is not a subtype of **int** (unlike in C)

3. s has type EmptySet. But EmptySet does not define a contains method

4. Even if we spell contains correctly, the method takes an **int** argument, and String is not a subtype of **int**

Executing client code



```
IntSet s = new EmptySet();  
boolean f = s.contains(0);  
boolean t = s.isSubsetOf(s); // true
```

What method do we call?
s has type IntSet, which
does not define contains

Executing client code

Look at the object `s` points to. It keeps track of its class: `EmptySet`

`s : EmptySet`

Method Stack

`main()`

`s`


```
class EmptySet implements IntSet {  
    boolean contains(int element) { return false; }  
    ...  
}
```

```
IntSet s = new EmptySet();  
boolean f = s.contains(0);  
boolean t = s.isSubsetOf(s); // true
```

EmptySet defines `contains()`; we call this method implementation

Executing client code

Method Stack



```
class EmptySet implements IntSet {  
    boolean contains(int element) { return false; }  
    ...  
}
```

```
IntSet s = new EmptySet();  
boolean f = s.contains(0);  
boolean t = s.isSubsetOf(s); // true
```

Implementing a Singleton Set

- Several classes can implement the same interface
 - Instances of these classes can all work together
 - A key strength of objects compared to alternatives such as ADTs

```
class SingletonSet implements IntSet {  
    int member;  
    SingletonSet(int element) { member = element; }  
  
    boolean contains(int e) { return member == e; }  
    boolean isSubsetOf(IntSet otherSet) {  
        return otherSet.contains(member);  
    }  
}
```

A field stores the member of the set

A constructor method initializes the fields

Implicit Constructors

- If you don't define a constructor, Java generates one for you
 - It has no return type and is named after the class
 - Just like all constructors
 - It has no arguments
 - Fields (if any) are initialized to default values
 - 0 for numeric values
 - **false** for **boolean** variables
 - **null** for reference (pointer) variables

```
class EmptySet implements IntSet {
```

```
    /** This is equivalent to the auto-generated constructor */
```

```
    public EmptySet() {}
```

```
    public boolean contains(int element) { return false; }
```

```
    public boolean isSubsetOf(IntSet otherSet) {
```

```
        return true; }
```

```
}
```

Calling Constructors, Accessing Fields

```
class SingletonSet implements IntSet {  
    int member;  
  
    SingletonSet(int element) { member = element; }  
    boolean contains(int e) { return member == e; }  
    boolean isSubsetOf(IntSet otherSet) {  
        return otherSet.contains(member); }  
}
```

// client code

```
SingletonSet s = new SingletonSet(5);  
if (s.member <= 5)  
    s.member++;
```

Using the new operator invokes the constructor

- Client code can read and write the member field
 - This can make it difficult to change our code later
 - It also risks unexpected changes to the data in a functional object

Hiding Fields

```
class SingletonSet implements IntSet {  
    private int member;  
    private methods and fields  
    can only be accessed from  
    within the class.  
}
```

```
    public SingletonSet(int element) { member = element; }  
    public boolean contains(int e) { return member == e; }  
    public boolean isSubsetOf(IntSet otherSet) {  
        return otherSet.contains(member); }  
}
```

public methods and fields
can be accessed from
anywhere

```
SingletonSet s = new SingletonSet(5);  
if (s.member <= 5)  
    s.member++;
```

error: cannot access
private field member
from outside class
SingletonSet

Note: all methods in
an **interface** are
implicitly **public**

Discussion: when is
it useful to have a
private method?

Using Sets Together

```
IntSet s1 = new EmptySet();  
IntSet s2 = new SingletonSet(5);  
IntSet temp = s1;  
s1 = s2;  
s2 = temp;  
System.out.println(s1.contains(5));  
System.out.println(s2.contains(5));
```

What does this program print?

Using Sets Together

Method Stack

main()

s1

s2

temp

e : EmptySet

s : SingletonSet

member = 5

```
IntSet s1 = new EmptySet();  
IntSet s2 = new SingletonSet(5);  
IntSet temp = s1;  
s1 = s2;  
s2 = temp;  
System.out.println(s1.contains(5));  
System.out.println(s2.contains(5));
```

What does this program print?

Using Sets Together

Method Stack

main()

s1

s2

temp

e : EmptySet

s : SingletonSet

member = 5

```
IntSet s1 = new EmptySet();  
IntSet s2 = new SingletonSet(5);  
IntSet temp = s1;  
s1 = s2;  
s2 = temp;  
System.out.println(s1.contains(5));  
System.out.println(s2.contains(5));
```

What does this program print?

Using Sets Together

Dynamic Dispatch:
determine which method to call based on the run-time class of the object

Polymorphism (“many forms”):
Sets can take two forms, and the behavior of a set depends on which form it takes.

Method Stack

```
main()  
s1  
s2  
temp
```

```
s : SingletonSet  
member = 5
```

```
IntSet s1 = new EmptySet();  
IntSet s2 = new SingletonSet(5);  
IntSet temp = s1;  
s1 = s2;  
s2 = temp;  
System.out.println(s1.contains(5));  
System.out.println(s2.contains(5));
```

s1 points to s.
s is of class SingletonSet.
SingletonSet.contains() is called, printing true

s2 points to e.
e is of class EmptySet.
EmptySet.contains() is called, printing false

Adding Unions

```
interface IntSet {  
    boolean contains(int element);  
    boolean isSubsetOf(IntSet otherSet);  
    IntSet union(IntSet otherSet);  
}  
class UnionSet implements IntSet {  
    private IntSet set1;  
    private IntSet set2;  
    public UnionSet(IntSet s1, IntSet s2) {  
        set1 = s1; set2 = s2; }  
    public boolean contains(int elem) {  
        return }  
    public boolean isSubsetOf(IntSet otherSet) {  
        return }  
    public IntSet union(IntSet otherSet) {  
        return }  
}
```

Adding Unions

```
interface IntSet {  
    boolean contains(int element);  
    boolean isSubsetOf(IntSet otherSet);  
    IntSet union(IntSet otherSet);  
}  
class UnionSet implements IntSet {  
    private IntSet set1;  
    private IntSet set2;  
    public UnionSet(IntSet s1, IntSet s2) {  
        set1 = s1; set2 = s2; }  
    public boolean contains(int elem) {  
        return set1.contains(elem) || set2.contains(elem); }  
    public boolean isSubsetOf(IntSet otherSet) {  
        return set1.isSubsetOf(elem) && set2.isSubsetOf(elem); }  
    public IntSet union(IntSet otherSet) {  
        return new UnionSet(this, otherSet); }  
}
```

The **this** keyword refers to the current object

Adding Unions

```
interface IntSet {
    boolean contains(int element);
    boolean isSubsetOf(IntSet otherSet);
    IntSet union(IntSet otherSet);
}
class UnionSet implements IntSet {
    private IntSet set1;
    private IntSet set2;
    public UnionSet(IntSet s1, IntSet s2) {
        this.set1 = s1; this.set2 = s2; }
    public boolean contains(int elem) {
        return set1.contains(elem) || this.set2.contains(elem); }
    public boolean isSubsetOf(IntSet otherSet) {
        return set1.isSubsetOf(elem) && set2.isSubsetOf(elem); }
    public IntSet union(IntSet otherSet) {
        return new UnionSet(this, otherSet); }
}
```

class UnionSet is a **Composite**—an object that groups other objects, while behaving just like the objects it groups. For example, you can make a UnionSet out of UnionSets.


When we refer to a locally-declared field or method, we are implicitly looking in the receiver object **this**

The **this** keyword refers to the current object

Another Look at Interfaces

Contracts and Clients

- Contract of service provider and client
 - Interface specification
 - Functionality and correctness expectations
 - Performance expectations
 - Hiding of respective implementation details
 - “Focus on **concepts** rather than **operations**”



Interfaces state Expectations

```
interface IntSet {  
    /** @return true if element is in this set */  
    boolean contains(int element);  
  
    /** @return true if otherSet is a subset of this set */  
    boolean isSubsetOf(IntSet otherSet);  
  
    /** @return a new set representing the union of this set  
     *      and otherSet  
     */  
    IntSet union(IntSet otherSet);  
}
```

Java interfaces and classes

Object-orientation

1. Organize program functionality around kinds of abstract “objects”
 - For each object kind, offer a specific set of operations on the objects
 - Objects are otherwise opaque
 - Details of representation are hidden
 - “Messages to the receiving object”
2. Distinguish *interface* from *class*
 - **Interface**: expectations
 - **Class**: delivery on expectations (the implementation)
3. Explicitly represent the taxonomy of object types
 - This is the “inheritance hierarchy”
 - A **square** is a **shape**

Implementation of interfaces

- Classes can *implement* one or more interfaces.

```
public class SingletonSet implements IntSet, Cloneable {...}
```

- **Semantics**

- **Must provide code** for all methods in the interface(s)

- **Best practices**

- Define an interface whenever there may be **multiple implementations** of a concept
- Variables should have **interface type**, not class type

```
int sum(UnionSet set) { ...    // preferably no  
int sum(IntSet set) { ...     // yes!
```

Classes and Interfaces

```
interface IntSet {  
    boolean contains(int element);  
    boolean isSubsetOf(IntSet otherSet);  
}  
class SingletonSet implements IntSet {  
    private int member;  
  
    public SingletonSet(int element) { member = element; }  
  
    public boolean contains(int e) { return member == e; }  
    public boolean isSubsetOf(IntSet otherSet) {  
        return otherSet.contains(member);  
    }  
  
    // OK to define additional public methods in the class  
    public int getMember() { return member; }  
}
```

Interfaces, Types, Classes

- Two ways to put a new empty list into a variable

```
IntSet s = new SingletonSet(4);
```

```
SingletonSet ss = new SingletonSet(3);
```


```
int i = ss.getMember(); // OK
```

```
int j = s.getMember(); // error: no method getMember in IntSet
```

Class

Type

Interface



Object Identity & Object Equality

Object identity vs. equality

- There are two notions of equality in OO
 - The *same object*. References are the same.
 - Possibly different objects, but equivalent content
 - From the client perspective!! The actual internals might be different

```
String s1 = new String ("abc");  
String s2 = new String ("abc");
```

- There are two string objects, s1 and s2.
 - The strings are equivalent, but the references are different

```
if (s1 == s2) { same object } else { different objects }  
  
if (s1.equals(s2)) { equivalent content } else { not }
```

- An interesting wrinkle: *literals*

Defined in the class String

```
String s3 = "abc";  
String s4 = "abc";
```

- These are true: s3==s4. s3.equals(s2). s2 != s3.

Encore: Polymorphism Example 2

Functional Lists of Integers

- Some operations we **expect** to see:
 - **create** a new list
 - empty, or by adding an integer to an existing list
 - return the **size** of the list
 - **get** the i^{th} integer in the list
 - **concatenate** two lists into a new list
- Key questions
 - How to **implement** the lists?
 - Many options
 - Arrays, linked lists, etc
 - How to hide the details of this choice from client code?
 - Why do this?
 - How to state **expectations**?
 - A variable **v** can reference a list of integers

Interfaces – stating **expectations**

- The IntList interface

```
public interface IntList {  
    int size();  
    int get(int n);  
    IntList concatenate(IntList otherList);  
    String toString();  
}
```


- The declaration for **v** ensures that any object referenced by **v** will have implementations of the methods **size**, **get**, **concatenate**, and **toString**

```
Intlist v = ...
```


```
int len = v.size();  
int third = v.get(2);  
System.out.println (v.toString());
```

Implementing lists

- Two options (among many):
 - Arrays



- Linked lists



• Operations:	Array	List
▪ create a new empty list	const	const
▪ return the size of the list	const	linear
▪ return the i^{th} integer in the list	?	?
▪ create a list by adding to the front	?	?
▪ concatenate two lists into a new list	?	?

An inductive definition

- The *size* of a list L is
 - 0 if L is the empty list
 - $1 + \text{size}$ of the tail of L otherwise

Implementing Size

```
public class EmptyIntList implements IntList {  
    public int size() {  
        return 0; }  
    . . .  
}
```

Base case

```
public class IntListCell implements IntList {  
    public int size() {  
        return 1 + next.size(); }  
    . . .  
}
```

Inductive case

List Representation (BROKEN!)

```
public class EmptyIntList implements IntList {
    public int size() {
        return 0;
    }
    . . .
}
```

Base case

```
public class IntListCell implements IntList {
    private int value;
    private IntListCell next;

    public int size() {
        return 1 + next.size();
    }
    . . .
}
```

**Type is wrong!
May be a cell or
an empty list!**

Inductive case

List Representation (FIXED!)

```
public class EmptyIntList implements IntList {
    public int size() {
        return 0;
    }
    . . .
}
```

Base case

```
public class IntListCell implements IntList {
    private int value;
    private IntList next;

    public int size() {
        return 1 + next.size();
    }
    . . .
}
```

**Interface type
provides needed
flexibility.**

Inductive case

List Constructors


```
public class EmptyIntList implements IntList {
    public EmptyIntList() {
        // nothing to initialize
    }
    . . .
}
```

Java gives us this **default constructor** for free if we don't define any constructors.

```
public class IntListCell implements IntList {
    public IntListCell(int val, IntList next) {
        this.value = val;
        this.next = next;
    }

    private int value;
    private IntList next;
    . . .
}
```

Some Client Code




In main(...)

```
IntList emptyList = new EmptyIntList();
```

```
IntList fiveList = new IntListCell(5, emptyList);
```

Some Client Code




```
public IntListCell(int value, IntList next) {  
    // value is 5, next is emptyList  
    this.value = value; // this is fiveList  
    this.next = next;  
}
```

In main(...)

```
IntList emptyList = new EmptyIntList();
```

```
IntList fiveList = new IntListCell(5, emptyList);
```

Some Client Code



In main(...)

```
IntList emptyList = new EmptyIntList();
```


```
IntList fiveList = new IntListCell(5, emptyList);
```

```
IntList fourList = new IntListCell(4, emptyList);
```

```
IntList fourFive = fourList.concatenate(fiveList); // what happens?
```

Implementing Concatenate

```
public class EmptyIntList implements IntList {  
    public IntList concatenate(IntList other) {  
        return other; }  
    . . .  
}
```




Base case

```
public class IntListCell implements IntList {  
    public IntList concatenate(IntList other) {  
        IntList newNext = next.concatenate(other);  
        return new IntListCell(value, newNext); }  
    . . .  
}
```

Inductive case

Two concatenate methods – which do we use?

Some Client Code



In main(...)

```
IntList emptyList = new EmptyIntList();
```

```
IntList fiveList = new IntListCell(5, emptyList);
```

```
IntList fourList = new IntListCell(4, emptyList);
```

```
IntList fourFive = fourList.concatenate(fiveList); // what happens?
```

Method dispatch (simplified)

Example:

```
IntList fourList = new IntListCell(4, emptyList);  
IntList fourFive = fourList.concatenate(fiveList);
```

- Step 1 (compile time): determine what type to look in
 - Look at the static type (IntList) of the receiver (fourList)
- Step 2 (compile time): find the method in that type
 - Find the method in the class with the right name
 - Later: there may be more than one such method

IntList concatenate(IntList otherList);

- Keep the method only if it is *accessible*
 - e.g. remove private methods
- Error if there is no such method

Method dispatch (simplified)

Example:

```
List fourList = new IntListCell(4, emptyList);
```


```
List fourFive = fourList.concatenate(fiveList);
```

- Step 3 (run time): Determine the run-time type of the receiver
 - Look at the object in the heap and get its class
- Step 4 (run time): Locate the method implementation to invoke
 - Look in the class for an implementation of the method we found statically (step 2)

```
public IntList concatenate(IntList other) {  
    IntList newNext = next.concatenate(other);  
    return new IntListCell(value, newNext); }  
}
```

- Invoke the method

Some Client Code




```
class IntListCell {  
L   public IntList concatenate(IntList other) {  
L       // this is fourList, other is fiveList  
L       IntList newNext = next.concatenate(other);  
L       return new IntListCell(value, newNext);  
    }  
}
```

List fourList = **new** IntListCell(4, emptyList);

List fourFive = fourList.concatenate(fiveList); *// what happens?*

A Question for You!






1. What concatenate method is called next?
2. What does the final heap look like?

```
class IntListCell {  
L public IntList concatenate(IntList other) {  
L     // this is fourList, other is fiveList  
L     IntList newNext = next.concatenate(other);  
L     return new IntListCell(value, newNext);  
}
```


List fourList = **new** IntListCell(4, emptyList);

List fourFive = fourList.concatenate(fiveList); *// what happens?*

Answers



fourList.next points to an object of class EmptyIntList. Therefore EmptyIntList.concatenate() is called



In main(...)

```
List emptyList = new EmptyIntList();
```

```
List fiveList = new IntListCell(5, emptyList);
```

```
List fourList = new IntListCell(4, emptyList);
```

```
List fourFive = fourList.concatenate(fiveList); // what happens?
```

Toad's Take-Home Messages



- OOP – code is organized code around *kinds of things*
 - **Objects** correspond to things/concepts of interest
 - Objects embody:
 - State – held in **fields**, which hold or reference data
 - Actions – represented by **methods**, which describe operations on state
 - **Constructors** – how objects are created
 - A **class** is a family of similar objects
 - An **interface** states expectations for classes and their objects
 - Polymorphism and Encapsulation as key concepts
 - Allow different implementations behind a common interface
- Objects reside in the **heap**
 - They are accessed by **reference**, which gives the objects **identity**
 - **Dispatch** is used to choose a method implementation based on the **class** of the **receiver**
 - Equivalence (**equals**) does not mean the same object (==)