

FLAC Assignment 4

Exercise 1. Consider a class of automata in which the set of states is $S = \{0, \dots, 7\}$, the alphabet is $\Sigma = \{a, b\}$, the starting state is $s_0 = 0$, and the transition relation δ is given by:

δ	a	b
0	5	4
1	4	4
2	1	0
3	0	1
4	7	7
5	6	7
6	3	2
7	3	3

- a. Assign a set of final states F so that $M = (S, \Sigma, s_0, \delta, F)$ is already a reduced automaton.
- b. Assign a set of final states F , where $\emptyset \neq F \neq S$, so that M reduces to the smallest possible automaton.

Exercise 2. We say that an equivalence relation E on Σ^* is *invariant* iff for all $u, v \in \Sigma^*$, $w E w' \Rightarrow (u w v) E (u w' v)$. Prove that $L \subseteq \Sigma^*$ is a regular language iff there is an invariant equivalence relation E of finite index¹ such that $w \in L \Rightarrow \{w' \mid w E w'\} \subseteq L$.

Exercise 3. Prove that the following language is regular: The set of sequences of 1000×1000 binary matrices that, when multiplied together modulo 2, yield the 1000×1000 identity

matrix $I = \begin{bmatrix} 1 & 0 & \cdots & 0 \\ 0 & 1 & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & 1 \end{bmatrix}$. (I.e., each symbol of the alphabet is a 1000×1000 binary matrix.

In a binary matrix, each entry is either 0 or 1.) (Hint: Nerode's Theorem.)

Exercise 4. If L is a language over the alphabet $\Sigma = \{0, 1\}$, define L_{ERROR} so that a string is in L_{ERROR} iff it is the result of flipping a bit in a string in L ; i.e.,

$$L_{\text{ERROR}} = \{w \mid w = uxv, \text{ where } x \in \{0, 1\} \text{ and } u\bar{x}v \in L\}$$

Prove that if L is regular, then L_{ERROR} must be also be regular.

¹I.e., the number of equivalence classes must be finite.

Exercise 5. Suppose we wish to use an automaton to represent a machine that reads three binary numbers in parallel (starting with the least-significant bit). To do this, we will let each symbol of our alphabet be a vector of three components, each of which is in $\{0, 1, \#\}$, where the $\#$ indicates we are past the end of the number.

Part A (binary addition). Is the following language regular? (Prove your answer.)

$$A = \left\{ \begin{bmatrix} x_0 \\ y_0 \\ z_0 \end{bmatrix} \begin{bmatrix} x_1 \\ y_1 \\ z_1 \end{bmatrix} \dots \begin{bmatrix} x_s \\ y_s \\ z_s \end{bmatrix} \begin{bmatrix} \# \\ \# \\ z_{s+1} \end{bmatrix} \begin{bmatrix} \# \\ \# \\ \# \end{bmatrix}^* \mid x + y = z, \right. \\ \left. \text{where } x = \sum_{i=0}^s x_i \cdot 2^i, \quad y = \sum_{i=0}^s y_i \cdot 2^i, \quad z = \sum_{i=0}^{s+1} z_i \cdot 2^i \right\}$$

Part B (binary multiplication) (extra credit). Is the following language regular? (Prove your answer.)

$$B = \left\{ \begin{bmatrix} x_0 \\ y_0 \\ z_0 \end{bmatrix} \begin{bmatrix} x_1 \\ y_1 \\ z_1 \end{bmatrix} \dots \begin{bmatrix} x_s \\ y_s \\ z_s \end{bmatrix} \begin{bmatrix} \# \\ \# \\ z_{s+1} \end{bmatrix} \dots \begin{bmatrix} \# \\ \# \\ z_t \end{bmatrix} \begin{bmatrix} \# \\ \# \\ \# \end{bmatrix}^* \mid x \cdot y = z, \right. \\ \left. \text{where } x = \sum_{i=0}^s x_i \cdot 2^i, \quad y = \sum_{i=0}^s y_i \cdot 2^i, \quad z = \sum_{i=0}^t z_i \cdot 2^i \right\}$$