


15-780: Graduate Artificial Intelligence

Markov decision processes (MDPs)



What's missing in HMMs

- HMMs cannot model important aspect of agent interactions:
 - No model for rewards
 - No model for actions which can affect these rewards
- These are actually issues that are faced by many applications:
 - Agents negotiating deals on the web
 - A robot which interacts with its environment

Example: No actions



Formal definition of MDPs

- A set of states $\{s_1 \dots s_n\}$
- A set of rewards $\{r_1 \dots r_n\}$  One reward for each state
- A set of action $\{a_1 \dots a_m\}$  Number of actions could be larger than number of states
- Transition probability

$$P_{i,j}^k = P(q_{t+1} = s_j \mid q_t = i \ \& \ h_t = a_k)$$

Questions

- What is my expected pay if I am in state i
- What is my expected pay if I am in state i and perform action a ?

Solving MDPs

- No actions: Value iterations
- With actions: Policy iteration

Value computation

- An obvious question for such models is what is combined expected value for each state
- What can we expect to earn over our life time if we become Asst. prof.?
- What is it if we go to industry?

Before we answer this question, we need to define a model for future rewards:

- The value of a current award is higher than the value of future awards
 - Inflation, confidence
 - Example: Lottery

Discounted awards

- The discounted award model is specified using a parameter γ
- Total awards = current award +
 γ (award at time $t+1$) +
 γ^2 (award at time $t+2$) +
.....
 γ^k (award at time $t+k$) +

infinite sum

Discounted awards

- The discounted award model is specified using a parameter γ
- Total awards = current award +
 γ (award at time $t+1$) +
 γ^2 (award at time $t+2$) +

Converges of sum if $0 < \gamma < 1$

infinite sum

Determining the total awards in a state

- Define $J^*(s_i)$ = expected discounted sum of awards when starting at state s_i
- How do we compute $J^*(s_i)$?

$$\begin{aligned} J^*(s_i) &= r_i + \gamma X \\ &= r_i + \gamma(p_{i1}J^*(s_1) + p_{i2}J^*(s_2) + \cdots p_{in}J^*(s_n)) \end{aligned}$$

How can we solve this?

Computing $j^*(s_i)$

$$J^*(s_1) = r_1 + \gamma(p_{11}J^*(s_1) + p_{12}J^*(s_2) + \cdots p_{1n}J^*(s_n))$$

$$J^*(s_2) = r_2 + \gamma(p_{21}J^*(s_1) + p_{22}J^*(s_2) + \cdots p_{2n}J^*(s_n))$$

$$J^*(s_n) = r_n + \gamma(p_{n1}J^*(s_1) + p_{n2}J^*(s_2) + \cdots p_{nn}J^*(s_n))$$

- We have n equations with n unknowns
- Can be solved in close form

Iterative approaches

- Solving in closed form is possible, but may be time consuming.
- It also doesn't generalize to non-linear models
- Alternatively, this problem can be solved in an iterative manner
- Lets define $J^t(s_i)$ as the expected discounted awards after k steps
- How can we compute $J^t(s_i)$?

$$J^1(S_i) = r_i$$

$$J^2(S_i) = r_i + \gamma \left(\sum_k p_{i,k} J^1(s_k) \right)$$

$$J^{t+1}(S_i) = r_i + \gamma \left(\sum_k p_{i,k} J^t(s_k) \right)$$

Iterative approaches

- We know how to solve this!
- Lets fill the dynamic programming table
- Lets define $J^k(s_i)$ as the expected discounted awards after k steps
- But wait ...
This is a never ending task!

$$J^2(S_i) = r_i + \gamma \left(\sum_k p_{i,k} J^1(s_k) \right)$$

$$J^{t+1}(S_i) = r_i + \gamma \left(\sum_k p_{i,k} J^t(s_k) \right)$$

When do we stop?

$$J^1(S_i) = r_i$$

$$J^2(S_i) = r_i + \gamma \left(\sum_k p_{i,k} J^1(s_k) \right)$$

$$J^{t+1}(S_i) = r_i + \gamma \left(\sum_k p_{i,k} J^t(s_k) \right)$$

Remember, we have a converging function


We can stop when $|J^{t+1}(s_i) - J^t(s_i)|_\infty < \varepsilon$

Infinity norm selects maximal element



Example for $\gamma=0.9$

t	$J^t(\text{Gr})$	$J^t(\text{P})$	$J^t(\text{Goo})$	$J^t(\text{D})$
1	20	40	200	0
2	74	87	362	0
3	141	135	493	0
4	209	182	600	0



Solving MDPs

- No actions: Value iterations ✓
- With actions: Policy iteration


Adding actions

A Markov Decision Process:

- A set of states $\{s_1 \dots s_n\}$
- A set of rewards $\{r_1 \dots r_n\}$
- A set of action $\{a_1 .. a_m\}$
- Transition probability

$$P_{i,j}^k = P(q_{t+1} = s_j \mid q_t = i \ \& \ h_t = a_k)$$

Example: Actions




Questions for MDPs

- Now we have actions
- The question changes to the following:

Given our current state and the possible actions, what is the best action for us in terms of long term payment?

Example: Actions



Policy

- A policy maps states to actions
- An optimal policy leads to the highest expected returns
- Note that this does not depend on the start state

Gr	B
Go	A
Asst. Pr.	A
Ten. Pr.	B

Solving MDPs with actions

- It could be shown that for every MDP there exists an optimal policy (we won't discuss the proof).
- Such policy guarantees that there is no other action that is expected to yield a higher payoff

Computing the optimal policy:

1. Modified value iteration

- We can compute it by modifying the value iteration method we discussed.
- Define p_{ij}^k as the probability of transitioning from state i to state j when using action k
- Then we compute:

$$J^{t+1}(s_i) = \max_k r_i + \gamma \left(\sum_j p_{i,j}^k J^t(s_j) \right)$$

Also known as Bellman's equation

Computing the optimal policy:


1. Modified value iteration

- We can compute it by modifying the value iteration method we discussed.
- Define p_{ij}^k as the probability of transitioning from state i to state j when using action k
- Then we compute:

$$J^{t+1}(S_i) = \max_k r_i + \gamma \left(\sum_j p_{i,j}^k J^t(s_j) \right)$$

Run until convergences

Value iteration for $\gamma=0.9$



t	$J^t(\text{Gr})$	$J^t(\text{P})$	$J^t(\text{Goo})$	$J^t(\text{D})$
1	20	40	200	0
2	168(A) 51(B)	87	362	0
3	311(A) 120(B)	135	493	0
4	431(A) 189(B)	182	600	0

Computing the optimal policy:

2. Policy iteration

- We can also compute optimal policies by revising an existing policy.
- We initially select a policy at random (mapping from states to actions).
- We re-compute the expected long terms reward at each state using the selected policy
- We select a new policy using the expected rewrad and iterate until convergences

Policy iteration: algorithm

- Let $\pi_t(s_i)$ be the selected policy at time t
 1. Randomly chose π_0
 2. For each state s_i compute $J^*(s_i)$, the long term expected reward using policy π_t .
 3. Set $\pi_0(s_i) = \max_k r_i + \gamma \left(\sum_j p_{i,j}^k J^*(s_j) \right)$
 4. Convergence? Yes – output policy. No – go to 2.

Policy iteration: algorithm

- Let $\pi_t(s_i)$ be the selected policy at time t
- 1. Randomly chose π_0
- 2. For each state s_i compute $J^*(s_i)$, the long term expected reward using policy π_t .
- 3. Set $\pi_0(s_i) = \max_k r_i + \gamma \left(\sum_j p_{i,j}^k J^*(s_j) \right)$
- 4. Convergence? Yes – output policy. No – go to 2.

Can be computed
using $J^*(s_i)$ for all
states

Can be computed
using value iteration

Value iteration vs. policy iteration

- Depending on the model and the information at hand:
 - If you have a good guess regarding the optimal policy then policy iteration would converge much faster
 - similarly, if there are many possible actions, policy iteration might be faster
 - otherwise value iteration is a safer way

Demo

What you should know

- Models that include rewards and actions
- Value iteration for solving MDPs
- Policy iteration

Partially Observed Markov Decision Processes (POMDPs)

- Same model as MDP except: We do not observe the states we are in.
- Thus, we have a distribution over states
- There is an initial distribution for states (initial belief)
- Once we reach a new state and receive a reward we can re-compute a new belief regarding the possible set of states

Example

- If we see 1, we can be in any of several locations.
- However, based on past and future observations we can increase a decrease our belief at a given state

1	1	1
3	1	2
1	2	1