



## *Short Paper* **Boosting Sex Identification Performance**

SHUMEET BALUJA AND HENRY A. ROWLEY

*Google Research, Google Inc., 1600 Amphitheatre Parkway, Mountain View, CA, 94043*

shumeet@google.com

har@google.com

*Received July 19, 2005; Revised April 4, 2006; Accepted April 24, 2006*

*First online version published in June, 2006*

**Abstract.** This paper presents a method based on AdaBoost to identify the sex of a person from a low resolution grayscale picture of their face. The method described here is implemented in a system that will process well over  $10^9$  images. The goal of this work is to create an efficient system that is both simple to implement and maintain; the methods described here are extremely fast and have straightforward implementations. We achieve 80% accuracy in sex identification with less than 10 pixel comparisons and 90% accuracy with less than 50 pixel comparisons. The best classifiers published to date use Support Vector Machines; we match their accuracies with as few as 500 comparison operations on a  $20 \times 20$  pixel image. The AdaBoost based classifiers presented here achieve over 93% accuracy; these match or surpass the accuracies of the SVM-based classifiers, and yield performance that is 50 times faster.

**Keywords:** face image processing, sex recognition, AdaBoost, pixel comparisons

### **1. Introduction**

Perhaps the single most requested set of images from search engines are those that contain people. The queries for people range from specific individuals, such as celebrities, actors, musicians, and politicians, to general queries such as adult-content and stock-photography images. Considering the enormous number of images that are indexed in search engines today (commonly well above  $10^9$  images), it is impossible to manually label all of the content. Because of the strong interest in being able to retrieve images of people, we are attempting to create a variety of filters to better categorize and recognize the people that appear in images. One basic filter is to determine the sex of the person in the image.

Because of the large number of images that must be examined, speed is a key concern when deciding

whether an approach can be used in practice. Recent work has shown that the pose of a face can be determined with high accuracy by simply comparing the intensities of a few pixels in grayscale images (Baluja et al., 2004). These pose classifiers are trained with AdaBoost. AdaBoost works by choosing and combining weak classifiers together to form a more accurate strong classifier. The weak classifiers used to distinguish pose were pixel comparison operations applied to pairs of pixels in a  $20 \times 20$  image. Two comparison operators (and their inverses) were used: equal to and less than. Classification of faces into one of five pose classes was possible with 92% accuracy using just 30 pixel comparisons; 99% accuracy was possible using 150 comparisons. Because of the efficiency of the AdaBoost approach, we apply it to this task. Sample images for this domain are shown in Fig. 1.



Figure 1. Samples of male (top) and female (bottom) aligned  $20 \times 20$  pixel face images which will be used in this paper, along with representative samples at the original resolution.

In the next section, we describe a few recent pieces of related work. Section 3 describes AdaBoost in detail. Section 4 presents the data that is used for training and testing, and the various experiments conducted to explore the differences in performance obtained by altering the pre-processing steps. The experimental results are given in Section 5, and timing results in Section 6. Section 7 provides insight into what the classifiers have learned. Section 8 examines the sensitivity of the learned classifiers to rotation, translation and scale. Finally, we close this paper with conclusions in Section 9.

## 2. Previous Work

There have been several pieces of recent work on determining sex from facial images that have been tested on large data sets. Three approaches are described here. Shakhnarovich et al. (2002) applied AdaBoost with the features used by the face detection system of Viola and Jones (2001). In those experiments, over 3500 images were collected from the web, and a face detector was used to find the face images. The resulting images were manually verified, discarding all faces which were more than 30 degrees from frontal. No alignment of the images beyond the initial detection was done. The resulting images were then scaled to  $24 \times 24$  pixels. On this fairly difficult test set, they obtained an accuracy of 79.0% for sex recognition in a 5-fold cross-validation experiment. Using the same data, a Support Vector Machine (SVM) achieved an accuracy of 75.5%. The reader is referred to (Cortes and Vapnik, 1995) for details about SVMs.

Gutta et al. (1998) applied a hybrid system consisting of an ensemble of RBFs whose classification outputs are given as attributes to a C4.5 decision tree. The training and test data were face images from the FERET database (Phillips et al., 2000) scaled to a resolution of  $64 \times 72$  pixels, and they achieved an accuracy of 96%. The training sets were augmented with artificially generated images (by adding random noise and random rotations to the original images). In this paper, for efficiency, we concentrate on lower resolution images. We also do not augment the testing or training sets.

Moghaddam and Yang (2002) used SVMs on the FERET database of face images scaled to a resolution of  $12 \times 21$  pixels and achieved accuracies as high as 96.6%. These are the highest reported to date. This accuracy is much higher than in Shakhnarovich et al. (2002) for two reasons: the FERET images are very clean (noise-free, fairly consistent lighting, no background clutter, etc.), and because images of the same person may have appeared in both the training and test sets for the FERET experiments. This may have allowed the SVM to recognize individual faces rather than generalizing properly for this domain. In our experiments, we will control for this explicitly—this will be explored further in the experiments section.

## 3. Using AdaBoost with Pixel Comparisons

It is common in vision tasks to compute a variety of features that represent a large number of pixels. For example, Viola and Jones (2001) used boxlet features for face detection and Shakhnarovich et al. (2002) used a similar feature set for sex recognition. In contrast, Avidan and Butman (2004) use much simpler features, such as thresholds on the mean and variance of sets of pixels. We demonstrate the use of even simpler features: the relationship between two pixels' intensities. Five types of pixel comparison operators (and their inverses) are used:

1.  $\text{pixel}_i > \text{pixel}_j$
2.  $\text{pixel}_i$  intensity within 5 units (out of 255) of  $\text{pixel}_j$
3.  $\text{pixel}_i$  intensity within 10 units (out of 255) of  $\text{pixel}_j$
4.  $\text{pixel}_i$  intensity within 25 units (out of 255) of  $\text{pixel}_j$
5.  $\text{pixel}_i$  intensity within 50 units (out of 255) of  $\text{pixel}_j$

Each of these comparisons is extremely efficient to compute, and yields a binary feature. This feature is used as a *weak classifier*. A weak classifier is only required to have accuracy slightly better than random

chance. For this study, the result of the comparison is trivially considered the output of the classifier: an output corresponds to “male” if the comparison is true, “female” if it is false. Numerically these outputs are represented as 1 and 0 respectively.

There exist weak classifiers for each pair of different pixels in the image for each comparison operator. For  $20 \times 20$  pixel images, this means there are  $2 \times 5 \times 400 \times 399$  or 1,596,000 distinct weak classifiers. Even accounting for symmetries, this still yields an extremely large number of classifiers to consider. The goal, given this large set of features, is to minimize the number of features that need to be computed when given a new image, while still achieving high identification rates.<sup>1</sup>

We use AdaBoost (Freund and Schapire, 1996) to combine multiple weak classifiers together to form a single strong classifier with better accuracy. The AdaBoost training algorithm is an iterative procedure for picking a classifier to add at each step and also its associated weight. The final strong classifier is a thresholded linear function of the selected weak classifiers.

We use the discrete variant of AdaBoost used in Viola and Jones (2001), which is simple, efficient, and works well in practice. The main steps of the AdaBoost algorithm are shown in Fig. 2. Essentially, it is a greedy learner that at each step selects the best weak classifier for the weighted errors of the previous step. The weight changes in Step 4 are such that the weak classifier picked in Step 3 would have an error of 0.5 on the newly weighted samples, so it will not be picked again at the next iteration. Once all the weak classifiers are selected, they are combined to form a strong classifier by a weighted sum, where the weights are related to the reweighting factors that were applied in Step 4.

One of the time consuming steps in this algorithm is computing the accuracy of all the weak classifiers in each iteration. Although the number of candidate classifiers affects only the training-time and not the run-time, there are a few easy methods to improve the training time. One approach is presented in (Wu et al., 2003)—the error rates for each weak classifier are kept fixed, rather than being reevaluated in each iteration. Another approach for reducing training times is to randomly select which weak classifiers will be evaluated at each iteration, and select the new classifier from only those that were evaluated. At each iteration, the set of classifiers to evaluate is randomly chosen again. In the experiments reported here, we explored this approach. In addition to running the experiments that evaluated

Input: samples  $(x_1, y_1) \dots (x_n, y_n)$  where  $x_i$  are the images and  $y_i = 0$  for the female and 1 for male samples.

Initialize weights  $w_{i,j} = 0.5/F, 0.5/M$  for  $y_i = 0, 1$  respectively, where  $F$  and  $M$  are the number of female and male samples.

For  $t = 1, \dots, T$  (maximum number of weak classifiers to use):

1. Normalize weights  $w_{i,j}$  such that  $\sum_i w_{i,j} = 1.0$
2. For each weak classifier,  $C_j$ , see how well it predicts the classification. Measure the error with respect to the weights  $w_i$ :  $\text{error}_t = \sum_i w_{i,j} |C_j(x_i) - y_i|$
3. Choose the weak classifier (denoted  $C_t$ ) with the lowest error.
4. Update the weights:

if example is classified incorrectly:

$$w_{t+1,i} = w_{t,i}$$

else

$$w_{t+1,i} = w_{t,i} B_t$$

where

$$B_t = \frac{\text{error}_t}{1 - \text{error}_t}$$

The result of the strong classifier is:

$$S(x) : \begin{cases} 1 : \sum_{t=1}^T \log\left(\frac{1}{B_t}\right) * C_t(x) \geq 0.5 \sum_{t=1}^T \log\left(\frac{1}{B_t}\right) \\ 0 : \text{otherwise} \end{cases}$$

Figure 2. A boosting algorithm—adapted from (Viola and Jones, 2001). Note that the weak classifiers used here are simply the comparison operators, and the final classifier output is based on a weighted sum of these weak classifiers.

all of the classifiers in every iteration, we also experimented with evaluating only 10% and 1% of the weak classifiers during each iteration.

As a baseline to compare against, we also applied SVMs (Cortes and Vapnik, 1995) to the pixel data; this approach parallels the one taken in Moghaddam and Yang (2002). The SVM implementation we used was SVM-Light (Joachims, 1999); the parameters used will be discussed with the experiments.

#### 4. Training and Test Data

The training data for this algorithm is taken from the Color FERET database (Phillips et al., 2000). This database contains images of 994 people (591 male, 403 female). We use only frontal images labeled “fa” and “fb” in the database that also have their eye coordinates

labeled in the database, for a total of 2409 faces images (1495 male, 914 female).

Following previous approaches, we partition the sets of images 5 different ways. Each partition uses 80% of the data for training and 20% for testing, in such a way that each sample is used only once as a test image. For the “unmixed” data sets, we make sure that images of a particular *individual* appear only in the training set or test set for a partition of the data. For the “mixed” data sets, there is no such restriction, and the images are mixed randomly. One would expect that the unmixed case is a harder task than the mixed case, since for the mixed case the classifier has the opportunity to memorize or recognize individual faces rather than using more general features. For our tests, the unmixed data sets are the more important because of their applicability to the expected performance when analyzing billions of images with large numbers of faces unseen during training.

The images are taken with a variety of sizes of faces, lighting conditions, and positions. The following steps are used to normalize each image for input to the classifier:

1. Convert the image to grayscale by averaging the red, green and blue color components.
2. Compute a rigid transform which maps the labeled eye locations to (5, 5) and (15, 5) for a  $20 \times 20$  window, and (1.5, 8) and (10.5, 8) for a  $12 \times 21$  window as was used in Moghaddam and Yang (2002).
3. Scale image by averaging blocks of pixels down to the smallest size larger than that specified by the rigid transform.
4. Sample each of the pixels for the target window using bilinear interpolation.
5. (Optional) Normalize the intensities of the image to have a mean of 0, standard deviation 64, clipped at  $-127$  and  $127$ ; the values are then offset to a range of 0 to 254.
6. (Optional) Mask the image by setting pixels corresponding to black pixels in the mask to 127 (see Fig. 3). When a mask is used, the normalization in the previous step does not take the masked pixels into account when computing the mean and standard deviation.
7. For the SVM experiments, the range of pixel values was then mapped to  $-1$  to 1.

For the optional steps 5 and 6, we will report results separately for the experiments that include the steps and those that do not.




Figure 3. Masks used to normalize face images for (left)  $12 \times 21$  pixel and (right)  $20 \times 20$  pixel windows.

## 5. Experiments

In this section we summarize a large set of experiments with varying types of preprocessing on the data and various types of classifiers.

We first applied SVMs to this problem to provide a baseline, and for comparison with earlier work showing state of the art accuracies with SVMs. All numbers given are for SVMs with Gaussian Radial Basis Function (RBF) kernels. In order to find the best settings for the SVM, we tried a variety of settings for the parameters. The settings given to SVM-Light for gamma (related to the RBF radius) ranged from 0.001 to 0.100 (in steps of 0.001), and for C (the tradeoff between margin and training error) were the default and 100,000. Based on the preprocessing steps in the previous section, there are eight different ways to generate train and test images: with or without normalization, with or without masking, and at a size of  $20 \times 20$  or  $12 \times 21$  pixels. For each of these cases, tests of all parameters values were tried. Since each parameter setting required 5 SVMs to be trained (for the 5-fold cross validation), this resulted in a total of  $5 \times 8 \times 200 = 8,000$  SVMs being trained.<sup>2</sup> The preprocessing that gave the best accuracy was with normalization, no masking, and a size of  $20 \times 20$  pixels; the accuracy for this case as a function of the parameters is shown in Fig. 4.

For all the results reported below, setting C to 100,000 gave the highest test accuracy (with very little or no error on the training set). The number of support vectors varied quite significantly, ranging from 300 to 600, out of around 1,900 training samples.

The AdaBoost classifier was trained three times, with a limit of 1000 weak classifiers. The training runs differed in the number of weak classifiers that were randomly selected for evaluation in each iteration. We examined the performance achieved from evaluating 1%, 10% and 100% of all possible weak classifiers per iteration. The results are given in Table 1. The first row is for the preprocessing that gave the best SVM result.




Figure 4. Accuracy of SVM while varying the C and gamma parameters.

The remaining rows each change one preprocessing parameter from that best case.

As can be seen, in all but the second case, the AdaBoost algorithm gives slightly better accuracy than the SVM result. Overall, the best accuracy for both types of classifiers seems to be the first set of experiments, with normalized but unmasked images of 20×20 pixels.

The differences in performance are small—we are not interested in claiming that one method has better accuracy than another. Rather, what is most interesting is the difference in the amount of computation required. An SVM measures the distance from the test sample to every support vector, which for a 20×20 pixel image and 300 support vectors leads to at least 400\*300=120,000 pixel comparisons. The AdaBoost classifier with 1000 weak classifiers uses only 1000

Table 1. Classification accuracy for a variety of test sets.

Data processing steps			Training algorithm			
			Best SVM	AdaBoost (1000 Weak classifiers)		
Normalized intensities	Mask used?	Window size		1%	10%	100%
Yes	No	20×20	93.5%	93.6%	94.4%*	94.0%
Yes	Yes	20×20	92.5%	91.5%	91.7%	91.7%
No	No	20×20	92.3%	94.2%	93.8%	94.3%
Yes	No	12×21	90.7%	91.5%	91.4%	91.0%

pixel comparisons, yielding results that should be orders of magnitude faster.

Figure 5 shows how the accuracy of the classifier varies as the number of weak classifiers it contains is varied. As can be seen, we match the accuracy of the SVM classifier on the normalized, non-masked, 20×20 data at 500 weak classifiers.

The previous best reported results for this domain are in Moghaddam and Yang (2002) which use SVMs. For the experiments conducted in this paper, we carefully controlled the separation of individuals (not just images) between the test and train sets. In Moghaddam and Yang’s work, unlike the above results, pictures of individual people may appear in both the training and test sets (people have multiple pictures in the FERET image set), which makes the task both easier and much less applicable to the problem that we are interested in—being able to recognize the sex of people for whom we have not trained our classifiers. For completeness, Table 2 shows the results of our algorithms on data





Figure 5. Accuracy as the number of weak classifiers in the AdaBoost classifier is varied. Left: Full graph. Right: First 100 weak classifiers shown enlarged.

Table 2. Classification accuracy for test sets in which the people are mixed across the training and test sets.

Data processing steps			Training algorithm			
			Best SVM	AdaBoost (1000 Weak Classifiers)		
Normalized intensities	Mask used?	Window size		1%	10%	100%
Yes	No	20×20	97.1%	96.3%	96.6%	96.4%
Yes	Yes	12×21	96.9%	94.6%	94.4%	95.6%

where individuals appear in both the training and test sets. For the first test, we used the best preprocessing from Table 1; for the second test we used preprocessing matched as closely as possible to earlier reported work.

As can be seen, when allowed to train on the same people who are in the testing set, the SVM gives better accuracy than the AdaBoost algorithm—perhaps because the SVM has a greater capacity to fit attributes of individual faces and their correct classifications. Moghaddam and Yang (2002) gives an accuracy of 96.6% on their data, which is close to that reported in the second line of Table 2 for the SVM. In that work, the SVMs used about 20% of the training vectors, while in our experiments, 650–950 support vectors were used out of approximately 1,900 training vectors. The high number of support vectors also suggests the possibility that the SVM is overfitting.

## 6. Timing Results

In this section, we give the relative performance of the SVM and AdaBoost classifiers in terms of time required to classify an image for both of the window sizes examined. For each window size (20×20 and 12×21), we give the timing results for SVM classifiers which after training had approximately 300, 600 and 900 support vectors. For the classifiers trained with AdaBoost, since we explicitly control how many features are used, we show timing results using 10, 100, 500 and 1000 features.<sup>3</sup>

As can be seen in Table 3, the difference in runtime between the fastest SVM (with approximately 330 support vectors) and the AdaBoost classifier which gives comparable performance (with 500 features) is significant; the AdaBoost classifiers are approximately only 1.6% (9.47/581) as expensive to run with 20×20 images and approximately 2.4% (9.43/392) as expensive

Table 3. Timing results for 3 SVMs with 300, 600 and 900 supports vectors, and for AdaBoost with 10, 100, 500 and 1000 features.

Window size	C	lassification method	Time ( $\mu$ sec)
20×20	SVM	339 support vectors	581
		654 support vectors	1107
		897 support vectors	1515
	AdaBoost	10 features	0.16
		50 features	0.87
		500 features	9.47
12×21	SVM	338 support vectors	392
		656 support vectors	769
		899 support vectors	1025
	AdaBoost	10 features	0.16
		50 features	0.81
		500 features	9.43
		1000 features	20.29

to run with 12×21 images. In both cases, there is at least a 50 times improvement in speed.

There is little change in speed with window size for the AdaBoost classifier; this is because the number of features that is examined is independent of window size. With SVMs, this is not the case, since the entire image is examined. Note that the most accurate SVM result obtained is not based on the number of support vectors alone; rather, the number of support vectors varies with the training parameters. The best performance was obtained in the 20×20 case with 339 support vectors, and in the 12×21 case with 656 support vectors.

Also shown in Table 3 is the speed of AdaBoost when the number of features examined is reduced; if our application only requires lower accuracies, significant speed gains can be obtained. Also given for reference is the speed with 1000 features.

## 7. Visualization

To better understand the features that the classifier uses, in this section we show two methods to visualize what has been learned. In the first visualization, we computed the classifier output for a set of male and female faces, and assigned each face to a bin based on its classification score. All faces assigned to a particular bin

were averaged together, and are shown in the top row of Fig. 6. Averages just of female and male faces are shown in the middle and bottom of that figure.

One of the most salient features that this visualization shows is the importance of a mustache as a discriminatory feature. The right-most bin (the bin that the classifier is most certain about being a male) has a large dark region around the mustache.

Another way to visualize what features are used is to accumulate the weights for each pixel involved in a comparison. The results are shown in the left half of Fig. 7. On the right half, the same data is presented mirrored horizontally and added to itself. Although frontal faces are (on average) symmetric, the pairs of pixels chosen in each weak classifier are not. Mirroring the data makes the visualization more symmetric and easier to understand. As can be seen, the pixels with the most weight are beside the nose (perhaps as a featureless grayscale reference for comparing with other pixels), and pixels in the forehead, eyes and chin.

### 8. Sensitivity Analysis

The preprocessing used in the experiments described to this point employed manually labeled eye positions to normalize the face images. It is important to measure the sensitivity of the classifier to face images that may not be as precisely positioned. This gives an indication of how the classifiers may perform with face detectors, such as Rowley et al. (1998) and Viola and Jones (2001)




Figure 6. Averages of face images assigned various ranges of scores by the classifier, left being female and right being male. Top: Average over all faces. Middle: Average over female faces. Note that there are no female faces classified above 0.55. Bottom: Average over male faces. Note that there are no male faces classified below 0.45.




Figure 7. (Left) Accumulated weights of pixels involved in comparison operators used by the classifier. (Right) The same data as on the left, but mirrored horizontally and added to itself.




Figure 8. Accuracy as a function of the angle of the face. At training time, all faces are at zero degrees.

which often find faces that are not fully centered and not rotated to exactly upright.

#### 8.1. Sensitivity to In-Plane Rotation

For the first test, we varied the angle of the input images from  $-45$  to  $+45$  degrees, and measured the accuracy of the classifier marked with a \* in Table 1 (using 1000 weak classifiers, trained with 10% of the classifiers evaluated each iteration) along with the SVM. The results are shown in Fig. 8. The accuracies fall rapidly after 5 degrees, and the accuracy of the SVM falls off more quickly than the AdaBoost classifier.

#### 8.2. Sensitivity to Scale

As a second test, the input images were scaled by factors ranging from 0.2 to 5, and the results are shown in Fig. 9. Again, the accuracy falls off quickly as the scale moves away from that of the training data. The two types of classifiers are comparable, with AdaBoost slightly better.




Figure 9. Accuracy as a function of the scale of the face. At training time, all faces are at scale one.




Figure 10. Accuracy as a function of the offset of the face from the center in pixels, for the AdaBoost and SVM classifiers.

### 8.3. Sensitivity to Translation Offsets

As a final experiment, we measured the effect of offsets of the image, from  $-3$  to  $+3$  pixels in  $X$  and  $Y$ . Many face detection algorithm will locate a single faces in multiple windows that are slightly offset from each other (Rowley et al., 1998; Viola and Jones, 2001). The results of these experiments are shown in Fig. 10. As expected, the accuracy drops off smoothly as the offset is increased. As with the sensitivity to angle and scale, the AdaBoost classifier does somewhat better than the SVM classifier.

Tolerance to these types of changes in the input images could be increased by adding random variations to the training data, as was done in (Rowley et al., 1998). In that work, controlled amounts of variation, such as rotation up to 10%, translation up to half a pixel, and scaling up to 20% were applied to introduce variation

into the training set. This is an immediate direction of future research.

## 9. Conclusions and Future Work

We have presented a method to distinguish between male and female faces that matches (and slightly exceeds) the performance obtained with SVMs. However, the classification is achieved with a fraction of the computational expense; the classifiers presented here are 1–2 orders of magnitude faster (approximately 50 times) than SVMs.

We achieve 80% accuracy in identification with less than 10 pixel comparisons and 90% accuracy with less than 50 pixel comparisons. Results which match those of SVMs are obtained with as few as 500 comparison operations on a  $20 \times 20$  image. These results support earlier work which has found pixel comparisons are effective in determining the pose of a face. It is also interesting to note that although the AdaBoost classifiers simply examine individual pixels, they provide equal (or slightly better) performance than SVMs when tested on rotated, translated and scaled images.

There are at least three areas for immediate future exploration. The first is to evaluate this approach in the context of a complete face detection system. The images used here from the standard FERET database are fairly clean and well aligned; using this system to classify faces that are found with a face detection system (Rowley et al., 1998) will require the classifier to handle much more variability in the data. The second future direction is to explore the use of different features, such as those in Avidan and Butman (2004) Viola and Jones (2001), or measures of symmetry such as those in Liu and Mitra (2003). Finally, the third direction is to explore the use of new types of classifiers. In this study, we used very simple pixel comparisons that mapped directly to a classifier; however, more complex transforms of the pixels may provide benefits as well. It will be interesting to measure and understand the tradeoffs between weak classifier complexity and number of classifiers in terms of accuracy, robustness and speed.

## Acknowledgments

Portions of the research in this paper use the FERET database of facial images collected under the FERET program (Phillips et al., 2000).

## Notes

1. Note that adding other types of comparisons is easy. Adding more comparison types only increases the training time and not the run time. Assuming that the comparison operations use roughly equal CPU time, only the number of features employed will impact the actual classification speed at runtime, not which features are used or the number of unique comparison types that are available.
2. These experiments were done to find the best parameter settings for the SVMs, as well as the best preprocessing options. This baseline will be used for the remainder of the experiments to ensure that we compare AdaBoost with the best possible SVMs. In addition to these 8,000 experiments, an additional 2,000 SVMs were trained to explore the effect of the C parameter. It was found that the value of  $C=100,000$  gave the best test set accuracy.
3. It should be noted that for the timing results we used SVM-Light (Joachims, 1999) in its original form, and we compared it to un-optimized AdaBoost code.

## References

- Avidan, S. and Butman, M. 2004. The power of feature clustering: An application to object detection. *Advances in Neural Information Processing Systems*, 17.
- Baluja, S., Sahami, M., and Rowley, H. 2004. Efficient face orientation discrimination. *International Conference on Image Processing*, pp. 589–592.
- Cortes, C. and Vapnik, V. 1995. Support-vector-networks. *Machine Learning*, 20(3).
- Freund, Y. and Schapire, R. 1996. Experiments with a new boosting algorithm. *Proceedings of the Thirteenth International Conference on Machine Learning*.
- Gutta, S., Wechsler H., and Phillips, P.J. 1998. Gender and ethnic classification. *Proceedings of the IEEE International Workshop on Automatic Face and Gesture Recognition*, pp. 194–199.
- Joachims, T. 1999. Making large-scale SVM learning practical. *Advances in Kernel Methods—Support Vector Learning*.
- Liu, Y. and Mitra, S. 2003. A quantified study of facial asymmetry and gender difference. Technical report CMU-RI-TR-03-09, Robotics Institute, Carnegie Mellon University.
- Moghaddam, B. and Yang, M.-H. 2002. Learning gender with support faces. *IEEE Transactions on Pattern Analysis and Machine Intelligence*. 24(5).
- Phillips, P.J., Moon, H., Rizvi, S.A., and Rauss, P. 2000. The FERET evaluation methodology for face recognition algorithms. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22:1090–1104.
- Rowley, H.A., Baluja, S. and Kanade, T. 1998. neural network-based face detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(1):23–38.
- Shakhnarovich, G. Viola P.A., and Moghaddam, B. 2002. A unified learning framework for real time face detection and classification. *Proceedings of the International Conference on Automatic Face and Gesture Recognition*.
- Viola, P. and Jones, M.J. 2001. Robust real-time object detection. *Proceedings of the IEEE Workshop on Statistical and Computational Theories of Vision*.
- Wu, J. Rehg, J.M., and Mullin, M.D. 2003. Learning a rare event detection cascade by direct feature selection. *Advances in Neural Information Processing Systems 16*.