

## Probabilistic Path Planning for Interleaving Planning and Execution

Manuela Veloso  
Reid Simmons

See J. Bruce & M. Veloso IROS 2002,  
"Real-time randomized path planning for robot navigation"  
[www.cs.cmu.edu/~mmv/papers/02iros-rrt.pdf](http://www.cs.cmu.edu/~mmv/papers/02iros-rrt.pdf)

PEL, Fall 2010

Carnegie Mellon University  
Computer Science Department

## Robot Motion Planning

- A mobile robot needs to *navigate*:
  - Navigation is carrying out locomotion primitives to move between points
  - Navigation includes avoiding obstacles.
- We need to define:
  - The state – a model of the environment
  - The actions – a model of the robot's motion primitives

## Deterministic Path Planning

- A\*
  - Discretize the state
  - Enumerate a set of actions
  - Search
    - Generate successors of states
    - Use admissible heuristic
  - Partially successful
- Extensions of A\* - D\*, etc

## Probabilistic Path Planning


- Continuous state spaces
- Continuous actions
- PRM (Kavraki & many successors)
- RRT (Lavalle & many successors)
  - ERRT (Bruce & many other variations)

## PRM – Probabilistic Roadmap

- Separate planning into two stages
  - "Learning" Phase
    - random samples of free configurations (vertices)
    - Attempt to connect pairs of nearby vertices with a local planner
    - if a valid plan is found, add an edge to the graph
  - Query Phase
    - find local connections to graph from initial and goal positions


## Probabilistic Road Mapping

Sample random locations




### Probabilistic Road Mapping

Remove the samples in the forbidden regions




### Probabilistic Road Mapping

Link each sample to its  $K$  nearest neighbors




### Probabilistic Road Mapping

Remove the links that cross forbidden regions



### Probabilistic Road Mapping


Remove the links that cross forbidden regions



The resulting graph is a *probabilistic roadmap (PRM)*

### Probabilistic Road Mapping

Link the start and goal to the PRM and search using A\*



### PRM Discussion


- Very interesting approach
  - Continuous spaces
- General learning phase
  - Not targeted at specific initial and goal states
- Not optimal path generated – probabilistically optimal
- How to pick sample configurations?
  - **Uniform** – simple, but may be slow
  - **Non-uniform** – (probabilistically) choose configurations that are in the neighborhood of nodes that are unconnected
    - Weight nodes by the “difficulty” of the region
- Efficient local planner to connect robot position to PRM samples

## Rapidly Exploring Random Trees

- RRT
  - Explore continuous spaces efficiently
    - No need for an artificial grid
  - Basic for probabilistically complete planner
- RRT uses random search

## Basic RRT Example


(1) Start with the initial state as the root of a tree



## Basic RRT


Just Search, No use of Goal

- (2) Pick a random state in the environment  
 (3) Find the closest node in the tree




## Basic RRT Search

(4) Extend that node toward the target




## Basic RRT Search Example



## RRT Basic Algorithm


Pick a random point in the search space  
 Try to connect the current tree to that point  
 Continue until goal is reached (or stuck)

- Pick point  $p$  stochastically
- Find nearest node  $q$  in search tree
- Extend search from  $q$  in direction of point  $p$
- Continue until goal reached or limit on number of nodes
- If time (or goal not reached) can retry with different random seed




## RRT with Obstacles

- Ignore extensions which hit obstacles
- Resulting tree contains *only* valid paths




## RRT As a Planner

- Once a node of the tree is a *goal*, the plan is the path back up the tree



## RRT-GoalBias Algorithm

- 1) Start with initial state as root of tree
- 2) Pick a random target state
  - o Goal configuration with probability  $p$
  - o Random configuration with probability  $1-p$
- 3) Find the closest node in the tree
- 4) Extend the closest node toward the target
- 5) Goto step 2



## Planning and Replanning

- Environments and planning
  - Value of  $p$ ?
- Dynamic environments
- When failure, what to do?

## ERRT – RRT with Replanning


(Bruce & Veloso 2002)

***Introduce past path(s) as a bias!***

- 1) Start with initial state as root of tree
- 2) Pick a random target state
  - o Goal configuration with probability  $p$
  - o **Random item from waypoint cache with probability  $q$**
  - o Random configuration with probability  $1-q-p$
- 3) Find the closest node in the tree
- 4) Extend the closest node toward the target
- 5) Goto step 2

## ERRT: Replanning with Advice

Probability  $p$ : Extend closest node in tree towards goal  
 Probability  $q$ : Extend closest node in tree towards random cache point  
 Probability  $1-p-q$ : Extend closest node towards a random point



## Other RRT Variations

- Use any heuristics to guide RRT (Urmson)
- Model uncertainty with particles (Melchior)
- Balanced growth sampling (Zickler)

## Summary


- PRM
  - Sampling and search among sample nodes
- Planning with RRT
  - Extend towards random target, or towards goal
  - High  $p$  – few known obstacles
  - Low  $p$  – many known obstacles
- Replanning with ERRT
  - Extend towards random target, goal, or past plan
  - High  $q$  – small dynamics (no state change)
  - Low  $q$  – high dynamics (lots of state change)
  - ERRT – bias to use previous plan; but could be any other bias
- RRT and ERRT – probabilistic convergence

## Other Deterministic Approaches

- Visibility graphs
- Voronoi diagrams
- Cell decomposition
- Potential fields


## PRM Example – Learning Phase

Learning Phase:




## PRM Example – Query Phase

Query Phase:




## RRT for Planning

Probability  $p$  : Extend *closest node* in tree towards goal  
Probability  $1-p$  : Extend closest node towards a random point



## Waypoints [Results]



## Path Planning and Replanning

