



Machine-Level Programming IV

15-213/14-513/15-513: Introduction to Computer Systems
6th Lecture, Sept 11, 2025

Recall: Satisfying Alignment with Structures


■ Within structure:

- Must satisfy each element's alignment requirement

■ Overall structure placement

- Each structure has alignment requirement K
 - K = Largest alignment of any element
(Here: $K = 8$, due to **double** element)
- Initial address & structure length must be multiples of K


```
struct S1 {  
    char c;  
    int i[2];  
    double v;  
} *p;
```



Arrays of Structures

- Structure length is multiple of K
- Start address (a) is a multiple of K
- No padding in between array elements
- Hence: Satisfies alignment requirement for every structure element in entire array


```
struct S2 {  
    double v;  
    int i[2];  
    char c;  
} a[10];
```



Accessing Array Elements

- Compute array offset $12 * \text{idx}$
 - `sizeof(S3)`, including alignment spacers
- Element `j` is at offset 8 within structure
- Assembler gives offset `a+8`
 - Resolved during linking

```
struct S3 {
    short i;
    float v;
    short j;
} a[10];
```




```
short get_j(int idx)
{
    return a[idx].j;
}
```

```
# %rdi = idx
leaq (%rdi,%rdi,2),%rax # 3*idx
movzwl a+8(,%rax,4),%eax
```

Programmers Can Save Space


```
struct S4 {  
    char c;  
    int i;  
    char d;  
} *p;
```



```
struct S5 {  
    int i;  
    char c;  
    char d;  
} *p;
```



- Put large data types first
- Effect (largest alignment requirement $K=4$)



Today

- **Memory Layout**
- **Buffer Overflow**
 - Vulnerability
 - Protection
 - Bypassing Protection
- **Unions**

x86-64 Linux Memory Layout

not drawn to scale

$(2^{47} - 4096 =)$ 0000 7FFF FFFF F000

■ Stack

- Runtime stack (8MB limit)
- e.g., local variables

■ Heap


- Dynamically allocated as needed
- When call `malloc()`, `calloc()`, `new()`

■ Data

- Statically allocated data
- e.g., global vars, `static` vars, string constants

■ Text / Shared Libraries

- Executable machine instructions
- Read-only



not drawn to scale

Memory Allocation Example

0000 7FFF FFFF F000

```


char big_array[1L<<24];  /* 16 MB */
char huge_array[1L<<31]; /* 2 GB */

int global = 0;

int useless() { return 0; }

int main ()
{
    void *phuge1, *psmall2, *phuge3, *psmall4;
    int local = 0;
    phuge1 = malloc(1L << 28);  /* 256 MB */
    psmall2 = malloc(1L << 8);  /* 256 B */
    phuge3 = malloc(1L << 32);  /* 4 GB */
    psmall4 = malloc(1L << 8);  /* 256 B */
    /* Some print statements ... */
}

```



40 0000

Where does everything go?

x86-64 Example Addresses

```
char big_array[1L<<24]; /* 16 MB */
char huge_array[1L<<31]; /* 2 GB */

int global = 0;

int useless() { return 0; }

int main ()
{
    void *phuge1, *psmall12, *phuge3, *psmall14;
    int local = 0;
    phuge1 = malloc(1L << 28); /* 256 MB */
    psmall12 = malloc(1L << 8); /* 256 B */
    phuge3 = malloc(1L << 32); /* 4 GB */
    psmall14 = malloc(1L << 8); /* 256 B */
    /* Some print statements ... */
}
```


local
phuge1
phuge3
psmall14
psmall12
big_array
huge_array
main()
useless()

0x00007ffe4d3be87c
0x00007f7262a1e010
0x00007f7162a1d010
0x000000008359d120
0x000000008359d010
0x0000000080601060
0x0000000000601060
0x000000000040060c
0x0000000000400590

(Exact values can vary)

0000 7FFF FFFF F000

not drawn to scale
address range $\sim 2^{47}$



40 0000

Today

- **Memory Layout**
- **Buffer Overflow**
 - **Vulnerability**
 - Protection
 - Bypassing Protection
- **Unions**

Recall: Memory Referencing Bug Example

```
typedef struct {  
    int a[2];  
    double d;  
} struct_t;  
  
double fun(int i) {  
    volatile struct_t s;  
    s.d = 3.14;  
    s.a[i] = 1073741824; /* Possibly out of bounds */  
    return s.d;  
}
```

fun(0)	->	3.1400000000
fun(1)	->	3.1400000000
fun(2)	->	3.1399998665
fun(3)	->	2.0000006104
fun(6)	->	Stack smashing detected
fun(8)	->	Segmentation fault


- Result is system specific

Memory Referencing Bug Example

```
typedef struct {
    int a[2];
    double d;
} struct_t;
```

fun(0)	->	3.1400000000
fun(1)	->	3.1400000000
fun(2)	->	3.1399998665
fun(3)	->	2.0000006104
fun(4)	->	Segmentation fault
fun(8)	->	3.1400000000

Explanation:



Such Problems are a BIG Deal

- **Generally called a “buffer overflow”**
 - When exceeding the memory size allocated for an array
- **Why a big deal?**
 - It's the #1 technical cause of security vulnerabilities
 - #1 overall cause is social engineering / user ignorance
- **Most common form**
 - Unchecked lengths on string inputs
 - Particularly for bounded character arrays on the stack
 - sometimes referred to as stack smashing

String Library Code

■ Implementation of Unix function `gets()`

```
/* Get string from stdin */
char *gets(char *dest)
{
    int c = getchar();
    char *p = dest;
    while (c != EOF && c != '\n') {
        *p++ = c;
        c = getchar();
    }
    *p = '\0';
    return dest;
}
```

- No way to specify limit on number of characters to read
- **Similar problems with other library functions**
 - **`strcpy`, `strcat`**: Copy strings of arbitrary length
 - **`scanf`, `fscanf`, `sscanf`**, when given `%s` conversion specification

Vulnerable Buffer Code

```
/* Echo Line */  
void echo()  
{  
    char buf[4]; /* Way too small! */  
    gets(buf);  
    puts(buf);  
}
```

← BTW, how big
is big enough?

```
void call_echo() {  
    echo();  
}
```

```
unix> ./bufdemo-nsp  
Type a string: 01234567890123456789012  
01234567890123456789012
```

```
unix> ./bufdemo-nsp  
Type a string: 012345678901234567890123  
012345678901234567890123  
Segmentation Fault
```

Buffer Overflow Disassembly

echo:

000000000040069c <echo>:


40069c:	48 83 ec 18	sub	\$0x18 , %rsp
4006a0:	48 89 e7	mov	%rsp , %rdi
4006a3:	e8 a5 ff ff ff	callq	40064d <gets>
4006a8:	48 89 e7	mov	%rsp, %rdi
4006ab:	e8 50 fe ff ff	callq	400500 <puts@plt>
4006b0:	48 83 c4 18	add	\$0x18, %rsp
4006b4:	c3	retq	

call_echo:

4006b5:	48 83 ec 08	sub	\$0x8, %rsp
4006b9:	b8 00 00 00 00	mov	\$0x0, %eax
4006be:	e8 d9 ff ff ff	callq	40069c <echo>
4006c3:	48 83 c4 08	add	\$0x8, %rsp
4006c7:	c3	retq	

Buffer Overflow Stack Example

Before call to gets




```
/* Echo Line */
void echo()
{
    char buf[4]; /* Way too small! */
    gets(buf);
    puts(buf);
}
```

```
echo:
    subq $0x18, %rsp
    movq %rsp, %rdi
    call gets
    . . .
```

Buffer Overflow Stack Example

Before call to gets



```
void echo()
{
    char buf[4];
    gets(buf);
    . . .
}
```

```
echo:
    subq    $0x18, %rsp
    movq    %rsp, %rdi
    call    gets
    . . .
```

`call_echo:`

```
. . .
4006be: callq    4006cf <echo>
4006c3: add     $0x8, %rsp
. . .
```

Buffer Overflow Stack Example #1

After call to gets

Stack Frame for <code>call_echo</code>			
00	00	00	00
00	40	06	c3
00	32	31	30
39	38	37	36
35	34	33	32
31	30	39	38
37	36	35	34
33	32	31	30

`buf` ← `%rsp`

```
void echo()
{
    char buf[4];
    gets(buf);
    . . .
}
```

```
echo:
    subq    $0x18, %rsp
    movq    %rsp, %rdi
    call    gets
    . . .
```

`call_echo:`

```
. . .
4006be:  callq    4006cf <echo>
4006c3:  add      $0x8, %rsp
. . .
```

```
unix> ./bufdemo-nsp
Type a string: 01234567890123456789012
01234567890123456789012
```

```
"01234567890123456789012\0"
```

Overflowed buffer, but did not corrupt state

Buffer Overflow Stack Example #2

After call to gets

Stack Frame for <code>call_echo</code>			
00	00	00	00
00	40	06	00
33	32	31	30
39	38	37	36
35	34	33	32
31	30	39	38
37	36	35	34
33	32	31	30

`buf` ← `%rsp`

```
void echo()
{
    char buf[4];
    gets(buf);
    . . .
}
```

```
echo:
    subq    $0x18, %rsp
    movq    %rsp, %rdi
    call    gets
    . . .
```

`call_echo:`

```
. . .
4006be:  callq    4006cf <echo>
4006c3:  add      $0x8, %rsp
. . .
```

```
unix> ./bufdemo-nsp
Type a string: 012345678901234567890123
012345678901234567890123
Segmentation fault
```

Program “returned” to 0x0400600, and then crashed.

Stack Smashing Attacks


```
void P() {
    Q();
    ...
}
```

return address
A

```
int Q() {
    char buf[64];
    gets(buf);
    ...
    return ...;
}
```


```
void S() {
    /* Something
       unexpected */
    ...
}
```

data written
by `gets()`



- Overwrite normal return address **A** with address of some other code **S**
- When **Q** executes `ret`, will jump to other code

Crafting Smashing String



```
int echo() {
    char buf[4];
    gets(buf);
    ...
    return ...;
}
```

Target Code


```
void smash() {
    printf("I've been smashed!\n");
    exit(0);
}
```

```
00000000004006c8 <smash>:
4006c8:          48 83 ec 08
```

Attack String (Hex)

```
30 31 32 33 34 35 36 37 38 39 30 31 32 33 34 35 36 37 38 39 30 31 32 33
c8 06 40 00 00 00 00 00
```

Smashing String Effect



Target Code

```
void smash() {
    printf("I've been smashed!\n");
    exit(0);
}
```

```
00000000004006c8 <smash>:
4006c8:          48 83 ec 08
```

Attack String (Hex)

```
30 31 32 33 34 35 36 37 38 39 30 31 32 33 34 35 36 37 38 39 30 31 32 33
c8 06 40 00 00 00 00 00
```

Performing Stack Smash


```
linux> cat smash-hex.txt
30 31 32 33 34 35 36 37 38 39 30 31 32 33 34 35 36 37 38 39 30 31 32 33 c8 06 40 00 00 00 00 00
linux> cat smash-hex.txt | ./hexify | ./bufdemo-nsp
Type a string:012345678901234567890123?@
I've been smashed!
```

- Put hex sequence in file smash-hex.txt
- Use hexify program to convert hex digits to characters
 - Some of them are non-printing
- Provide as input to vulnerable program

```
void smash() {
    printf("I've been smashed!\n");
    exit(0);
}
```


```
30 31 32 33 34 35 36 37 38 39 30 31 32 33 34 35 36 37 38 39 30 31 32 33
c8 06 40 00 00 00 00 00
```

Code Injection Attacks



- Input string contains byte representation of executable code
- Overwrite return address **A** with address of buffer **B**
- When `Q` executes `ret`, will jump to exploit code

How Does The Attack Code Execute?



Today

- **Memory Layout**
- **Buffer Overflow**
 - Vulnerability
 - **Protection**
 - **Bypassing Protection**
- **Unions**

What to Do About Buffer Overflow Attacks

- **Avoid overflow vulnerabilities**
- **Employ system-level protections**
- **Have compiler use “stack canaries”**
- **Lets talk about each...**

1. Avoid Overflow Vulnerabilities in Code (!)

```
/* Echo Line */  
void echo()  
{  
    char buf[4];  
    fgets(buf, 4, stdin);  
    puts(buf);  
}
```

- For example, use library routines that limit string lengths
 - **fgets** instead of **gets**
 - **strncpy** instead of **strcpy**
 - Don't use **scanf** with **%s** conversion specification
 - Use **fgets** to read the string
 - Or use **%ns** where **n** is a suitable integer


2. System-Level Protections Can Help

■ Randomized stack offsets

- At start of program, allocate random amount of space on stack
- Shifts stack addresses for entire program
- Makes it difficult for hacker to predict beginning of inserted code
- e.g., 5 executions of memory allocation code

local 0x7ffe4d3be87c 0x7fff75a4f9fc 0x7ffeadb7c80c 0x7ffeaea2fdac 0x7ffcd452017c


- Stack repositioned each time program executes



2. System-Level Protections Can Help

■ Non-executable memory

- Older x86 CPUs would execute machine code from any readable address
- x86-64 added a way to mark regions of memory as *not executable*
- Immediate crash on jumping into any such region
- Current Linux and Windows mark the stack this way



Any attempt to execute this code will fail

Quiz Time!

Check out:

<https://canvas.cmu.edu/courses/49105/quizzes/150034>

3. Stack Canaries Can Help

■ Idea

- Place special value (“canary”) on stack just beyond buffer
- Check for corruption before exiting function

■ GCC Implementation

- `-fstack-protector`
- Now the default (disabled earlier)

```
unix> ./bufdemo-sp  
Type a string: 0123456  
0123456
```

```
unix> ./bufdemo-sp  
Type a string: 012345678  
*** stack smashing detected ***
```


Protected Buffer Disassembly

echo:

```
40072f:  sub    $0x18,%rsp
400733:  mov     %fs:0x28,%rax
40073c:  mov     %rax,0x8(%rsp)
400741:  xor     %eax,%eax
400743:  mov     %rsp,%rdi
400746:  callq   4006e0 <gets>
40074b:  mov     %rsp,%rdi
40074e:  callq   400570 <puts@plt>
400753:  mov     0x8(%rsp),%rax
400758:  xor     %fs:0x28,%rax
400761:  je      400768 <echo+0x39>
400763:  callq   400580 <__stack_chk_fail@plt>
400768:  add     $0x18,%rsp
40076c:  retq
```

Setting Up Canary

Before call to gets




```
/* Echo Line */
void echo()
{
    char buf[4]; /* Way too small! */
    gets(buf);
    puts(buf);
}
```

`echo:`

```
. . .
mov     %fs:0x28, %rax    # Get canary
mov     %rax, 0x8(%rsp)  # Place on stack
xor     %eax, %eax       # Erase register
. . .
```

Checking Canary

After call to gets



`buf ← %rsp`

```
/* Echo Line */
void echo()
{
    char buf[4]; /* Way too small! */
    gets(buf);
    puts(buf);
}
```

Input: *0123456*

*Some systems:
LSB of canary is 0x00
Allows input 01234567*

```
echo:
    . . .
    mov     0x8(%rsp),%rax    # Retrieve from stack
    xor     %fs:0x28,%rax     # Compare to canary
    je      .L6              # If same, OK
    call    __stack_chk_fail  # FAIL
```

Return-Oriented Programming Attacks

■ Challenge (for hackers)

- Stack randomization makes it hard to predict buffer location
- Marking stack non-executable makes it hard to insert binary code

■ Alternative Strategy

- Use existing code
 - Part of the program or the C library
- String together fragments to achieve overall desired outcome
- *Does not overcome stack canaries*

■ Construct program from *gadgets*

- Sequence of instructions ending in **ret**
 - Encoded by single byte **0xc3**
- Code positions fixed from run to run
- Code is executable

Gadget Example #1

```
long ab_plus_c  
    (long a, long b, long c)  
{  
    return a*b + c;  
}
```

```
00000000004004d0 <ab_plus_c>:  
4004d0: 48 0f af fe  imul %rsi,%rdi  
4004d4: 48 8d 04 17  lea (%rdi,%rdx,1),%rax  
4004d8: c3           retq
```


$\text{rax} \leftarrow \text{rdi} + \text{rdx}$

Gadget address = 0x4004d4

- Use tail end of existing functions


Gadget Example #2

```
void setval(unsigned *p) {
    *p = 3347663060u;
}
```




■ Repurpose byte codes

ROP Execution



- **Trigger with `ret` instruction**
 - Will start executing Gadget 1
- **Final `ret` in each gadget will start next one**
 - `ret`: pop address from stack and jump to that address

Crafting an ROP Attack String



■ Gadget #1

■ `0x4004d4` $\text{rax} \leftarrow \text{rdi} + \text{rdx}$

■ Gadget #2

■ `0x4004dc` $\text{rdi} \leftarrow \text{rax}$

■ Combination

$\text{rdi} \leftarrow \text{rdi} + \text{rdx}$

Attack String (Hex)


```

30 31 32 33 34 35 36 37 38 39 30 31 32 33 34 35 36 37 38 39 30 31 32 33
d4 04 40 00 00 00 00 00 00 00 dc 04 40 00 00 00 00 00

```

Multiple gadgets will corrupt stack upwards

What Happens When echo Returns?



1. Echo executes `ret`
 - Starts Gadget #1
2. Gadget #1 executes `ret`
 - Starts Gadget #2
3. Gadget #2 executes `ret`
 - Goes off somewhere ...

Multiple gadgets will corrupt stack upwards

Today



- **Memory Layout**
- **Buffer Overflow**
 - Vulnerability
 - Protection
 - Bypassing Protection
- **Unions**

Union Allocation

- Allocate according to largest element
- Can only use one field at a time


```
union U1 {
    char c;
    int i[2];
    double v;
} *up;
```

```
struct S1 {
    char c;
    int i[2];
    double v;
} *sp;
```



Using Union to Access Bit Patterns

```
typedef union {  
    float f;  
    unsigned u;  
} bit_float_t;
```



```
float bit2float(unsigned u)  
{  
    bit_float_t arg;  
    arg.u = u;  
    return arg.f;  
}
```

```
unsigned float2bit(float f)  
{  
    bit_float_t arg;  
    arg.f = f;  
    return arg.u;  
}
```



Same as (float) u ?

Same as (unsigned) f ?

Using Unions as Sum Types

```
typedef union {  
    float f;  
    unsigned u;  
} num_t;
```

```
typedef struct {  
    bool is_float;  
    num_t val;  
} value_t;
```



(technically `is_float` only takes 1 byte and then there's 3 bytes of padding)

f0	f1	f2	f3	f4	f5	f6	f7
c[0]	c[1]	c[2]	c[3]	c[4]	c[5]	c[6]	c[7]
s[0]		s[1]		s[2]		s[3]	
i[0]				i[1]			
l[0]							






LSB ← Print → MSB

Output:

Long 0 == [0xf7f6f5f4f3f2f1f0]

Programmers keep making these mistakes...

HOW THE HEARTBLEED BUG WORKS:



<https://xkcd.com/1354/>

ADDITIONAL SLIDES

Saving Space


- **Space is reduced so long as fields are ordered by size**

- **Why doesn't the compiler do this?**
 - The compiler has to follow the field order
 - There can be other reasons for specific orders:
 - Programmer understanding
 - Commonly accessed fields near each other

not drawn to scale

Runaway Stack Example

```
int recurse(int x) {
    int a[1<<15]; // 4*2^15 = 128 KiB
    printf("x = %d.  a at %p\n", x, a);
    a[0] = (1<<14)-1;
    a[a[0]] = x-1;
    if (a[a[0]] == 0)
        return -1;
    return recurse(a[a[0]]) - 1;
}
```



- Functions store local data in stack frame
- Recursive functions cause deep nesting of frames
- What happens when we run out of space?

```
./runaway 67
x = 67.  a at 0x7ffd18aba930
x = 66.  a at 0x7ffd18a9a920
x = 65.  a at 0x7ffd18a7a910
x = 64.  a at 0x7ffd18a5a900
. . .
x = 4.   a at 0x7ffd182da540
x = 3.   a at 0x7ffd182ba530
x = 2.   a at 0x7ffd1829a520
Segmentation fault (core dumped)
```

Byte Ordering Revisited

■ Idea

- Short/long/quad words stored in memory as 2/4/8 consecutive bytes
- Which byte is most (least) significant?
- Can cause problems when exchanging binary data between machines

■ Big Endian

- Most significant byte has lowest address
- Sparc, *Internet*

■ Little Endian

- Least significant byte has lowest address
- Intel x86, ARM Android and IOS

■ Bi Endian

- Can be configured either way
- ARM

Byte Ordering Example (Cont).

```
int j;
for (j = 0; j < 8; j++)
    dw.c[j] = 0xf0 + j;

printf("Characters 0-7 ==
[0x%x,0x%x,0x%x,0x%x,0x%x,0x%x,0x%x,0x%x]\n",
    dw.c[0], dw.c[1], dw.c[2], dw.c[3],
    dw.c[4], dw.c[5], dw.c[6], dw.c[7]);


printf("Shorts 0-3 == [0x%x,0x%x,0x%x,0x%x]\n",
    dw.s[0], dw.s[1], dw.s[2], dw.s[3]);

printf("Ints 0-1 == [0x%x,0x%x]\n",
    dw.i[0], dw.i[1]);

printf("Long 0 == [0x%lx]\n",
    dw.l[0]);
```

Byte Ordering on IA32

Little Endian




Output:

Characters 0-7 == [0xf0,0xf1,0xf2,0xf3,0xf4,0xf5,0xf6,0xf7]
 Shorts 0-3 == [0xf1f0,0xf3f2,0xf5f4,0xf7f6]
 Ints 0-1 == [0xf3f2f1f0,0xf7f6f5f4]
 Long 0 == [0xf3f2f1f0]

Byte Ordering on x86-64

Little Endian




Output on x86-64:

Characters	0-7	==	[0xf0, 0xf1, 0xf2, 0xf3, 0xf4, 0xf5, 0xf6, 0xf7]
Shorts	0-3	==	[0xf1f0, 0xf3f2, 0xf5f4, 0xf7f6]
Ints	0-1	==	[0xf3f2f1f0, 0xf7f6f5f4]
Long	0	==	[0xf7f6f5f4f3f2f1f0]

Byte Ordering on Sun

Big Endian



Output on Sun:

Characters 0-7 == [0xf0,0xf1,0xf2,0xf3,0xf4,0xf5,0xf6,0xf7]
 Shorts 0-3 == [0xf0f1,0xf2f3,0xf4f5,0xf6f7]
 Ints 0-1 == [0xf0f1f2f3,0xf4f5f6f7]
 Long 0 == [0xf0f1f2f3]

Exploits Based on Buffer Overflows

- *Buffer overflow bugs can allow remote machines to execute arbitrary code on victim machines*
- **Distressingly common in real programs**
 - Programmers keep making the same mistakes ☹
 - Recent measures make these attacks much more difficult
- **Examples across the decades**
 - Original “Internet worm” (1988)
 - “IM wars” (1999)
 - Twilight hack on Wii (2000s)
 - ... and many, many more
- **You will learn some of the tricks in attacklab**
 - Hopefully to convince you to never leave such holes in your programs!!

Example: the original Internet worm (1988)

■ Exploited a few vulnerabilities to spread

- Early versions of the finger server (fingerd) used `gets()` to read the argument sent by the client:
 - `finger droh@cs.cmu.edu`
- Worm attacked fingerd server by sending phony argument:
 - `finger "exploit-code padding new-return-address"`
 - exploit code: executed a root shell on the victim machine with a direct TCP connection to the attacker.


■ Once on a machine, scanned for other machines to attack

- invaded ~6000 computers in hours (10% of the Internet 😊)
 - see June 1989 article in *Comm. of the ACM*
- the young author of the worm was prosecuted...
- and CERT was formed... still homed at CMU

Example 2: IM War

■ July, 1999

- Microsoft launches MSN Messenger (instant messaging system).
- Messenger clients can access popular AOL Instant Messaging Service (AIM) servers



IM War (cont.)

■ August 1999

- Mysteriously, Messenger clients can no longer access AIM servers
- Microsoft and AOL begin the IM war:
 - AOL changes server to disallow Messenger clients
 - Microsoft makes changes to clients to defeat AOL changes
 - At least 13 such skirmishes
- What was really happening?
 - AOL had discovered a buffer overflow bug in their own AIM clients
 - They exploited it to detect and block Microsoft: the exploit code returned a 4-byte signature (the bytes at some location in the AIM client) to server
 - When Microsoft changed code to match signature, AOL changed signature location

Date: Wed, 11 Aug 1999 11:30:57 -0700 (PDT)
From: Phil Bucking <philbucking@yahoo.com>
Subject: AOL exploiting buffer overrun bug in their own software!
To: rms@pharlap.com

Mr. Smith,

I am writing you because I have discovered something that I think you might find interesting because you are an Internet security expert with experience in this area. I have also tried to contact AOL but received no response.

I am a developer who has been working on a revolutionary new instant messaging client that should be released later this year.

...

It appears that the AIM client has a buffer overrun bug. By itself this might not be the end of the world, as MS surely has had its share. But AOL is now *exploiting their own buffer overrun bug* to help in its efforts to block MS Instant Messenger.

....

Since you have significant credibility with the press I hope that you can use this information to help inform people that behind AOL's friendly exterior they are nefariously compromising peoples' security.

Sincerely,
Phil Bucking
Founder, Bucking Consulting
philbucking@yahoo.com

***It was later determined that this
email originated from within
Microsoft!***

Aside: Trojans, Worms, Viruses, ...

- **Three different kinds of *malware* (malicious software)**
 - Categorized by how they spread
 - Lines have gotten fuzzier over time
- **A *trojan* tricks people into running it**
 - Named after the legend of the Trojan Horse
- **A *worm* spreads automatically, without human action**
 - Requires a way to copy and execute itself over the network
- **A *virus* takes control of programs that are already installed**
 - Like a biological virus