

15-494/694: Cognitive Robotics

Dave Touretzky

Lecture 10: matplotlib




Image from <http://www.futuristgerd.com/2015/09/10>

Intro to matplotlib

- matplotlib is “MATLAB (subset) in Python”
- Relies on **numpy** for vectors, math
- Relies on **tkinter** for display graphics
- Usage:


```
import matplotlib.pyplot as plt
```

Sample Program

```
import numpy as np
import matplotlib.pyplot as plt
plt.ion()          # interactive mode
fig = plt.figure()
ax = fig.add_subplot(111)
rand = np.random.random
xvals = rand(5); yvals = rand(5)
ax.plot(xvals, yvals)
```

Plotting Points

```
ax.plot(xvals, yvals, 'ro',  
        linestyle='None')
```



PlotDrive (1)

```
from cozmo_fsm import *

class PlotDrive(StateMachineProgram):

    class Setup(StateNode):
        def start(self,event=None):
            super().start()
            self.parent.fig = plt.figure()
            self.parent.ax = ax = self.parent.fig.add_subplot(111)
            ax.set_xlim(-5,5)
            ax.set_ylim(23,29)
            ax.plot([-5,5],[25,25],'g--')
            ax.plot([0,0],[23,29],'r--')
            ax.set_xlabel('Drift')
            ax.set_ylabel('Travel Distance')
            self.parent.old_pos = self.robot.pose.position
```

PlotDrive (2)

```
class AddPoint(StateNode):
    def start(self,event=None):
        super().start()
        fwd = self.robot.pose.position.x - self.parent.old_pos.x
        drift = self.robot.pose.position.y - self.parent.old_pos.y
        print('fwd=',fwd,'drift=',drift)
        self.parent.ax.plot(drift,fwd,'bo',linestyle='None')
        self.parent.old_pos = self.robot.pose.position
```

```
class ShowPlot(StateNode):
    def start(self,event=None):
        super().start()
        plt.show(block=False)
```

PlotDrive (3)

```
$setup{  
    self.Setup() => loop  
  
    loop: Iterate(range(5))  
    loop => Forward(25) => self.AddPoint() => Next => loop  
    loop => C=> show  
  
    show: self.ShowPlot()  
}
```

PlotDrive




Image Display

```
rimg = robot.world.latest_image.raw_image
```

```
img = np.array(rimg)
```

```
plt.imshow(img)
```

Intensity Histogram

```
pixels = tuple(img[:, :, 1].flat)
```

```
plt.hist(pixels, bins=25)
```

```
plt.show()
```

