

# 15-213


"The course that gives CMU its Zip!"

## System-Level I/O April 15, 2003

### Topics


- Unix I/O
- Robust reading and writing
- Reading file metadata
- Sharing files
- I/O redirection
- Standard I/O

## A Typical Hardware System




## Reading a Disk Sector: Step 1

CPU initiates a disk read by writing a command, logical block number, and destination memory address to a port (address) associated with disk controller.




## Reading a Disk Sector: Step 2

Disk controller reads the sector and performs a direct memory access (DMA) transfer into main memory.



## Reading a Disk Sector: Step 3



- 5 -

15-213, S'03

## Unix Files

A Unix *file* is a sequence of  $m$  bytes:

- $B_0, B_1, \dots, B_k, \dots, B_{m-1}$

All I/O devices are represented as files:

- `/dev/sda2` (`/usr` disk partition)
- `/dev/tty2` (terminal)

Even the kernel is represented as a file:

- `/dev/kmem` (kernel memory image)
- `/proc` (kernel data structures)

- 6 -

15-213, S'03

## Unix File Types

**Regular file**

- Binary or text file.
- Unix does not know the difference!

**Directory file**

- A file that contains the names and locations of other files.

**Character special and block special files**

- Terminals (character special) and disks (block special)

**FIFO (named pipe)**

- A file type used for interprocess communication

**Socket**

- A file type used for network communication between processes

- 7 -

15-213, S'03

## Unix I/O

The elegant mapping of files to devices allows kernel to export simple interface called Unix I/O.

**Key Unix idea:** All input and output is handled in a consistent and uniform way.

**Basic Unix I/O operations (system calls):**

- Opening and closing files
  - `open()` and `close()`
- Changing the *current file position* (`seek`)
  - `lseek` (not discussed)
- Reading and writing a file
  - `read()` and `write()`

- 8 -

15-213, S'03

## Opening Files

Opening a file informs the kernel that you are getting ready to access that file.

```
int fd; /* file descriptor */
if ((fd = open("/etc/hosts", O_RDONLY)) < 0) {
    perror("open");
    exit(1);
}
```

Returns a small identifying integer *file descriptor*

- `fd == -1` indicates that an error occurred

Each process created by a Unix shell begins life with three open files associated with a terminal:

- 0: standard input
- 1: standard output
- 2: standard error

-9-

15-213, S03

## Closing Files

Closing a file informs the kernel that you are finished accessing that file.

```
int fd; /* file descriptor */
int retval; /* return value */
if ((retval = close(fd)) < 0) {
    perror("close");
    exit(1);
}
```

Closing an already closed file is a recipe for disaster in threaded programs (more on this later)

Moral: Always check return codes, even for seemingly benign functions such as `close()`

-10-

15-213, S03

## Reading Files

Reading a file copies bytes from the current file position to memory, and then updates file position.

```
char buf[512]; /* file descriptor */
int fd;
int nbytes; /* number of bytes read */

/* Open file fd ... */
/* Then read up to 512 bytes from file fd */
if ((nbytes = read(fd, buf, sizeof(buf))) < 0) {
    perror("read");
    exit(1);
}
```

Returns number of bytes read from file `fd` into `buf`

- `nbytes < 0` indicates that an error occurred.
- *short counts* (`nbytes < sizeof(buf)`) are possible and are not errors!

-11-

15-213, S03

## Writing Files

Writing a file copies bytes from memory to the current file position, and then updates current file position.

```
char buf[512]; /* file descriptor */
int fd;
int nbytes; /* number of bytes read */

/* Open the file fd ... */
/* Then write up to 512 bytes from buf to file fd */
if ((nbytes = write(fd, buf, sizeof(buf)) < 0) {
    perror("write");
    exit(1);
}
```

Returns number of bytes written from `buf` to file `fd`.

- `nbytes < 0` indicates that an error occurred.
  - As with reads, short counts are possible and are not errors!
- Transfers up to 512 bytes from address `buf` to file `fd`

-12-

15-213, S03

## Unix I/O Example

Copying standard input to standard output one byte at a time.

```
#include "csapp.h"
int main(void)
{
    char c;
    while(Read(STDIN_FILENO, &c, 1) != 0)
        Write(STDOUT_FILENO, &c, 1);
    exit(0);
}
```

Note the use of error handling wrappers for read and write (Appendix B).

-13-

15-213, S03

## Dealing with Short Counts

Short counts can occur in these situations:

- Encountering (end-of-file) EOF on reads.
- Reading text lines from a terminal.
- Reading and writing network sockets or Unix pipes.

Short counts never occur in these situations:

- Reading from disk files (except for EOF)
- Writing to disk files.
- Use the RIO (Robust I/O) package from your textbook's `csapp.c` file (Appendix B).

-14-

15-213, S03

## The RIO Package

RIO is a set of wrappers that provide efficient and robust I/O in applications such as network programs that are subject to short counts.

RIO provides two different kinds of functions

- Unbuffered input and output of binary data
  - `rio_readn` and `rio_writen`
- Buffered input of binary data and text lines
  - `rio_readlineb` and `rio_readnb`
  - Cleans up some problems with Stevens's `readline` and `readn` functions.
  - Unlike the Stevens routines, the buffered RIO routines are *thread-safe* and can be interleaved arbitrarily on the same descriptor.

Download from

```
csapp.cs.cmu.edu/public/ics/code/src/csapp.c
csapp.cs.cmu.edu/public/ics/code/include/csapp.h
```

-15-

15-213, S03

## Unbuffered RIO Input and Output

Same interface as Unix `read` and `write`

Especially useful for transferring data on network sockets

```
#include "csapp.h"
ssize_t rio_readn(int fd, void *usrbuf, size_t n);
ssize_t rio_writen(int fd, void *usrbuf, size_t n);
Return: num. bytes transferred if OK, 0 on EOF (rio_readn only), -1 on error
```

- `rio_readn` returns short count only if encounters EOF.
- `rio_writen` never returns a short count.
- Calls to `rio_readn` and `rio_writen` can be interleaved arbitrarily on the same descriptor.

-16-

15-213, S03

## Implementation of rio\_readn

```
/* rio_readn - robustly read n bytes (unbuffered) */
ssize_t rio_readn(int fd, void *usrbuf, size_t n)
{
    size_t nleft = n;
    ssize_t nread;
    char *bufp = usrbuf;

    while (nleft > 0) {
        if ((nread = read(fd, bufp, nleft)) < 0) {
            if (errno == EINTR) /* interrupted by sig
                handler return */
                continue; /* and call read() again */
            else
                return -1; /* errno set by read() */
        }
        else if (nread == 0) /* EOF */
            break;
        nleft -= nread;
        bufp += nread;
    }
    return (n - nleft); /* return >= 0 */
}
```

-17-

15-213, S03

## Buffered RIO Input Functions

Efficiently read text lines and binary data from a file partially cached in an internal memory buffer

```
#include "csapp.h"
void rio_readinitb(rio_t *rp, int fd);
ssize_t rio_readlineb(rio_t *rp, void *usrbuf, size_t maxlen);
ssize_t rio_readnb(rio_t *rp, void *usrbuf, size_t n);
    Return: num. bytes read if OK, 0 on EOF, -1 on error
```

- rio\_readlineb reads a text line of up to maxlen bytes from file fd and stores the line in usrbuf.
  - Especially useful for reading text lines from network sockets.
- rio\_readnb reads up to n bytes from file fd.
- Calls to rio\_readlineb and rio\_readnb can be interleaved arbitrarily on the same descriptor.
  - Warning: Don't interleave with calls to rio\_read

-18-

15-213, S03

## RIO Example

Copying the lines of a text file from standard input to standard output.

```
#include "csapp.h"
int main(int argc, char **argv)
{
    int n;
    rio_t rio;
    char buf[MAXLINE];

    rio_readinitb(&rio, STDIN_FILENO);
    while((n = rio_readlineb(&rio, buf, MAXLINE)) != 0)
        rio_writen(STDOUT_FILENO, buf, n);
    exit(0);
}
```

-19-

15-213, S03

## File Metadata

Metadata is data about data, in this case file data.

Maintained by kernel, accessed by users with the stat and fstat functions.

```
/* Metadata returned by the stat and fstat functions */
struct stat {
    dev_t     st_dev;      /* device */
    ino_t     st_ino;     /* inode */
    mode_t    st_mode;    /* protection and file type */
    nlink_t   st_nlink;   /* number of hard links */
    uid_t     st_uid;     /* user ID of owner */
    gid_t     st_gid;     /* group ID of owner */
    dev_t     st_rdev;    /* device type (if inode device) */
    off_t     st_size;    /* total size, in bytes */
    unsigned long st_blksize; /* blocksz for filesystem I/O */
    unsigned long st_blocks; /* number of blocks allocated */
    time_t    st_atime;   /* time of last access */
    time_t    st_mtime;   /* time of last modification */
    time_t    st_ctime;   /* time of last change */
};
```

## Example of Accessing File Metadata

```

/* statcheck.c - Querying and manipulating a file's meta data */
#include "csapp.h"

int main (int argc, char **argv)
{
    struct stat stat;
    char *type, *readok;

    Stat(argv[1], &stat);
    if (S_ISREG(stat.st_mode)) /* file type*/
        type = "regular";
    else if (S_ISDIR(stat.st_mode))
        type = "directory";
    else
        type = "other";
    if ((stat.st_mode & S_IRUSR)) /* OK to read?*/
        readok = "yes";
    else
        readok = "no";

    printf("type: %s, read: %s\n", type, readok);
    exit(0);
}

```

```

bass> ./statcheck statcheck.c
type: regular, read: yes
bass> chmod 000 statcheck.c
bass> ./statcheck statcheck.c
type: regular, read: no


```

-21-

15-213, S'03

## How the Unix Kernel Represents Open Files

Two descriptors referencing two distinct open disk files. Descriptor 1 (stdout) points to terminal, and descriptor 4 points to open disk file.




-22-

15-213, S'03

## File Sharing

Two distinct descriptors sharing the same disk file through two distinct open file table entries

- E.g., Calling open twice with the same filename argument




-23-

15-213, S'03

## How Processes Share Files

A child process inherits its parent's open files. Here is the situation immediately after a fork



-24-

15-213, S'03


## I/O Redirection

Question: How does a shell implement I/O redirection?

```
unix> ls > foo.txt
```

Answer: By calling the `dup2(0,1,fd, newfd)` function

- Copies (per-process) descriptor table entry `0` to entry `newfd`




-25-

15-213, S03

## I/O Redirection Example

Before calling `dup2(4,1)`, `stdout` (descriptor 1) points to a terminal and descriptor 4 points to an open disk file.




-26-

15-213, S03

## I/O Redirection Example (cont)

After calling `dup2(4,1)`, `stdout` is now redirected to the disk file pointed at by descriptor 4.



-27-

15-213, S03

## Standard I/O Functions

The C standard library (`libc.a`) contains a collection of higher-level standard I/O functions

- Documented in Appendix B of K&R.

Examples of standard I/O functions:

- Opening and closing files (`fopen` and `fclose`)
- Reading and writing bytes (`fread` and `fwrite`)
- Reading and writing text lines (`fgets` and `fputs`)
- Formatted reading and writing (`fscanf` and `fprintf`)

-28-

15-213, S03

## Standard I/O Streams

Standard I/O models open files as *streams*

- Abstraction for a file descriptor and a buffer in memory.
- C programs begin life with three open streams (defined in `stdio.h`)**

- `stdin` (standard input)
- `stdout` (standard output)
- `stderr` (standard error)

```
#include <stdio.h>
extern FILE *stdin; /* standard input (descriptor 0) */
extern FILE *stdout; /* standard output (descriptor 1) */
extern FILE *stderr; /* standard error (descriptor 2) */


int main() {
    fprintf(stdout, "Hello, world\n");
}
```

-29-

15-213, S03

## Buffering in Standard I/O

Standard I/O functions use buffered I/O



-30-

15-213, S03

## Standard I/O Buffering in Action

You can see this buffering in action for yourself, using the always fascinating Unix `strace` program:

```
#include <stdio.h>
int main()
{
    printf("h");
    printf("e");
    printf("l");
    printf("l");
    printf("o");
    fflush(stdout);
    exit(0);
}
```


```
linux> strace ./hello
execve("./hello", ["hello"], [/* ... */]).
...
write(1, "hello\n", 6...)
...
_exit(0)
```

-31-

15-213, S03

## Unix I/O vs. Standard I/O vs. RIO

Standard I/O and RIO are implemented using low-level Unix I/O.



Which ones should you use in your programs?

-32-

15-213, S03



## Pros and Cons of Unix I/O

### Pros

- Unix I/O is the most general and lowest overhead form of I/O.
  - All other I/O packages are implemented using Unix I/O functions.
- Unix I/O provides functions for accessing file metadata.

### Cons

- Dealing with short counts is tricky and error prone.
- Efficient reading of text lines requires some form of buffering, also tricky and error prone.
- Both of these issues are addressed by the standard I/O and RIO packages.

- 33 -

15-213, S03

## Pros and Cons of Standard I/O

### Pros:

- Buffering increases efficiency by decreasing the number of `read` and `write` system calls.
- Short counts are handled automatically.

### Cons:

- Provides no function for accessing file metadata
- Standard I/O is not appropriate for input and output on network sockets
- There are poorly documented restrictions on streams that interact badly with restrictions on sockets

- 34 -

15-213, S03

## Pros and Cons of Standard I/O (cont)

### Restrictions on streams:

- Restriction 1: input function cannot follow output function without intervening call to `fflush`, `fseek`, `fsetpos`, or `rewind`.
  - Latter three functions all use `lseek` to change file position.
- Restriction 2: output function cannot follow an input function with intervening call to `fseek`, `fsetpos`, or `rewind`.

### Restriction on sockets:

- You are not allowed to change the file position of a socket.

- 35 -

15-213, S03

## Pros and Cons of Standard I/O (cont)

### Workaround for restriction 1:

- Flush stream after every output.

### Workaround for restriction 2:

- Open two streams on the same descriptor, one for reading and one for writing:

```
FILE *fpin, *fpout;  
fpin = fdopen(sockfd, "r");  
fpout = fdopen(sockfd, "w");
```

- However, this requires you to close the same descriptor twice:

```
fclose(fpin);  
fclose(fpout);
```

- Creates a deadly race in concurrent threaded programs!

- 36 -

15-213, S03

## Choosing I/O Functions

**General rule:** Use the highest-level I/O functions you can.

- Many C programmers are able to do all of their work using the standard I/O functions.

**When to use standard I/O?**

- When working with disk or terminal files.

**When to use raw Unix I/O**

- When you need to fetch file metadata.
- In rare cases when you need absolute highest performance.

**When to use RIO?**

- When you are reading and writing network sockets or pipes.
- Never use standard I/O or raw Unix I/O on sockets or pipes.

- 37 -

15-213, S'03

## For Further Information

**The Unix bible:**

- W. Richard Stevens, *Advanced Programming in the Unix Environment*, Addison Wesley, 1993.
- Somewhat dated, but still useful.

**Stevens is arguably the best technical writer ever.**

- Produced authoritative works in:
  - Unix programming
  - TCP/IP (the protocol that makes the Internet work)
  - Unix network programming
  - Unix IPC programming.

**Tragically, Stevens died Sept 1, 1999.**

- 38 -

15-213, S'03