

## System-Level I/O

15-213 / 18-213: Introduction to Computer Systems  
15<sup>th</sup> Lecture, Mar. 8, 2012

### Instructors:

Todd C. Mowry & Anthony Rowe

1

## Today

- Unix I/O
- Metadata, sharing, and redirection
- Standard I/O
- RIO (robust I/O) package
- Closing remarks

2

## Unix Files

- A Unix *file* is a sequence of  $m$  bytes:
  - $B_0, B_1, \dots, B_k, \dots, B_{m-1}$
- All I/O devices are represented as files:
  - `/dev/sda2` (`/usr` disk partition)
  - `/dev/tty2` (terminal)
- Even the kernel is represented as a file:
  - `/dev/kmem` (kernel memory image)
  - `/proc` (kernel data structures)

3

## Unix File Types

- **Regular file**
  - File containing user/app data (binary, text, whatever)
  - OS does not know anything about the format
    - other than “sequence of bytes”, akin to main memory
- **Directory file**
  - A file that contains the names and locations of other files
- **Character special and block special files**
  - Terminals (character special) and disks (block special)
- **FIFO (named pipe)**
  - A file type used for inter-process communication
- **Socket**
  - A file type used for network communication between processes

4

## Unix I/O

### ■ Key Features

- Elegant mapping of files to devices allows kernel to export simple interface called Unix I/O
- Important idea: All input and output is handled in a consistent and uniform way

### ■ Basic Unix I/O operations (system calls):

- Opening and closing files
  - `open()` and `close()`
- Reading and writing a file
  - `read()` and `write()`
- Changing the **current file position** (`seek`)
  - indicates next offset into file to read or write
  - `lseek()`



5

## Opening Files

- Opening a file informs the kernel that you are getting ready to access that file

```
int fd; /* file descriptor */

if ((fd = open("/etc/hosts", O_RDONLY)) < 0) {
    perror("open");
    exit(1);
}
```

- Returns a small identifying integer **file descriptor**
  - `fd == -1` indicates that an error occurred
- Each process created by a Unix shell begins life with three open files associated with a terminal:
  - 0: standard input
  - 1: standard output
  - 2: standard error

6

## Closing Files

- Closing a file informs the kernel that you are finished accessing that file

```
int fd; /* file descriptor */
int retval; /* return value */

if ((retval = close(fd)) < 0) {
    perror("close");
    exit(1);
}
```

- Closing an already closed file is a recipe for disaster in threaded programs (more on this later)
- Moral: Always check return codes, even for seemingly benign functions such as `close()`

7

## Reading Files

- Reading a file copies bytes from the current file position to memory, and then updates file position

```
char buf[512];
int fd; /* file descriptor */
int nbytes; /* number of bytes read */

/* Open file fd ... */
/* Then read up to 512 bytes from file fd */
if ((nbytes = read(fd, buf, sizeof(buf))) < 0) {
    perror("read");
    exit(1);
}
```

- Returns number of bytes read from file `fd` into `buf`
  - Return type `ssize_t` is signed integer
  - `nbytes < 0` indicates that an error occurred
  - **Short counts** (`nbytes < sizeof(buf)`) are possible and are not errors!

8

## Writing Files

- Writing a file copies bytes from memory to the current file position, and then updates current file position

```
char buf[512];
int fd;      /* file descriptor */
int nbytes; /* number of bytes read */

/* Open the file fd ... */
/* Then write up to 512 bytes from buf to file fd */
if ((nbytes = write(fd, buf, sizeof(buf)) < 0) {
    perror("write");
    exit(1);
}
```

- Returns number of bytes written from `buf` to file `fd`
  - `nbytes < 0` indicates that an error occurred
  - As with reads, short counts are possible and are not errors!

9

## Simple Unix I/O example

- Copying standard in to standard out, one byte at a time

```
int main(void)
{
    char c;
    int len;

    while ((len = read(0 /*stdin*/, &c, 1)) == 1) {
        if (write(1 /*stdout*/, &c, 1) != 1) {
            exit(20);
        }
    }
    if (len < 0) {
        printf("read from stdin failed");
        exit(10);
    }
    exit(0);
}
```

10

## On Short Counts

- Short counts can occur in these situations:
  - Encountering (end-of-file) EOF on reads
  - Reading text lines from a terminal
  - Reading and writing network sockets or Unix pipes
- Short counts never occur in these situations:
  - Reading from disk files (except for EOF)
  - Writing to disk files

11

## Today

- Unix I/O
- Metadata, sharing, and redirection
- Standard I/O
- RIO (robust I/O) package
- Closing remarks

12

## File Metadata

- **Metadata** is data about data, in this case file data
- Per-file metadata maintained by kernel
  - accessed by users with the `stat` and `fstat` functions

```
/* Metadata returned by the stat and fstat functions */
struct stat {
    dev_t      st_dev;      /* device */
    ino_t      st_ino;     /* inode */
    mode_t     st_mode;    /* protection and file type */
    nlink_t    st_nlink;   /* number of hard links */
    uid_t      st_uid;     /* user ID of owner */
    gid_t      st_gid;     /* group ID of owner */
    dev_t      st_rdev;    /* device type (if inode device) */
    off_t      st_size;    /* total size, in bytes */
    unsigned long st_blksize; /* blocksize for filesystem I/O */
    unsigned long st_blocks; /* number of blocks allocated */
    time_t     st_atime;   /* time of last access */
    time_t     st_mtime;   /* time of last modification */
    time_t     st_ctime;   /* time of last change */
};
```

13

## Example of Accessing File Metadata

```
/* statcheck.c - Querying and manipulating a file's meta data */
#include "csapp.h"

int main (int argc, char **argv)
{
    struct stat stat;
    char *type, *readok;

    Stat(argv[1], &stat);
    if (S_ISREG(stat.st_mode))
        type = "regular";
    else if (S_ISDIR(stat.st_mode))
        type = "directory";
    else
        type = "other";
    if ((stat.st_mode & S_IRUSR) /* OK to read? */)
        readok = "yes";
    else
        readok = "no";

    printf("type: %s, read: %s\n", type, readok);
    exit(0);
}
```

```
unix> ./statcheck statcheck.c
type: regular, read: yes
unix> chmod 000 statcheck.c
unix> ./statcheck statcheck.c
type: regular, read: no
unix> ./statcheck ..
type: directory, read: yes
unix> ./statcheck /dev/kmem
type: other, read: yes
```

statcheck.c

14

## Repeated Slide: Opening Files

- Opening a file informs the kernel that you are getting ready to access that file

```
int fd; /* file descriptor */


if ((fd = open("/etc/hosts", O_RDONLY)) < 0) {
    perror("open");
    exit(1);
}
```

- Returns a small identifying integer **file descriptor**
  - `fd == -1` indicates that an error occurred

15

## How the Unix Kernel Represents Open Files


- Two descriptors referencing two distinct open disk files. Descriptor 1 (stdout) points to terminal, and descriptor 4 points to open disk file



16

## File Sharing


- Two distinct descriptors sharing the same disk file through two distinct open file table entries
  - E.g., Calling `open` twice with the same `filename` argument



17

## How Processes Share Files: Fork()


- A child process inherits its parent's open files
  - Note: situation unchanged by `exec` functions (use `fcntl` to change)
- Before `fork()` call:



18

## How Processes Share Files: Fork()

- A child process inherits its parent's open files
- After `fork()`:
  - Child's table same as parent's, and +1 to each `refcnt`



19

## I/O Redirection

- Question: How does a shell implement I/O redirection?
 

```
unix> ls > foo.txt
```
- Answer: By calling the `dup2(olddfd, newfd)` function
  - Copies (per-process) descriptor table entry `olddfd` to entry `newfd`

Descriptor table  
before `dup2(4, 1)`

fd 0	
fd 1	a
fd 2	
fd 3	
fd 4	b




Descriptor table  
after `dup2(4, 1)`

fd 0	
fd 1	b
fd 2	
fd 3	
fd 4	b

20

## I/O Redirection Example


- **Step #1: open file to which stdout should be redirected**
  - Happens in child executing shell code, before `exec`



21

## I/O Redirection Example (cont.)

- **Step #2: call `dup2 (4, 1)`**
  - cause `fd=1` (stdout) to refer to disk file pointed at by `fd=4`



22

## Today

- Unix I/O
- Metadata, sharing, and redirection
- **Standard I/O**
- RIO (robust I/O) package
- Closing remarks

23

## Standard I/O Functions

- The C standard library (`libc.so`) contains a collection of higher-level *standard I/O* functions
  - Documented in Appendix B of K&R
- **Examples of standard I/O functions:**
  - Opening and closing files (`fopen` and `fclose`)
  - Reading and writing bytes (`fread` and `fwrite`)
  - Reading and writing text lines (`fgets` and `fputs`)
  - Formatted reading and writing (`fscanf` and `fprintf`)

24

## Standard I/O Streams

- Standard I/O models open files as **streams**
  - Abstraction for a file descriptor and a buffer in memory
- C programs begin life with three open streams (defined in `stdio.h`)
  - `stdin` (standard input)
  - `stdout` (standard output)
  - `stderr` (standard error)


```
#include <stdio.h>
extern FILE *stdin; /* standard input (descriptor 0) */
extern FILE *stdout; /* standard output (descriptor 1) */
extern FILE *stderr; /* standard error (descriptor 2) */

int main() {
    fprintf(stdout, "Hello, world\n");
}
```

25

## Buffered I/O: Motivation


- Applications often read/write one character at a time
  - `getc`, `putc`, `ungetc`
  - `gets`, `fgets`
    - Read line of text one character at a time, stopping at newline
- Implementing as Unix I/O calls expensive
  - `read` and `write` require Unix kernel calls
    - > 10,000 clock cycles
- Solution: Buffered read
  - Use Unix `read` to grab block of bytes
  - User input functions take one byte at a time from buffer
    - Refill buffer when empty



26

## Buffering in Standard I/O

- Standard I/O functions use buffered I/O



- Buffer flushed to output fd on `"\n"` or `fflush()` call

27

## Standard I/O Buffering in Action

- You can see this buffering in action for yourself, using the always fascinating Unix `strace` program:

```
#include <stdio.h>

int main()
{
    printf("h");
    printf("e");
    printf("l");
    printf("l");
    printf("o");
    printf("\n");
    fflush(stdout);
    exit(0);
}
```

```
linux> strace ./hello
execve("./hello", ["hello"], [/* ... */]).
...
write(1, "hello\n", 6)           = 6
...
exit_group(0)                   = ?
```

28

## Today

- Unix I/O
- Metadata, sharing, and redirection
- Standard I/O
- RIO (robust I/O) package
- Closing remarks

29

## The RIO Package

- RIO is a set of wrappers that provide efficient and robust I/O in apps, such as network programs that are subject to short counts
- RIO provides two different kinds of functions
  - Unbuffered input and output of binary data
    - `rio_readn` and `rio_writen`
  - Buffered input of binary data and text lines
    - `rio_readlineb` and `rio_readnb`
    - Buffered RIO routines are thread-safe and can be interleaved arbitrarily on the same descriptor
- Download from <http://csapp.cs.cmu.edu/public/code.html>  
→ `src/csapp.c` and `include/csapp.h`

30

## Implementation of `rio_readn`

```

/*
 * rio_readn - robustly read n bytes (unbuffered)
 */
ssize_t rio_readn(int fd, void *usrbuf, size_t n)
{
    size_t nleft = n;
    ssize_t nread;
    char *bufp = usrbuf;

    while (nleft > 0) {
        if ((nread = read(fd, bufp, nleft)) < 0) {
            if (errno == EINTR) /* interrupted by sig handler return */
                nread = 0;      /* and call read() again */
            else
                return -1;     /* errno set by read() */
        }
        else if (nread == 0)
            break;             /* EOF */
        nleft -= nread;
        bufp += nread;
    }
    return (n - nleft);       /* return >= 0 */
}

```

`csapp.c`

## Today


- Unix I/O
- Metadata, sharing, and redirection
- Standard I/O
- RIO (robust I/O) package
- Closing comments

32



## Unix I/O vs. Standard I/O vs. RIO

- Standard I/O and RIO are implemented using low-level Unix I/O



- Which ones should you use in your programs?

33

## Pros and Cons of Unix I/O

- Pros**
  - Unix I/O is the most general and lowest overhead form of I/O.
    - All other I/O packages are implemented using Unix I/O functions.
  - Unix I/O provides functions for accessing file metadata.
  - Unix I/O functions are async-signal-safe and can be used safely in signal handlers.
- Cons**
  - Dealing with short counts is tricky and error prone.
  - Efficient reading of text lines requires some form of buffering, also tricky and error prone.
  - Both of these issues are addressed by the standard I/O and RIO packages.

34

## Pros and Cons of Standard I/O

- Pros:**
  - Buffering increases efficiency by decreasing the number of `read` and `write` system calls
  - Short counts are handled automatically
- Cons:**
  - Provides no function for accessing file metadata
  - Standard I/O functions are not async-signal-safe, and not appropriate for signal handlers.
  - Standard I/O is not appropriate for input and output on network sockets
    - There are poorly documented restrictions on streams that interact badly with restrictions on sockets (CS:APP2e, Sec 10.9)

35

## Choosing I/O Functions

- General rule: use the highest-level I/O functions you can**
  - Many C programmers are able to do all of their work using the standard I/O functions
  - But, be sure to understand the functions you use!
- When to use standard I/O**
  - When working with disk or terminal files
- When to use raw Unix I/O**
  - Inside signal handlers, because Unix I/O is async-signal-safe
  - In rare cases when you need absolute highest performance
- When to use RIO**
  - When you are reading and writing network sockets
  - Avoid using standard I/O on sockets

36

## Aside: Working with Binary Files

- **Binary File Examples**
  - Object code, Images (JPEG, GIF),
- **Functions you shouldn't use on binary files**
  - Line-oriented I/O such as `fgets`, `scanf`, `printf`, `rio_readlineb`
    - Different systems interpret `0x0A` (`'\n'`) differently:
      - Linux and Mac OS X: `LF(0x0a)` [`'\n'`]
      - HTTP servers & Windows: `CR+LF(0x0d 0x0a)` [`'\r\n'`]
    - Use things like `rio_readn` or `rio_readnb` instead
  - String functions
    - `strlen`, `strcpy`
    - Interprets byte value 0 (end of string) as special

37

## For Further Information

- **The Unix bible:**
  - W. Richard Stevens & Stephen A. Rago, *Advanced Programming in the Unix Environment*, 2<sup>nd</sup> Edition, Addison Wesley, 2005
    - Updated from Stevens's 1993 classic text.
- **Stevens is arguably the best technical writer ever.**
  - Produced authoritative works in:
    - Unix programming
    - TCP/IP (the protocol that makes the Internet work)
    - Unix network programming
    - Unix IPC programming
- **Tragically, Stevens died Sept. 1, 1999**
  - But others have taken up his legacy

38

## Fun with File Descriptors (1)

```
#include "csapp.h"
int main(int argc, char *argv[])
{
    int fd1, fd2, fd3;
    char c1, c2, c3;
    char *fname = argv[1];
    fd1 = Open(fname, O_RDONLY, 0);
    fd2 = Open(fname, O_RDONLY, 0);
    fd3 = Open(fname, O_RDONLY, 0);
    Dup2(fd2, fd3);
    Read(fd1, &c1, 1);
    Read(fd2, &c2, 1);
    Read(fd3, &c3, 1);
    printf("c1 = %c, c2 = %c, c3 = %c\n", c1, c2, c3);
    return 0;
}
ffiles1.c
```

- What would this program print for file containing "abcde"?

39

## Fun with File Descriptors (2)

```
#include "csapp.h"
int main(int argc, char *argv[])
{
    int fd1;
    int s = getpid() & 0x1;
    char c1, c2;
    char *fname = argv[1];
    fd1 = Open(fname, O_RDONLY, 0);
    Read(fd1, &c1, 1);
    if (fork()) { /* Parent */
        sleep(s);
        Read(fd1, &c2, 1);
        printf("Parent: c1 = %c, c2 = %c\n", c1, c2);
    } else { /* Child */
        sleep(1-s);
        Read(fd1, &c2, 1);
        printf("Child: c1 = %c, c2 = %c\n", c1, c2);
    }
    return 0;
}
ffiles2.c
```

- What would this program print for file containing "abcde"?

40

## Fun with File Descriptors (3)

```
#include "csapp.h"
int main(int argc, char *argv[])
{
    int fd1, fd2, fd3;
    char *fname = argv[1];
    fd1 = Open(fname, O_CREAT|O_TRUNC|O_RDWR, S_IRUSR|S_IWUSR);
    Write(fd1, "pqrs", 4);
    fd3 = Open(fname, O_APPEND|O_WRONLY, 0);
    Write(fd3, "jklmn", 5);
    fd2 = dup(fd1); /* Allocates descriptor */
    Write(fd2, "wxyz", 4);
    Write(fd3, "ef", 2);
    return 0;
}
files3.c
```

- What would be the contents of the resulting file?

41

## Accessing Directories

- Only recommended operation on a directory: read its entries
  - `dirent` structure contains information about a directory entry
  - `DIR` structure contains information about directory while stepping through its entries

```
#include <sys/types.h>
#include <dirent.h>

{
    DIR *directory;
    struct dirent *de;
    ...
    if (!(directory = opendir(dir_name)))
        error("Failed to open directory");
    ...
    while (0 != (de = readdir(directory))) {
        printf("Found file: %s\n", de->d_name);
    }
    ...
    closedir(directory);
}
```

42

## Unbuffered RIO Input and Output

- Same interface as Unix `read` and `write`
- Especially useful for transferring data on network sockets

```
#include "csapp.h"
ssize_t rio_readn(int fd, void *usrbuf, size_t n);
ssize_t rio_writen(int fd, void *usrbuf, size_t n);


Return: num. bytes transferred if OK, 0 on EOF (rio_readn only), -1 on error
```

- `rio_readn` returns short count only if it encounters EOF
  - Only use it when you know how many bytes to read
- `rio_writen` never returns a short count
- Calls to `rio_readn` and `rio_writen` can be interleaved arbitrarily on the same descriptor


43

## Buffered I/O: Implementation

- For reading from file
- File has associated buffer to hold bytes that have been read from file but not yet read by user code




- Layered on Unix file:



44

## Buffered I/O: Declaration

- All information contained in struct



```
typedef struct {
    int rio_fd;           /* descriptor for this internal buf */
    int rio_cnt;         /* unread bytes in internal buf */
    char *rio_bufptr;    /* next unread byte in internal buf */
    char rio_buf[RIO_BUFSIZE]; /* internal buffer */
} rio_t;
```

45

## Buffered RIO Input Functions

- Efficiently read text lines and binary data from a file partially cached in an internal memory buffer

```
#include "csapp.h"

void rio_readinitb(rio_t *rp, int fd);

ssize_t rio_readlineb(rio_t *rp, void *usrbuf, size_t maxlen);

Return: num. bytes read if OK, 0 on EOF, -1 on error
```

- `rio_readlineb` reads a text line of up to `maxlen` bytes from file `fd` and stores the line in `usrbuf`
  - Especially useful for reading text lines from network sockets
- Stopping conditions
  - `maxlen` bytes read
  - EOF encountered
  - Newline (`'\n'`) encountered

46

## Buffered RIO Input Functions (cont)

```
#include "csapp.h"

void rio_readinitb(rio_t *rp, int fd);

ssize_t rio_readlineb(rio_t *rp, void *usrbuf, size_t maxlen);
ssize_t rio_readnb(rio_t *rp, void *usrbuf, size_t n);

Return: num. bytes read if OK, 0 on EOF, -1 on error
```

- `rio_readnb` reads up to `n` bytes from file `fd`
- Stopping conditions
  - `maxlen` bytes read
  - EOF encountered
- Calls to `rio_readlineb` and `rio_readnb` can be interleaved arbitrarily on the same descriptor
  - Warning: Don't interleave with calls to `rio_readn`

47

## RIO Example

- Copying the lines of a text file from standard input to standard output

```
#include "csapp.h"

int main(int argc, char **argv)
{
    int n;
    rio_t rio;
    char buf[MAXLINE];

    Rio_readinitb(&rio, STDIN_FILENO);
    while((n = Rio_readlineb(&rio, buf, MAXLINE)) != 0)
        Rio_writen(STDOUT_FILENO, buf, n);
    exit(0);
}

cpfile.c
```

48