For: dwight
Printed on: Fri, Jul 12, 1991 12:23:36
From book: SBA man
Document: toc
Last saved on: Fri, Jul 12, 1991 12:04:10

pl2ps 4.0.5 Copyright 1988 Interleaf, Inc.

Contents

Overview 1-1
Introduction 1-1
Who Should Use This Manual 1-1
How This Manual Is Organized 1-2
If You Are Installing A Complete SBA Configuration 1-2
What Your Shipment Should Contain 1-2
Inspect for Damage 1-3
Notational Conventions 1-3
Table of Abbreviations/Terms 1-4

Installing the Single Board Array 2-1
Introduction 2-1
Physical Layout of the Single Board Array 2-2
iWarp Components 2-2
Pathway Connectors 2-2
Cardcage Select Switch 2-3
Sun Backplane Connector 2-3
Quad Cell Board (QCB) 2-3
Tools You Will Need 2-4
Guidelines for Installing the SBA 2-5
Setting the Cardcage Select Switch 2-6
Installing the Board 2-8
Shutting Down Power to the System 2-8
Accessing the Back of the Sun Cabinet 2-8
Removing Slot Covers and Filler Panels 2-9
Inserting the SBA Board in the Sun Cardcage 2-10

Configuring the Single Board Array 3-1
Introduction 3-1
Guidelines for Configuring the SBA 3-1
Cabling the SBA 3-2
Cabling One SBA Board in Your System 3-2
Step 1 (Figure 3-2) 3-3
Step 2 (Figure 3-3) 3-4
Step 3 (Figure 3-4) 3-5
Cabling Larger SBA Configurations 3-6
Before Using the SBA 3-8

Diagnostics **4-1**
Introduction 4-1
Running the Diagnostics 4-2
If Something Goes Wrong 4-4
Replacing the System Covers 4-4
Inspect for Damage 1-4
Notational Conventions 1-4
Table of Abbreviations 1-4

Appendix A: Service Information **A-1**
Introduction A-1
Contacting Intel A-1
Packaging for Return A-2

Appendix B: Removing and Replacing the Quad Cell Board **B-1**
Introduction B-1
Shutting Down Power to the System B-1
Accessing the Back of the Sun Cabinet B-1
Removing the SBA from the Sun Cardcage B-2
Removing the Quad Cell Board from the SBA Cradle B-3
Reinstalling the QCB in an SBA Board B-4
Installing Filler Panels and Slot Covers in the Sun Workstation B-6
Replacing the Covers on the Sun System B-6

Index

List of Figures

Figure 2-1: Single Board Array (SBA) Physical Layout 2-2
Figure 2-2: Connections between Processors on the iWarp SBA Board 2-3
Figure 2-3: Setting the Cardcage Select Switch 2-6
Figure 2-4: Remove Slot Cover and Filler Panel from the Sun Cardcage . . 2-9
Figure 2-5: Insert the SBA Board in the Sun Cardcage 2-11
Figure 3-1: Example 2 x 8 SBA Array 3-1
Figure 3-2: Cabling the Single Board Array (Step 1 of 3) 3-3
Figure 3-3: Cabling the Single Board Array (Step 2 of 3) 3-4
Figure 3-4: Cabling the Single Board Array (Step 3 of 3) 3-5
Figure 3-5: Cabling an SBA Configuration with Two SBA Boards 3-6
Figure 3-6: Cabling an SBA Configuration with Five SBA Boards 3-7
Figure 4-1: Typical iWarp Diagnostic Test Results (Passed Tests) 4-3
Figure 4-2: Typical iWarp Diagnostic Test Results (Failed Tests) 4-4

Figure B-1: Loosen the Screws on the SBA Panel B-2
Figure B-2: Remove the Quad Cell Board from the SBA Cradle B-3
Figure B-3: Reinstall the QCB in the SBA Board B-5

List of Tables

Table 1-1. iWarp Abbreviations and Terms 1-4
Table 2-1. Record of Cardcage Select Switch Settings 2-7