For: dwight
Printed on: Fri, Jul 16, 1993 10:13:54
From book: book
Document: toc
Last saved on: Tue, Aug 6, 1991 11:00:44

CONTENTS

Chapter 1: Overview 1-1
Audience 1-1
Using this manual 1-1
iWarp C Overview 1-1
Path and MANPATH settings 1-2

Chapter 2: Invoking the Compiler 2-1
The Compilation Command: iwcc 2-1
iwcc Options 2-1
Files 2-5
Input Files 2-5
Intermediate and Output Files 2-5
Parts of the compiler 2-6

Chapter 3: iWarp C Extensions 3-1
Communication Support (send and receive) 3-1
Condition Code Checking Support (cond and condcall) 3-2
_cond 3-2
_condcall 3-2
Unsafe Condition Codes 3-2
Assembly Code Inlining Facility 3-3
Pragma Support for Inlining Specification 3-3

Chapter 4: Enhancing Program Performance 4-1
Introduction 4-1
General Programming Suggestions 4-1
Optimizer Suggestions 4-2
Other Suggestions 4-4

Chapter 5: Interfacing with Other Languages 5-1
Interfacing with Other Languages 5-1
C naming conventions 5-1
FORTRAN 5-1
Calling a FORTRAN function from C 5-1
Calling a C function from FORTRAN 5-1

Chapter 6: The C Preprocessor 6-1
Invoking the Preprocessor 6-1
Preprocessor Options 6-1
Directory Search Order for #include. 6-1
Multiple Line Definitions (#define) 6-2
Macro Expansion 6-2
Recursive Macros 6-2
Comments 6-3
Files 6-3

Appendix A: Summary of iWarp C Extensions A-1
Communication Support (send and receive primitives). A-1
Condition code checking support (iWarp condition codes). A-1
Assembly code inlining facility. A-1
Pragma support for inlining specification. A-1

Appendix B: iWarp Include Files B-1
Safe (Asynchronous) Condition Codes B-2
Unsafe (Synchronous) Condition Codes B-4
Control Space Registers B-6
Register File Definitions B-11
Assembly Code Inline Definitions B-12
General typedefs – gen_type.h B-12
General Use – gen_asm.h B-12
General typedefs – pw_type.h B-13
Pathway Control – pw_asm.h B-13
Floating-Point Math – iwarp_fp.h B-13

Appendix C: Implementation Specifics C-1
Data types C-1
External Names C-1
Limits on sizes C-2

Appendix D: Error Messages D-1
Error Messages for send and receive D-1
Error messages for cond and condcall. D-1
Error messages for internal table size limits D-2