
Visualization

Kelly Rivers and Stephanie Rosenthal 15-110 Fall 2019

Data Science/Analysis Process



Data Visualization


Two types:

- Data Exploration
- Data Presentation


You can't identify trends in data unless you can see the trends to know what to look for

Graphical Exploration

Often presents a better view of your data (although less quantitative) than numerical statistics




Same Statistics, Very Different Pictures



Visual Encodings

Visual language is a sign system

- Images perceived as a set of signs
- Sender **encodes** information in signs
- Receiver **decodes** information from signs




- A, B, C are distinguishable
- B is between A and C
- BC is twice as long as AB

The Brain and Visualizations

How many 3's?

How many 3's?

Visual Variables



Types of Data

Categories (labels)

• Fruits: apples, oranges, grapes

Ordinal (ordered categories)

Quality of meat: A, AA, AAA


Quantitative (numbers)

- Dates: January 3rd, 1932; Oct 18, 1981
- Temperature (Celsius)
- Length, Mass
- Temperature (Kelvin)

When to Use Visual Variables


	Categorical	Ordinal	Quantitative
Position	Yes	Yes	Yes
Size	Yes	Yes	Yes
Value	Yes	Yes	Sometimes
Texture	Yes	Sometimes	
Color	Yes	Sometimes	
Orientation	Yes		
Shape	Yes		

How accurately can we detect visual differences?



Correct Use of Visualization

Correct Use of Bar Chart



Incorrect Use of a Bar Graph

Bar Length has No Meaning






Fig. 11. Incorrect use of a bar chart for the *Nation* relation. The lengths of the bars suggest an ordering on the vertical axis, as if the USA cars were longer or better than the other cars, which is not true for the *Nation* relation.

Incorrect Use of a Bar Graph

Proportion of Bars is Misleading



Incorrect Use of a Pie Chart




Examples of Pretty Good Visualizations


Find the visual variables...

Rain in San Francisco every year from 1960-2011 July through June Centered on Valentines Day


What visual variables are used?




Stephen Von Worley



Weather Dashboard Analogy to a Car Dashboard




Average temperature in London



Circular Area Chart – Where Values are Centered

Choosing Visualizations

Chart Suggestions—A Thought-Starter



Visualizing Data

Types of visualizations


- Histograms
- Scatterplots
- Bar Charts
- Stacked Bar Charts
- Pie Charts
- Time Series
- Decision Trees, Flow Charts, etc


Visualizing 1 Dimensional Data

- "I want to know how many of each product type are in my data"
- "I want to know the proportion of people who have cats in my data"

Histograms


Counts (y axis) per category or value range (x axis)





Pie Chart

Proportion of the whole count




14

Histogram Matplotlib

```
# From Matplotlib website
import matplotlib.pyplot as plt
import numpy as np
from matplotlib import colors
N points = 100000
n bins = 20
# Generate a normal distribution, center at x=0 and y=5
x = np.random.randn(N points) #random data
y = .4 * x + np.random.randn(N points) + 5 #shifted random
# Make 1 row and 2 columns (where the y axes are the same)
fig, ax = plt.subplots(1, 2, sharey=True, tight layout=True)
# We can set the number of bins with the 'bins' argument
ax[0].hist(x, bins=n bins)
ax[1].hist(y, bins=n bins)
plt.show()
```

Matplotlib




2 Dimensional Data

- "I want to know the cost of each product category that we have"
- "I want to know the weight of the animals that people own, by category"
- "I want to know how the size of the product affects the cost of shipping"

Box and Whiskers Plot


One dimension is a category and one is numeric, shows ranges of values



.


Bar Chart

One dimension is a category and one is numeric, shows AVERAGE of values




Scatterplot

Two numeric dimensions, shows correlations (or lack thereof)



Line Plot


TIME and a numeric dimension



Bar Chart Matplotlib

```
# From Matplotlib website
import numpy as np
import matplotlib.pyplot as plt
N = 5
men means = (20, 35, 30, 35, 27) #each number is a mean for a separate bar
men std = (2, 3, 4, 1, 2)
women means = (25, 32, 34, 20, 25)
women std = (3, 5, 2, 3, 3)
ind = np.arange(N) # the x locations for the 5 categories
width = 0.35 # the width of the bars
fig, ax = plt.subplots()
rects1 = ax.bar(ind, men means, width, color='r', yerr=men std)
rects2 = ax.bar(ind+width, women means, width, color='y', yerr=women std)
# add some text for labels, title and axes ticks
ax.set ylabel('Scores')
ax.set title('Scores by group and gender')
ax.set xticks(ind + width / 2)
ax.set xticklabels(('G1', 'G2', 'G3', 'G4', 'G5'))
ax.legend((rects1[0], rects2[0]), ('Men', 'Women'))
plt.show()
```


Matplotlib



3 Dimensional Data


- "I want to know the cost and the development time by product category"
- "I want to know the weight of the animals that people own and cost, by category"
- "I want to know how the size of the product and the manufacture location affects the cost of shipping"

3D Scatterplot




Heatmap

Two categorical variables, color shows numeric value or count




Scatterplot matrix

Histograms on the diagonal scatterplots (or other appropriate plots for each variable)




Bubbleplot

Three numeric variables




Scatterplot Heatmap

• Three numeric variables



Color Scatterplot


• Two numeric variables and one categorical




Matplotlib

```
import matplotlib.pyplot as plt
import numpy as np
from matplotlib import colors
N points = 100000
n bins = 20
# Generate a normal distribution, center at x=0 and y=5
x = np.random.randn(N points)
y = .4 * x + np.random.randn(100000) + 5
fig, ax = plt.subplots(tight layout=True)
hist = ax.hist2d(x, y)
plt.show()
```


Matplotlib 2D/3D Histogram





Time Series

Time is x axis, numeric variable on y axis



Daily Temperature in Denver Over the Course of a Year (2000)

The second of the Year (2000)

Day of the Year

Rain and Temperature in Chennai, India

Temperature in Denver, CO


Visualizing Graphs and Trees

Graph Basics

- Nodes = entities
- Edges = relations

Graph Types

- Graphs generally model relations between data
- Trees represent hierarchies



Graph Visualization Applications

- Tournaments
- Organization Charts
- Genealogy
- Diagramming (e.g., Visio)
- Biological Interactions (Genes, Proteins)
- Computer Networks
- Social Networks
- Simulation and Modeling
- Integrated Circuit Design

Graph Examples and D3 Library

- https://bl.ocks.org/mbostock/4062045
- https://www.jasondavies.com/collatz-graph/

https://github.com/d3/d3/wiki/Gallery

Graph Spatial Layout


Layout to see all nodes and edges Ideally, also see structure in graph


- Connectivity
- Network Distance
- Clustering
- Ordering



Tree Visualization


- Indentation
 - Linear list, indentation encodes depth
- Node-link diagrams
 - Nodes connected by lines/curves
- Enclosure diagrams
 - Represent hierarchy by enclosure
- Layering
 - Layering and alignment






Adjacency Matrix Visualization

	a	b	С	d	е	f	g	h
a		•	•			•		
b	•			•		•		
c	•				•		•	•
d	•	•			أسأ	•		
е			•				•	•
f	•	•		•				
g			•		•			•
h	Y Y		•		•		•	






Visualizing Text

- Words are sparse and high-dimensional.
- Word Clouds
- Word Sequences (trees)
- Revision History
- Conversations (graphs)





Takeaways

- The brain sees color, shape, size at different granularities and speeds
 - This affects our ability to distinguish between different parts of a graph
- Use the proper visualization with the good visual features to help a reader understand your graphs