

Today we'll be looking at finding approximately-optimal solutions for problems where the difficulty is not that the problem is necessarily *computationally* hard but rather that the algorithm doesn't have all the *information* it needs to solve the problem up front.

Specifically, we will be looking at *online algorithms*, which are algorithms for settings where inputs or data is arriving over time, and we need to make decisions on the fly, without knowing what will happen in the future. This is as opposed to standard problems like sorting where you have all inputs at the start. Data structures are one example of online algorithms (they need to handle sequences of requests, and to do well without knowing in advance which requests will be arriving in the future).

Objectives of this lecture

In this lecture, we will

- define and motivate **online algorithms**
- solve the rent-or-buy problem with an online algorithm and analyze its performance
- analyze various strategies for the *list update* problem. In particular, we will see how *potential functions* are key ingredients in the analysis of online algorithms.

1 Framework and Definition

We are given a problem in which the input arrives over time, very much like the streaming model that we studied earlier. At each point in time, we have to make some decision, and each such decision is irrevocable, i.e., we can not change our mind later. Depending on the choices we make, we incur some cost, depending on the cost model of the problem. The goal is to perform well relative to an optimal *omniscient* algorithm, i.e., one that can predict the future and see the entire input in advance.

This is similar to the way in which we analyze approximation algorithms, by comparing the performance of our algorithm to that of the best possible algorithm (except that in this case, our definition of “best” is that it can cheat and see the future). We define the *competitive ratio* of an online algorithm very similarly to the approximation ratio.

Definition: Competitive Ratio

An online algorithm is called *c-competitive* if for all possible inputs σ

$$\text{ALG}(\sigma) \leq c \cdot \text{OPT}(\sigma),$$

where $\text{ALG}(\sigma)$ is the cost incurred by the online algorithm on the input σ (which it does not know in advance) and $\text{OPT}(\sigma)$ is the cost of an optimal omniscient algorithm that can see σ in advance. The factor c is called the *competitive ratio* of the algorithm.

2 Rent or buy?

Here is a simple online problem that captures a common issue in online decision-making, called the rent-or-buy problem.

Problem: Rent or buy

Its the middle of the snow season and you are planning on going skiing. You can rent a pair of skis at $\$r$ per day, or buy a pair for $\$b$ and keep them forever. You would like to ski for as many days as possible, however, you do not know how many more days of the season will be viable weather for skiing. Each day you find out whether the weather is still good. At some point, you discover that the ski season is over. Your choice is to decide whether to rent or buy skis on each day, with the goal of minimizing the total amount of money that you spend.

Lets walk through a concrete example. You can either rent skis for $\$50$ or buy them for $\$500$. If we know the future in advance, the solution is to buy immediately if we know that there are at least 10 days of viable skiing weather, and if not, just always rent. The tricky part is designing an *online* algorithm that doesn't know the future. It has no idea how many days of viable whether there will be. Lets start with some simple but sub-optimal strategies to illustrate:

- **Always immediately buy:** One valid online strategy is to immediate buy on the first day if the weather is good. The worst case input for the this strategy is when we only get to go skiing once, so we could have just paid $\$50$, so the competitive ratio is $500/50 = 10$, we paid $10\times$ more than we could have.

Rent forever: Another strategy is to never buy skis and just always rent. In this strategy, the worst case input is that the ski season goes on arbitrarily long, and we end up paying an arbitrarily high amount of money, when the optimal choice would have been to buy immediately, so the competitive ratio is actually ∞ (or unbounded).

In general, since after buying the skis the algorithm has no more decisions to make, we can characterize any online algorithm for the rent-or-buy problem by the day on which it decides to buy. Now observe that in general, the worst-case input for such an algorithm is that the weather is bad on the day after it buys the skis. With this in mind, here is one more bad strategy before we hone in on the optimal one.

- **Rent five times then buy:** How about we rent five times, then decide that it is time to buy. The worst-case input is that the weather is good for six days, then bad. In this case, our algorithm pays $5 \times 50 + 500 = 750$, but the optimal algorithm would just always rent, which costs $5 \times 50 = 250$, so this is 3-competitive.

Well that's certainly a lot better than 10. It seems like if we hedge our bets by renting longer, we get a better competitive ratio. At some point, this will stop being true, though. In particular, it never makes sense to plan to rent for more than 10 days, because then we should have just bought the skis for sure. So the most hedging we can do is to rent for 10 days then buy. This is called the *better-late-than-never* algorithm.

Algorithm: Better-late-than-never

We rent for $b/r - 1$ days^a, then we buy. In other words, we buy on day b/r .

^aIf r does not divide b , then we should rent for $\lceil b/r \rceil - 1$ days, but we will just assume that r divides b for simplicity

Theorem: Better-late-than-never is 2-competitive

Better-late-than-never is a 2-competitive algorithm for the rent-or-buy problem.

Proof. Suppose the weather is good for n days. We have to consider two cases:

1. If $nr < b$ (i.e., $n < b/r$), then the optimal solution is to always rent, but in this case, our algorithm doesn't buy either, so it is optimal.

2. If $nr \geq b$, the optimal solution buys immediately, but our algorithm first rents for $b/r - 1$ days before buying, so the ratio is

$$\frac{(\frac{b}{r} - 1)r + b}{b} = \frac{b - r + b}{b} = 2 - \frac{r}{b} \leq 2$$

□

Now as we will naturally want to ask: can we do better?

Exercise

Show that *better-late-than-never* has the best possible competitive ratio for the rent-or-buy problem for deterministic algorithms when b is a multiple of r .

3 List Update

This is a nice problem that illustrates some of the ideas one can use to analyze online algorithms. Here are the ground rules for the problem:

Problem: List Update

- We begin with a list of n items $1, 2, \dots, n$. Imagine a linked list starting with 1 and ending with n .
- An item x can be *accessed*. The operation is called **Access**(x). The cost is the position of x .
- The algorithm can rearrange the list by swapping adjacent elements. The cost of a swap is 1.

So an on-line algorithm is specified by describing which swaps are done and when. The goal is to devise and analyze an on-line algorithm for doing all the accesses **Access**(σ_1), **Access**(σ_2), **Access**(σ_3), ... with a small competitive factor. Here are several algorithms to consider.

Exercise: Do no swaps

Consider an online algorithm that does no swaps. What is a worst-case input for this algorithm? What is the resulting competitive ratio?

Exercise: Single exchange

Consider an online algorithm that, for each accessed element, swaps it one position closer to the front of the list. What is a worst-case input for this algorithm? What is the resulting competitive ratio?

Exercise: Frequency count

Consider an online algorithm that remembers the frequency of each element being accessed, and keeps the list sorted by frequency (largest to smallest). What is a worst-case input for this algorithm? What is the resulting competitive ratio?

Okay, those were warm-ups, now its time for the real algorithm.

Algorithm: Move-to-front

After an access to an element x , do a series of swaps to move x to the front of the list.

Theorem 1: Competitive ratio of MTF

MTF is a 4-competitive algorithm for the list-update problem.

Proof. We'll use the potential function method. There will be a potential function that depends on the state of the MTF algorithm and the state of the "opponent" algorithm B , which can be any algorithm, even one which can see the future. Using this potential, we'll show that the amortized cost to MTF of an access is at most 4 times the cost of that access to B .

What is the potential function Φ ? Define

$$\Phi_t = 2 \cdot (\text{The number of inversions between } B\text{'s list and MTF's list at time } t)$$

Recall that an inversion is a pair of distinct elements (x, y) that appear in one order in B 's list and in a different order in MTF's list. It's a measure of the similarity of the lists.


We can first analyze the amortized cost to MTF of $\text{Access}(x)$ (where it pays for the list traversal and its swaps, but B only does its access). Then we separately analyze the amortized cost to MTF that is incurred when B does any swaps. (Note that in the latter case MTF incurs zero cost, but it will have a non-zero amortized cost, since the potential function may change. To be complete the analysis must take this into account.) In each case we'll show that the amortized cost to MTF (which is the actual cost, plus the increase in the potential) is at most 4 times the cost to B .

For any particular step, let C_{MTF} and C_B be the actual costs of MTF and B on this step, and $AC_{MTF} = C_{MTF} + \Delta\Phi$ be the amortized cost. Here $\Delta\Phi = \Phi_{new} - \Phi_{old}$ is the increase in Φ . Hence observe that $\Delta\Phi$ may be negative, and the amortized cost may be less than the actual cost. We want to show that

$$AC_{MTF} \leq 4 \cdot C_B$$

We can then sum the amortized costs, which would equal the actual cost of the entire sequence of accesses to MTF plus the final potential (non-negative) minus the initial potential (zero). This would be the four times total cost of B , which would give the result.

Analysis of $\text{Access}(x)$. First look at what happens when MTF accesses x and brings it to the front of its list. Say the picture looks like this:



Look at the elements that lie before x in MTF's list, and partition them as follows:

$$S = \{y \mid y \text{ is before } x \text{ in MTF and } y \text{ is before } x \text{ in } B\}$$

$$T = \{y \mid y \text{ is before } x \text{ in MTF and } y \text{ is after } x \text{ in } B\}$$

What is the cost of the access to MTF in terms of these sets?

$$C_{MTF} = 1 + \underbrace{|S| + |T|}_{\text{find cost}} + \underbrace{|S| + |T|}_{\text{swap cost}} = 1 + 2(|S| + |T|).$$

4 Paging

Optional content — Will not appear on the homeworks or the exams

In paging, we have a disk with N pages, and fast memory with space for $k < N$ pages. When a memory request is made, if the page isn't in the fast memory, we have a page fault. We then need to bring the page into the fast memory and throw something else out if our space is full. Our goal is to minimize the number of misses. The algorithmic question is: what should we throw out? E.g., say $k = 3$ and the request sequence is 1,2,3,2,4,3,4,1,2,3,4. What would be the right thing to do in this case if we knew the future? Answer: throw out the thing whose next request is farthest in the future.

A standard online algorithm is LRU: “throw out the least recently used page”. E.g., what would it do on above case? What's a bad case for LRU? 1,2,3,4,1,2,3,4,1,2,3,4... Notice that in this case, the algorithm makes a page fault every time and yet if we knew the future we could have thrown out a page whose next request was 3 time steps ahead. More generally, this type of example shows that the competitive ratio of LRU is at least k . In fact, you can show this is actually the worst-case for LRU, so the competitive ratio of LRU is exactly k (it's not hard to show but we won't prove it here).

In fact, it's not hard to show that you can't do better than a competitive ratio of k with a deterministic algorithm: you just set $N = k + 1$ and consider a request sequence that always requests whichever page the algorithm *doesn't* have in its fast memory. By design, this will cause the algorithm to have a page fault every time. However, if we knew the future, every time we had a page fault we could always throw out the item whose next request is farthest in the future. Since there are k pages in our fast memory, for one of them, this next request has to be at least k time steps in the future, and since $N = k + 1$, this means we won't have a page fault for at least $k - 1$ more steps (until that one is requested). So, the algorithm that knows the future has a page fault at most once every k steps, and the ratio is k .


Here is a neat *randomized* algorithm with a competitive ratio of $O(\log k)$.

Marking Algorithm:

- The initial state is pages 1, ..., k in fast memory. Start with these pages all marked.
- When a page is requested,
 - if it's in fast memory already, mark it.
 - if it's not, then throw out a random unmarked page. (If all pages in fast memory are marked, unmark everything first. For analysis purposes, call this the start of a “phase”). Then bring in the page and mark it.

We can think of this as a 1-bit randomized LRU, where marks represent “recently used” vs “not recently used”.

The figure below illustrates a phase of the algorithm for $N = 5, k = 4$. Each page (shown as a box) contains the probability that that page is in fast memory. A blue dot indicates that that page is marked. The column on the left shows requested page, and the column on the right shows the expected cost of that access. The phase is comprised of accesses to k distinct pages. (Access to pages that are in the cache with probability 1, i.e., that have probability 0 of incurring a page fault, are not shown.) At the end of the phase, all marks are erased, and the next phase begins.



Theorem 2: W

When the marking algorithm is run on a sequence σ of accesses, we have:

$$\frac{\mathbb{E}[\text{MARKING}(\sigma)]}{\text{OPT}(\sigma)} \leq \begin{cases} H_k & \text{if } N = k + 1 \\ 2H_k & \text{if } N > k + 1 \end{cases}$$

Note that $H_k := 1 + 1/2 + \dots + 1/k$ is the k th harmonic number. Recall that $H_k \leq 1 + \ln k$.

Proof. We will only show the proof for the special case of $N = k + 1$. For general N , the proof follows similar lines but just is a bit more complicated.


First off all, the expected cost in each phase incurred by the marking algorithm is H_k . This should be clear from the figure above.

To complete the proof we will show the following lemma.

Lemma 1: T

The cost of the first m phases for OPT is at least m .

Proof. The following figure illustrates a phase. At the beginning (and end) of a phase MARKING is in a known state (no probabilities). And the set of pages that MARKING has in fast memory is either the same or different from that of OPT.



We'll define a potential function which is 1 if the two algorithms have the same pages in fast memory and 0 if these pages differ. This will allow us to do an amortized analysis of OPT during a phase.

The following chart shows the cost of OPT, the change in potential, and the amortized cost of OPT as a function of the equality predicate at the beginning and end of a phase.

start	end	cost to OPT is at least	$\Delta\Phi$	amortized cost to OPT is at least
=	=	1	0	1
=	\neq	2	-1	1
\neq	=	0	1	1
\neq	\neq	1	0	1

The fourth and fifth columns of this chart follow from the third. So let's verify that the third column is correct.

If OPT and MARKING start and end in the same state then the very first access costs OPT 1. (All the other accesses can be free if it immediately puts itself in MARKING's final state.)

Suppose OPT and MARKING start in the same state and end in different states. There's no way that OPT can do this for a cost of only 1. The very first access costs OPT 1. Now if it goes immediately to a state that differs from MARKING's final state, it will be hit by a costly access at some point during the phase. (The remaining k pages are all accessed during the phase.)

Suppose OPT and MARKING start in different states and end in the same state. This could cost OPT 0 if it starts in MARKING's final state.

Finally suppose OPT and MARKING start and end in different states. The only way that OPT might possibly get away with 0 cost in this case is if it never moves. But the only page that is not accessed during this phase is the one omitted by MARKING's final state. So the one that OPT attempted to squeak by omitting is hit during the phase and OPT incurs a cost of at least 1.

Recall the usual amortized cost equation:

$$\sum_{1 \leq i \leq m} c_i = \sum_{1 \leq i \leq m} ac_i + \Phi_{initial} - \Phi_{final}$$

where c_i denotes the cost of OPT in the i th phase, and ac_i is its amortized cost. First note $ac_i = 1$ so $\sum_{1 \leq i \leq m} ac_i = m$. Now the initial potential is 1 and the final potential is at most 1. Therefore we have

$$\sum c_i \geq m$$

□
□