

# Midterm Exam

16-311: Introduction to Robotics

Last Updated: 6 March 2017

Name: \_\_\_\_\_

Andrew ID: \_\_\_\_\_

Team Number: \_\_\_\_\_

- You will have 1 hour and 15 minutes to complete this exam
- There are 5 sections on 20 pages. Make sure you have all of the pages. Write your Andrew ID on all the sections and keep your work in that section (they will be graded individually). There is a blank page after every section.
- When making drawings - be precise. Rounded edges should look rounded, sharp edges should look sharp, sizes should be close to scale. Neatness counts.
- Show your work. Partial credit may apply. Likewise, justify algebraically your work to ensure full credit, where applicable.
- It should be very clear what your final answer is, circle it if necessary.
- You may need to make certain assumptions to answer a problem. State them (e.g. what is optimal).
- You are allowed one handwritten one-sided reference sheet for the exam. No cell phones, laptops, neighbors, etc. allowed.
- Good luck and you can do it.

PAGE INTENSIONALLY LEFT BLANK

# 1 Vision

Andrew ID: \_\_\_\_\_

In this section, our goal is to determine how far away Martial Hebert, Director of the Robotics Institute, is away from our camera using one single image and the real world distance between his eyes. Imagine that single-channel grayscale image below was taken using an NXT quadcopter:




Figure 1: Martial Hebert.

We have been able to focus in on the portion of the image containing Professor Hebert's eyes based on height information for our quadcopter. The image below shows the portion of the image that we will be considering:



Figure 2: Part of the image that we expect to contain the eyes.

1. Below is a histogram showing frequency of pixel value in the cropped image containing the eyes. In this example, 0 represents a completely black pixel and 1 represents a completely white pixel.




Figure 3: Histogram showing pixel value frequency.

Our goal is to separate pixels from Professor Hebert's pupils from non-pupil pixels. (The pupils are the black portion in the center of your eyes. The pixel value on the pupils are the darkest pixels in this image.) With this goal in mind, which value do you choose as a threshold for this image?

0.1 (2 points) [1 points for 0.25ish because you capture all the black, but we specifically asked for the pupils]

2. Why do you choose this value?

This number is right after the lowest spike (corresponding to black or pupil color) (3 points)

3. Using this value, record the approximate thresholded image on the grid below to the right. Feel free to block areas and label them once to save time.




Figure 4: Predict the output of a threshold on the image on the left using your threshold value. Fill in the grid to the right such that background is 0 and foreground is 1.

(5 points) [This image does not need to be perfect. Make sure that if they selected a lower threshold, only the pupils remain. If they selected a higher threshold, then there will be more remaining. This should be consistent with their answer to the previous question. They can use 1s and 0s or shading.]

- The focal length of our camera is  $f$ . The real distance between Professor Hebert's pupils is  $r$ . In the image above, there are  $p$  pixel per inch. How far away is Professor Hebert? Write your answer as a symbolic equation using  $f$ ,  $r$ ,  $p$  and the number of pixels between pupils found from the threshold (you can use any metric and method that you like to come up with this number, as long as you justify your work).

$$d = \frac{fr}{\text{numpixels}/p}$$

I claim distance between pupils is about 10 pixels from above graph.

Therefore  $d = \frac{frp}{10}$  (5 points) [There may be different numbers for numpixels]

- Deva Ramanan came in and presented his research on identifying people. Answer ONE of the following questions:
  - What are two challenges that computer vision researchers must grapple with to recognize objects?
  - What does foveal mean as it pertains to computer graphics?
  - Draw a symbolic diagram of a neural net and label your work.
    - Scale, illumination, angle, variety, color are all fine. Many answers exist
    - Increased detail near center (or important part) of image.
    - Series of nodes with connecting arrows. Different weights. Mention input layer, output layer and hidden layer. (5 points)

PAGE INTENTIONALLY LEFT BLANK

## 2 Control

Andrew ID: \_\_\_\_\_

For this section, we will focus on PID control.


1. Do you need to have a model of your robot's dynamics or operation in order to employ a PID controller?

No (2 points)

2. Why or why not?

PID relies on tuning of possibly unrelated values. Does not need to know about the system it is controlling. (3 points)

3. Matt Travers came in to discuss control strategies for a quadruped walking robot. Please answer ONE of the following: 1. Very generally, what enabled this robot to perform so well over the rubble in the video he showed? (was it a great vision system, a detailed map, superior motors, etc.?) 2. What does CPG stand for? And what does this mean? 3. What is this a picture of?



1. Compliance. (series elastic actuators. high level and low level control loops, any of these. not vision) 2. Central pattern generator. The idea that animals (and biomimicing robots) have a system that generates walking and other gaits (as opposed to add hoc or one leg placement at a time) 3. Shape space. [partial credit for describing it without the name] (4 points)

4. We have made a go kart with unreliable steering. We are able to measure our position as a deviation from a center line (given as the position=0 line). We believe that it is possible to achieve a near 0 steady state in 2 seconds.

Given the following output and desired level, how would you adjust (increase, decrease) the  $K_p$ ,  $K_i$  and  $K_d$  coefficients (if at all)? Explain your choice briefly. There may be more than one correct answer. EXPLAIN YOUR CHOICE.




Figure 5: Sample position graph 1.

Increase  $K_d$ . The system is oscillating too much. Increasing  $K_d$  will improve settling time. (4 points) [Also accept decrease  $K_p$ ]

5. With the same go kart, given the following output and desired level, how would you adjust (increase, decrease) the  $K_p$ ,  $K_i$  and  $K_d$  coefficients (if at all)? Explain your choice briefly. There may be more than one correct answer. EXPLAIN YOUR CHOICE.




Figure 6: Sample position graph 2.

Decrease  $K_d$ . Does not reach desired position in time. D term slows down the system. (4 points) [Also accept increase  $K_p$ , some mention of  $i$  may be correct, but grade case-by-case]

6. In any system, what can happen if your  $K_i$  coefficient is too high?  
Ramp up. System becomes unstable. (3 points)



PAGE INTENTIONALLY LEFT BLANK

### 3 Path Planning

Andrew ID: \_\_\_\_\_

In this section we will review a wide variety of concepts and algorithms related to path planning.

1. Waypoint planner: Our robot and environment is shown below. Draw the locations where you would place vertices for a path planner using waypoints to navigate through the following workspace. We want to place these points in such a way that we find the shortest path to the goal with respect to the L2 metric. You do not yet know where the start and goal locations will be, they could be anywhere in the free space. Place at least 9 waypoints.




Figure 7: Robot workspace.

(5 points)

2. Why did you place the waypoints in these locations?

In polygonal world, shortest path from start to goal is a set of line segments connecting obstacle vertices. They are separated from the obstacle vertices by the bloating to create the configuration space.

(4 points)

3. Please use the image below to answer the following questions.




Figure 8: Various robot paths from start to goal.

Which of these paths is optimal?

Optimal with respect to what? (2 points)

4. Which one(s) of these paths is best with respect to the L1 metric?

P1 and P2 are the same (2 points)

5. Why is this path best with respect to the L1 metric? (to answer this question, describe the L1 metric or list the L1 metric values of this and every other path-it you can leave this in an unsimplified form)

P1: 14 P2: 14 P3: 19 (3 points)

6. Which one(s) of these paths is best with respect to the L2 metric?

P2 (1 points)

7. Why is this path best with respect to the L2 metric? (to answer this question, describe the L2 metric or list the L2 metric values of this and every other path-you can leave this in an unsimplified form)

P1:  $\sqrt{82}+5$  P2: 14 P3:  $\sqrt{86}+4+\sqrt{10}$  (3 points)

PAGE INTENTIONALLY LEFT BLANK

PAGE INTENTIONALLY LEFT BLANK

## 4 Graph Search

Andrew ID: \_\_\_\_\_

This brief section will evaluate understanding of concepts related to graph search.

1. What are the two conditions that an algorithm must have in order to be complete?
  1. Finds path in finite time if it exists
  2. Returns no path if none exist. (5 points)
2. Perform A\* graph search on the following graph. The values in the circles represent heuristic values. The values on the line segments represent cost of that segment.




Figure 9: A\* graph.

List the nodes that are EXPANDED in the A\* algorithm above in the order in which they are expanded: ABCFDGH (15 points)[7.5 points for correct answer. 1.5 if forgot A or H]

PAGE INTENTIONALLY LEFT BLANK

## 5 Localization

Andrew ID: \_\_\_\_\_

The following questions cover concepts of localization covered in lecture and lab.

1. Why do we employ other sensors and localization techniques instead of just relying on motor encoder values and odometry and dead reckoning?  
dead reckoning error. slip, rubble, etc. (4 points)
2. We are considering a robot with omni directional wheels that only translates and does not rotate. This robot has an ultrasonic sensor pointed to its right. The filled in squares in the image below are obstacles where the robot cannot go. If the robot attempts to make a move where it would collide with a wall, it remains stationary at its current square.

At time  $t=0$ , our sensor detects a wall. The image below represents our current guess for the location of our robot. Black cells represent wall and are impassable. Here, higher numbers represent higher probability of the robot being at that cell. Please note that the probabilities should sum to 1, but for simplicity in this test environment, we will not divide by the sum of these numbers.




Figure 10: Time  $t=0$  location predictions.

Why are there areas of medium probability surrounding areas of high probability? (i.e. why does the guess not immediately fall off here?)

Imperfect sensor, noisy signal, uncertainty with any movement or prediction (4 points)



3. Our robot takes one move up where the top of this paper is up. Draw the resulting distribution of guesses for the robot's position. Your exact numbers will not be precise, just give reasonable estimates so we can tell what you are simulating.




Figure 11: Location predictions after motion update.

(4 points) [These are all estimations! Exact numbers do not have to be the same. We are looking for correct movement of values and more blur as you go. -3 if no uncertainty (look at bottom values, are they 0?). -1 for squares with wrong logic (i.e. top left should be at least 1 because the robot could stay still.)]

4. At this new location, our robot's right wall sensor does NOT sense a wall. Draw the resulting guess of location:




Figure 12: Location predictions after sensor update.

(4 points) [These are all estimations! Exact numbers do not have to be the same. We are looking for correct movement of values and more blur as you go. -2 if no uncertainty. Are the values on the right all zeros?]

5. Place x(s) on the cells that you feel have the greatest chance of containing the robot.




Figure 13: Final localization guesses.

(4 points) [Their answer may differ slightly if previous work was different. No double jeopardy.]

PAGE INTENSIONALLY LEFT BLANK  
This is the end of the test.