

# *Lecture 2*

## *A brief overview of simple Python and more advanced C++*

(Bio)Medical Image Analysis - Spring 2026  
16-725 (CMU RI) : BioE 2630 (Pitt)  
Dr. John Galeotti

Based in part on Damion Shelton's slides from 2006



This work by John Galeotti and Damion Shelton, © 2004-2026, was made possible in part by NIH NLM contract# HHSN276201000580P, and is licensed under a [Creative Commons Attribution 3.0 Unported License](http://creativecommons.org/licenses/by/3.0/). To view a copy of this license, visit <http://creativecommons.org/licenses/by/3.0/> or send a letter to Creative Commons, 171 2nd Street, Suite 300, San Francisco, California, 94105, USA. Permissions beyond the scope of this license may be available by emailing [itk@galeotti.net](mailto:itk@galeotti.net).  
**The most recent version of these slides may be accessed online via <http://itk.galeotti.net/>**

# First: Online Course Content

- Today's lecture is online
  - I will usually place lectures online before noon the day of the class.

# You need the book

- Free online from CMU Library:
  - [https://cmu.primo.exlibrisgroup.com/permalink/01CMU\\_INST/1feg4j8/alma991014093209704436](https://cmu.primo.exlibrisgroup.com/permalink/01CMU_INST/1feg4j8/alma991014093209704436)
- There will be an online quiz assigned over the weekend, due before before next class
- The quiz is supposed to be a not-too-hard assessment if you read the book and paid attention. I don't usually ask quiz questions requiring deep/complex understanding.

# Goals for this lecture

- C++ vs. Python
- Brief Python Introduction
- Overview of object-oriented programming
  - Inheritance & polymorphism
  - Public / private / protected derivation
- Overview of generic programming
  - templates
    - templated classes
    - specialization
  - `typedef` & `typename` keywords

# Disclaimer

- Some of you will definitely know more about Python than I do.
- Some of you may know more about object oriented programming than what I will present (or what I remember)
- We will *not* discuss the more esoteric inheritance methods, such as friend classes

# Reference & Review Material

- *Books*

- *C++ How to Program* - Deitel & Deitel
- *Teach Yourself C++ in 21 Days* - Liberty
- *Using the STL: The C++ Standard Template Library* - Robson
- *Design Patterns; Elements of Reusable Object-Oriented Software* - Gamma et al.

- *Websites*

- <http://docs.python.org/tutorial/>
- <http://docs.python.org/reference/index.html>
- **<http://www.cppreference.com/>**
  - I use this one more than the rest.
- <http://www.cplusplus.com/doc/tutorial/>
- [http://www.sgi.com/tech/stl/table\\_of\\_contents.html](http://www.sgi.com/tech/stl/table_of_contents.html)

# C++ vs. Python

- C++
  - Compile and Link
  - Low-level language (but standardized higher-level libraries available)
  - Writing code takes longer
  - Code runs very fast
- Python
  - Interpreted
  - Very high level language
  - Writing code is quick and easy
  - *Python* code runs more slowly, but...
- Python can call precompiled C/C++ Libraries
  - Best of both worlds
  - So ITK could should execute at full compiled speed, even when called from Python.

# Formatting note

- In general, I will try to format code in a fixed-width font as follows:

**this->IsSome(code) ;**

- However, not all code that I present could actually be executed (the above, for instance)

# Python Example Code

(Take notes as needed!)

```
# Everything on a line after a # is a comment
# Warning: Indentation matters in Python!
import SimpleITK as sitk      # use sitk as the module name

input = sitk.ReadImage( "images/cthead1.jpg" )
output = sitk.SmoothingRecursiveGaussian ( input , 2.0 )
sitk.Show( output )

image = sitk.Image( 256,256, sitk.sitkFloat32 )
image[160,160]= 99.9    # [] allows direct pixel access
sitk.Show( sitk.Add( output, image) )
```

# Python Example Code (Take notes as needed!)

```
# Continuing from the previous slide...

imagevolume = sitk.Image( 192,192,32, sitk.sitkInt16 )
# Change image to use the matching pixel type
image = sitk.Cast( image, imagevolume.GetPixelIDValue() )
# Copy over the previous pixel value of 99
imagevolume.SetPixel ( 64,64,0, image.GetPixel(160,160) )

sliceNum = 1
while sliceNum < 31:# indention must match!
    pixelValue = 16 + 4*sliceNum
    imagevolume[96,96,sliceNum] = pixelValue
    print(pixelValue)
    sliceNum = sliceNum+1

sitk.Show( imagevolume, "VolTitle" )
```

# Python Example Code:

## `sitk.ImageViewer()`: The object-oriented alternative

```
image_viewer = sitk.ImageViewer()
image_viewer.SetTitle('VolTitle')

# Now run ImageViewer using the default image viewer:
image_viewer.Execute(imagevolume)

# Change viewer program, then display again:
image_viewer.SetApplication(
    '/Applications/ITK-SNAP.app/Contents/MacOS/ITK-SNAP')
image_viewer.Execute(imagevolume)

# Change the viewer command, to also pass arguments:
# (use ITK-SNAP's -z option to open the image in zoomed mode)
image_viewer.SetCommand(
    '/Applications/ITK-SNAP.app/Contents/MacOS/ITK-SNAP -z 2')
image_viewer.Execute(imagevolume)
```

# List of SimpleITK Pixel Types

- The definitive list of SimpleITK pixel types is in its *source code*
  - SimpleITK's source code must be downloaded separately
- Look at the bottom of this file:
  - **SimpleITK/Code/Common/include/sitkPixelIDValues.h**
- Warning: Not every compilation of SimpleITK supports all of these pixel types.
  - The source code has recommendations for how to check that a given type is available, etc.

# Don't freak out about what's next

- Most students in the class only loosely use most of the following C++ material.
- Most students will do all or most of their programming in Python, with only simple object-oriented programming.
- Most students only need a limited understanding of what follows, so they can occasionally make sense of ITK's C++ documentation (in cases where the Python documentation isn't as good).

# Object-oriented programming

- Identify functional units in your design
- Write classes to implement these functional units
  - Preferably as “black boxes”
- Separate functionality as much as possible to promote code re-use

# Class membership

- Classes have member *variables* and *methods*
  - ITK names class member variables with the “m\_” prefix, as in “m\_VariableName”
- Class members are 1 of 3 types
  - Public
  - Private
  - Protected

# Public membership

- Everyone can access the member
  - The rest of the world
  - The class itself
  - Child classes
- You should avoid making member variables public, in order to prevent undesired modification.
  - A black box shouldn't have openings!

# Private membership

- Only the class itself can access the member
- It's not visible to the rest of the world
- Child classes can't access it either

# Protected membership

- The middle ground between public and private
- The outside world can't access it... but derived classes can

# ITK and membership

- In ITK, member variables are almost always private
- There are public accessor functions that allow the rest of the world to get and set the value of the private member
- This ensures that the class knows when the value of a variable changes

# Why do it this way?

- Consider a filter class—if someone changes a variable in the filter, it should re-run itself the next time the user asks for output
- If nothing has changed, it doesn’t waste time running again
- Accessor functions set a “modified flag” to notify the framework when things have changed
- More on this in another lecture

# Inheritance in a nutshell

- Pull common functionality into a base class
- Implement specific/unique functionality in derived classes
- Don't re-invent the wheel!
- Base classes = parents
- Derived classes = children

# Overloading

- If a child class re-implements a function from the base class, it “overloads” the function
- You can use this to change the behavior of a function in the child class, while preserving the global interface

# An example of inheritance in a graphical drawing program

Shape

Polygon

Triangle

Quadrilateral

Rectangle

Trapezoid

Rhombus

Pentagon

ConicSection

Ellipse

Circle

Parabola

# An example of ITK inheritance

```
itk::DataObject
itk::ImageBase< VImageDimension >
itk::Image< TPixel, VImageDimension>
```

# C++ Namespaces

- Namespaces solve the problem of classes that have the same name
- E.g., ITK contains an Array class, perhaps your favorite add-on toolkit does too
- You can avoid conflicts by creating your own namespace around code

```
namespace itk { code }
```

# C++ Namespaces, cont.

- Within a given namespace, you refer to other classes in the same namespace by their name only, e.g. inside the `itk` namespace `Array` means “use the ITK array”
- Outside of the namespace, you use the `itk::` prefix, e.g. `itk::Array`
- Only code which is part of ITK itself should be inside the `itk` namespace
- At minimum, you’re always in the *global* namespace

# C++ Namespaces, cont.

- Note that code within the itk namespace should refer to code outside of the namespace explicitly
- E.g. use **std: :cout** instead of **cout**

# C++ Virtual functions

- Want to enforce a consistent interface across a set of child classes?
- Virtual functions allow a base class to declare functions that “might” or “must” be in its child classes
- The “=0” declaration means that the function *must* be implemented in a child class
  - Because it is *not* implemented in the base class
- Virtual functions that *are* implemented in the base class can still be overridden by child classes

# C++ Virtual functions, cont.

- You can specify (and use) a virtual function without knowing how it will be implemented in child classes
- This allows for polymorphism
- For example:

```
virtual void DrawSelf() = 0;
```

# C++ Example of polymorphism in a graphical drawing program

Shape: DrawSelf() = 0;

Polygon: int vertices; DrawSelf() connects vertices with line segments

Triangle: vertices=3

Quadrilateral: vertices=4

  Rectangle

  Trapezoid

  Rhombus

Pentagon: vertices=5

ConicSection

  Ellipse: DrawSelf() uses semimajor and semiminor axes

  Circle: forces length semiminor axis = length semimajor

  Parabola

# Generic programming

- Generic programming encourages:
  - Writing code without reference to a specific data type (float, int, etc.)
  - Designing code in the most “abstract” manner possible
- Why?
  - Trades a little extra design time for greatly improved re-usability

# Image example

- Images are usually stored as arrays of a particular data type
  - e.g. **unsigned char [256\*256]**
- It's convenient to wrap this array inside an image class (good object oriented design)
- Allowing the user to change the image size is easy with dynamically allocated arrays

# Image example, cont.

- Unfortunately, changing the data type is not so easy
- Typically you make a design choice and live with it (most common)
- Or, you're forced to implement a double class, a float class, an int class, and so on (less common, can be complicated)
  - This is the interface used by SimpleITK, but...
  - SimpleITK usually automates type selection to make your life easier

# Templates to the rescue

- Templates provide a way out of the data type quandary
  - ITK uses templates extensively
  - SimpleITK relies on ITK, and SimpleITK's automated type functionality depends on ITK's templated nature
- If you're familiar with macros, you can think of templates as macros on steroids
- With templates, you design classes to handle an arbitrary “type”

# Anatomy of a templated class

```
template <typename TPixel, unsigned int  
         VImageDimension=2>  
class ITK_TEMPLATE_EXPORT Image :  
public ImageBase<VImageDimension>
```

Template keyword, the <>'s enclose template parameters

# Anatomy of a templated class

```
template <typename TPixel, unsigned int
          VImageDimension=2>
class ITK_TEMPLATE_EXPORT Image :
    public ImageBase<VImageDimension>
```

TPixel is a class (of some sort)

# Anatomy of a templated class

```
template <typename TPixel, unsigned int
          VImageDimension=2>
class ITK_TEMPLATE_EXPORT Image :
    public ImageBase<VImageDimension>
```

VImageDimension is an unsigned int,  
with a default value of 2

# Anatomy of a templated class

```
template <typename TPixel, unsigned int
VImageDimension=2>
class ITK_TEMPLATE_EXPORT Image :
public ImageBase<VImageDimension>
```

Image is the name of this class

# Anatomy of a templated class

```
template <typename TPixel, unsigned int
          VImageDimension=2>
class ITK_TEMPLATE_EXPORT Image :
    public ImageBase<VImageDimension>
```



Image is derived from ImageBase in a public manner

# Specialization

- When you specify all of the template parameters, you “fully specialize” the class
- In the previous example, **ImageBase<VImageDimension>** specializes the base class by specifying its template parameter.
- Note that the VImageDimension parameter is actually “passed through” from Image’s template parameters

# Derivation from templated classes

- You must specify all template parameters of the base class
- The template parameters of the base class may or may not be linked to template parameters of the derived class
- You can derive a non-templated class from a templated one if you want to (by hard coding all of the template parameters)

# Partial specialization

- C++ also allows *partial* specialization
- For example, you write an Image class that must be 3D, but still templates the pixel type (or vice-versa)

# Templated class instances

- To create an instance of a templated class, you must fully specialize it
- E.g.

```
itk::Image<int, 3> myImage;
```

Creates a 3D image of integers

(not quite true, but we can pretend it does until we cover smart pointers)

# using shorthand type names

- One consequence of templates is that the names of a fully defined type may be quite long
- E.g., this might be a legal type:  
**itk::Image<itk::MyObject<3, double>, 3>**

# using shorthand type names

- You can create a short-hand “*alias*” for our user-defined type with the **using** keyword:

```
using 3DIntImageType = itk::Image<int, 3>;
3DIntImageType myImage;
3DIntImageType anotherImage;
```

# Fun with **using**

- **using** types can themselves be global members of classes and accessed as such

```
using OutputType = itk::Image<double, 3>;  
OutputType::Pointer im = filter1.GetOutput();
```

- In template classes, member **using** aliases are often defined in terms of template parameters—no problem! This is quite handy.

```
using InputType = itk::Image<TPixel, 3>;
```

# Naming of templates and `using`

- ITK uses the following conventions:
  - Template parameters are indicated by T (for type) or V (for value). E.g. **TPixel** means “the type of the pixel” and **VImageDimension** means “value template parameter image dimension”
  - Defined types (created with `using`) are named as **FooType**. E.g. **CharImage5DType**

# Be careful

- If you're careless in naming classes, template arguments, typedefs, aliases, and member variables (with the "m\_" prefix), then it can be quite difficult to tell them apart!
- Don't write a new language using typedefs.
- Remember to comment well and don't use obscure names
  - e.g. BPType is bad, BoundaryPointType is good

# Typenames

- **typename** exists to “optionally” help the compiler
- Different compilers handle it differently
- In general, you can take it to mean that you are promising the compiler that what follows is some sort of valid type, even if the compiler can’t “see” that yet
- Example of when to use and not use **typename**:
  - **using PixelType = Tpixel;**
  - **// template parameter names don't need typename**
  - **using Superclass = ImageBase<VIImageDimension>;**
  - **// direct class names don't need typename either**
- **using PointType = typename Superclass::PointType;**
- **// do use typename when referring to an alias defined inside another alias**

# For more on “typename”

- <https://en.wikipedia.org/wiki/Typename>
- <http://blogs.msdn.com/slippman/archive/2004/08/11/212768.aspx>
- [https://en.cppreference.com/w/cpp/language/dependent\\_name](https://en.cppreference.com/w/cpp/language/dependent_name)
- [https://en.cppreference.com/w/cpp/language/type\\_alias](https://en.cppreference.com/w/cpp/language/type_alias)
- Note: `typename` is handled differently in different C++ standards.  
ITKv5 is compliant with C++11.

# .hxx, .cxx, .h

- ITK uses three standard file extensions, and so should you:
  - **.h** files indicate a class header file
  - **.cxx** indicates either
    - executable code (an example, test, demo, etc.)
    - a non-templated class implementation
  - **.hxx** indicates a templated class implementation
    - Like a .cxx file, but it can't be compiled by itself because it does not specify its template parameter values
    - FYI, previous versions of ITK used .txx instead of .hxx

# Did this all make sense?

- If not, you probably want to stick to Python or C++ SimpleITK
- *If you want to use full C++ ITK (not required for this class):*
  - It's ok if you're a little rusty on the details, etc.
  - It's helpful if you have seen and used some of this stuff before.
  - If this is mostly new to you:
    - **Understand that neither I nor the TA will teach you how to do basic programming in Python or C++**
    - You should probably use mostly SimpleITK
      - Beware that SimpleITK lacks many of ITK's more advanced features, including several types of registration and the ability to tweak less frequently used parameters.
    - If you don't know how to write and compile C++ programs, then I recommend using Python!
      - CMU 15-112: <https://www.cs.cmu.edu/~112/>
      - <http://ocw.mit.edu/courses/electrical-engineering-and-computer-science/6-189-a-gentle-introduction-to-programming-using-python-january-iap-2011/>
    - You could also take a class on C++
      - <http://ocw.mit.edu/courses/electrical-engineering-and-computer-science/6-s096-introduction-to-c-and-c-january-iap-2013/>

# Final advice

- If you run across something in ITK you don't understand, don't panic
  - Be careful not to confuse typedefs with classes
  - Error messages can be quite long with templates and will take time to get used to
  - Email for help sooner rather than later
- Learning the style of C++ used by native ITK is at least half the battle to writing native ITK Code
- Remember, if you just need to use common ITK functionality, then SimpleITK is usually the way to go!
  - [https://simpleitk.org/doxygen/v2\\_2/html/Filter\\_Coverage.html](https://simpleitk.org/doxygen/v2_2/html/Filter_Coverage.html)