

# References

- [1] Ilan Adler, Yang Cao, Richard Karp, Erol A. Pekoz, and Sheldon M. Ross. Random knockout tournaments. *Operations Research*, 65(6):1429–1731, 2017.
- [2] Micah Adler, Peter Gemmell, Mor Harchol-Balter, Richard M. Karp, and Claire Kenyon. Selection in the presence of noise: The design of play-off systems. In *Proceedings of 5th ACM-SIAM Symposium on Discrete Algorithms*, pages 546–573, Arlington, VA, January 1994.
- [3] W.R. Alford, A. Granville, and C. Pomerance. There are infinitely many Carmichael numbers. *Annals of Mathematics*, 140:703–722, 1994.
- [4] Tom Anderson, David Culler, and David Patterson. A case for networks of workstations. *IEEE Micro*, 15(1):54–64, 1995.
- [5] Nikhil Bansal and Mor Harchol-Balter. Analysis of SRPT scheduling: Investigating unfairness. In *Proceedings of ACM SIGMETRICS*, pages 279–290, Cambridge, MA, June 2001.
- [6] Amnon Barak, Shai Guday, and Richard G. Wheeler. *The Mosix Distributed Operating System: Load Balancing for Unix*. Springer-Verlag, 1993.
- [7] Paul Barford and Mark E. Crovella. Generating representative Web workloads for network and server performance evaluation. In *Proceedings of the ACM SIGMETRICS Conference on Measurement and Modeling of Computer Systems*, pages 151–160, Madison, WI, July 1998.
- [8] David P. Blinn, Tristan Henderson, and David Kotz. Analysis of a wi-fi hotspot network. In *International Workshop on Wireless Traffic Measurements and Modeling*, pages 1–6, Seattle, WA, June 2005.
- [9] Burton H. Bloom. Space/time trade-offs in hash coding with allowable errors. *Communications of the ACM*, 13(7):422–426, 1970.
- [10] Paul Bratley, Bennett Fox, and Linus Schrage. *A Guide to Simulation*. Springer-Verlag, 2nd ed., 1983.
- [11] Goerg Cantor. Über eine elementare frage der mannigfaltigkeitslehre. *Jahrensbericht der Deutschen Mathematiker-Vereinigung*, 1:75–78, 1891.
- [12] R. D. Carmichael. Note on a new number theory function. *Bulletin of the American Mathematics Society*, 16:232–238, 1910.
- [13] R. D. Carmichael. On composite  $p$  which satisfy the Fermat congruence  $a^{p-1} \equiv 1 \pmod p$ . *American Mathematics Monthly*, 19:22–27, 1912.

- [14] Herman Chernoff. A measure of asymptotic efficiency for tests of a hypothesis based on the sum of observations. *Annals of Mathematical Statistics*, 23:493–507, 1952.
- [15] D. Coppersmith and S. Winograd. Matrix multiplication via arithmetic progressions. *Journal of Symbolic Computation*, 9:251–280, 1990.
- [16] T. H. Cormen, C. E. Leiserson, R. L. Rivest, and C. Stein. *Introduction to Algorithms*. MIT Press, 3rd ed., 2009.
- [17] Mark Crovella, Bob Frangioso, and Mor Harchol-Balter. Connection scheduling in web servers. In *USENIX Symposium on Internet Technologies and Systems*, pages 243–254, Boulder, CO, October 1999.
- [18] Mark E. Crovella and Azer Bestavros. Self-similarity in World Wide Web traffic: Evidence and possible causes. In *Proceedings of the 1996 ACM SIGMETRICS International Conference on Measurement and Modeling of Computer Systems*, pages 160–169, May 1996.
- [19] Mark E. Crovella, Murad S. Taqqu, and Azer Bestavros. Heavy-tailed probability distributions in the world wide web. In *A Practical Guide To Heavy Tails*, pages 1–23. Chapman & Hall, 1998.
- [20] Allen B. Downey. The inspection paradox is everywhere. [towardsdatascience.com/the-inspection-paradox-is-everywhere-2ef1c2e9d709](https://towardsdatascience.com/the-inspection-paradox-is-everywhere-2ef1c2e9d709), August 2019.
- [21] D. Dubhashi and A. Panconesi. *Concentration of Measure for the Analysis of Randomized Algorithms*. Cambridge University Press, 2012.
- [22] Richard Durrett. *Probability: Theory and Examples*. Cambridge University Press, 2019.
- [23] E. O. Elliott. Estimates of error rates for codes on burst-noise channels. *Bell Systems Technical Journal*, 42:1977–1997, 1963.
- [24] P. Erdős. On a new method in elementary number theory which leads to an elementary proof of the prime number theorem. *Proceedings of the National Academy of Science*, 35:374–384, 1949.
- [25] Michalis Faloutsos, Petros Faloutsos, and Christos Faloutsos. On power-law relationships of the internet topology. In *Proceedings of SIGCOMM*, pages 251–262, Cambridge, MA, August 1999.
- [26] Scott Feld. Why your friends have more friends than you do. *American Journal of Sociology*, 96(6):1464–1477, 1991.
- [27] William Feller. *An Introduction to Probability Theory and Its Applications*, volume II. John Wiley and Sons, 2nd edition, 1971.
- [28] P. Flajolet, P. J. Grabner, P. Kirschenhofer, and H. Prodinger. On Ramanujan’s Q-function. *Journal of Computational and Applied Mathematics*, 58:103–116, 1995.
- [29] R. Freivalds. Probabilistic machines can use less running time. In *Information Processing*, pages 839–842, 1977.
- [30] Jean Gallier and Jocelyn Quaintance. Notes on primality testing and public key cryptography part 1: Randomized algorithms Miller–Rabin

- and Solovay–Strassen tests. [www.cis.upenn.edu/~jean/RSA-primality-testing.pdf](http://www.cis.upenn.edu/~jean/RSA-primality-testing.pdf).
- [31] Pete Gemmell and Mor Harchol. Tight bounds on expected time to add correctly and add mostly correctly. *Information Processing Letters*, 49:77–83, 1994.
- [32] E. N. Gilbert. Capacity of a burst-noise channel. *Bell Systems Technical Journal*, 39:1253–1265, 1960.
- [33] Varun Gupta, Michelle Burroughs, and Mor Harchol-Balter. Analysis of scheduling policies under correlated job sizes. *Performance Evaluation*, 67(11):996–1013, 2010.
- [34] Mor Harchol-Balter. Task assignment with unknown duration. *Journal of the ACM*, 49(2):260–288, 2002.
- [35] Mor Harchol-Balter. *Performance Modeling and Design of Computer Systems: Queueing Theory in Action*. Cambridge University Press, 2013.
- [36] Mor Harchol-Balter, Mark Crovella, and Cristina Murta. On choosing a task assignment policy for a distributed server system. *Journal of Parallel and Distributed Computing*, 59(2):204–228, 1999.
- [37] Mor Harchol-Balter and Allen Downey. Exploiting process lifetime distributions for dynamic load balancing. In *Proceedings of ACM SIGMETRICS*, pages 13–24, Philadelphia, PA, May 1996.
- [38] Mor Harchol-Balter and Allen Downey. Exploiting process lifetime distributions for dynamic load balancing. *ACM Transactions on Computer Systems*, 15(3):253–285, 1997.
- [39] Mor Harchol-Balter, Bianca Schroeder, Nikhil Bansal, and Mukesh Agrawal. Size-based scheduling to improve web performance. *ACM Transactions on Computer Systems*, 21(2):207–233, 2003.
- [40] Madeline Holcombe and Theresa Waldrop. More infectious delta variant makes up 83% of new US coronavirus cases as vaccine hesitancy persists. CNN, July 2021.
- [41] Juraj Hromkovic. *Design and Analysis of Randomized Algorithms: Introduction to Design Paradigms*. Springer-Verlag, 2005.
- [42] D. Karger. Global min-cuts in RNC and other ramifications of a simple mincut algorithm. In *4th Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 21–30, January 1993.
- [43] D. Karger and C. Stein. A new approach to the minimum cut problem. *Journal of the ACM*, 43(4):601–640, 1996.
- [44] David Karger, Eric Lehman, Tom Leighton, Rina Panigrahy, Matthew Levine, and Daniel Lewin. Consistent hashing and random trees: Distributed caching protocols for relieving hot spots on the world wide web. In *Proceedings of the Twenty-Ninth Annual ACM Symposium on Theory of Computing*, pages 654–663, El Paso, TX, May 1997.
- [45] S. Karlin and H. M. Taylor. *A First Course in Stochastic Processes*. Academic Press, 2nd ed., 1975.

- [46] Donald Knuth. *The Art of Computer Programming, Volume 3*. Addison Wesley Longman Publishing Co., 1998.
- [47] Tor Lattimore and Csaba Szepesvari. *Bandit Algorithms*. Cambridge University Press, 2020.
- [48] Averill M. Law and W. David Kelton. *Simulation Modeling and Analysis*. McGraw-Hill, 2000.
- [49] Cynthia Bailey Lee, Yael Schwartzman, Jennifer Hardy, and Allan Snaveley. Are user runtime estimates inherently inaccurate? In *Proceedings of the 10th International conference on Job Scheduling Strategies for Parallel Processing*, pages 253–263, New York, NY, June 2004.
- [50] Maplesoft. Mathematica. [www.maplesoft.com/products/Maple/](http://www.maplesoft.com/products/Maple/).
- [51] Milefoot.com Mathematics. Joint continuous probability distributions. [www.milefoot.com/math/stat/rv-jointcontinuous.htm](http://www.milefoot.com/math/stat/rv-jointcontinuous.htm).
- [52] MathWorks. Matlab. [www.mathworks.com/products/matlab.html](http://www.mathworks.com/products/matlab.html).
- [53] M. Mitzenmacher and E. Upfal. *Probability and Computing*. Cambridge University Press, 2005.
- [54] R. Motwani and P. Raghavan. *Randomized Algorithms*. Cambridge University Press, 1995.
- [55] Jayakrishnan Nair, Adam Wierman, and Bert Zwart. *The Fundamentals of Heavy Tails: Properties, Emergence, and Estimation*. Cambridge University Press, 2022.
- [56] Rasmus Pagh and Flemming Friche Rodler. Cuckoo hashing. In *9th Annual European Symposium on Algorithms*, Aarhus, Denmark, August 2001.
- [57] Michael O. Rabin. Probabilistic algorithm for testing primality. *Journal of Number Theory*, 12(1):128–138, 1980.
- [58] I.A. Rai, E. W. Biersack, and G. Urvoy-Keller. Size-based scheduling to improve the performance of short TCP flows. *IEEE Network*, 19:12–17, 2005.
- [59] I.A. Rai, G. Urvoy-Keller, and E. W. Biersack. LAS scheduling approach to avoid bandwidth hogging in heterogeneous TCP networks. *Lecture Notes in Computer Science*, 3079:179–190, 2004.
- [60] Andréa Richa, Michael Mitzenmacher, and Ramesh Sitaraman. The power of two random choices: A survey of techniques and results. In P. Pardalos, S. Rajasekaran, and J. Rolim, editors, *Handbook of Randomized Computing*. Kluwer Press, 2001.
- [61] R. L. Rivest, A. Shamir, and L. Adleman. A method for obtaining digital signatures and public-key cryptosystems. *Communications of the ACM*, 21(2):120–126, 1978.
- [62] Sheldon M. Ross. *Stochastic Processes*. John Wiley and Sons, 1983.
- [63] Sheldon M. Ross. *Simulation*. Academic Press, 2002.
- [64] Sheldon M. Ross. *Introduction to Probability Models*. Elsevier, 2007.
- [65] J Graham Ruby, Megan Smith, and Rochelle Buffenstein. Naked mole-rat mortality rates defy Gompertzian laws by not increasing with age. *eLife*, 7:e31157, 2018.

- [66] L. E. Schrage. A proof of the optimality of the shortest remaining processing time discipline. *Operations Research*, 16:687–690, 1968.
- [67] L. E. Schrage and L. W. Miller. The queue M/G/1 with the shortest remaining processing time discipline. *Operations Research*, 14:670–684, 1966.
- [68] A. Selberg. An elementary proof of the prime number theorem. *Annals of Mathematics*, 50:305–313, 1949.
- [69] Anees Shaikh, Jennifer Rexford, and Kang G. Shin. Load-sensitive routing of long-lived IP flows. In *Proceedings of ACM SIGCOMM*, pages 215–226, Cambridge, MA, September 1999.
- [70] Edward H. Simpson. The interpretation of interaction in contingency tables. *Journal of the Royal Statistical Society, Series B*, 13:238–241, 1951.
- [71] George B. Thomas and Ross L. Finney. *Calculus and Analytic Geometry*. Addison-Wesley, 9th ed., 1996.
- [72] Muhammad Tirmazi, Adam Barker, and Nan Deng et al. Borg: The next generation. In *Proceedings of the Fifteenth European Conference on Computer Systems (EuroSys '20)*, pages 1–14, Heraklion, April 2020.
- [73] Abhishek Verma, Luis Pedrosa, and Madhukar et al. Korupolu. Large-scale cluster management at Google with Borg. In *Proceedings of the Tenth European Conference on Computer Systems*, pages 1–17, Bordeaux, France, April 2015.
- [74] Abraham Wald. On cumulative sums of random variables. *The Annals of Mathematical Statistics*, 15(3):283–296, 1944.
- [75] Stefan Waner and Steven R. Costenoble. Normal distribution table for finite mathematics. [www.zweigmedia.com/RealWorld/normaltable.html](http://www.zweigmedia.com/RealWorld/normaltable.html).
- [76] Eric W. Weisstein. Stirling's Approximation. [math-world.wolfram.com/StirlingsApproximation.html](http://math-world.wolfram.com/StirlingsApproximation.html).
- [77] John Wilkes. Google cluster-usage traces v3, November 2019. <http://github.com/google/cluster-data>.
- [78] Virginia Vassilevska Williams. Fixing a tournament. In *Proceedings of AAAI*, pages 2992–2999, Atlanta, GA, June 2010.
- [79] Virginia Vassilevska Williams. Multiplying matrices faster than Copper-Winograd. In *Proceedings of 44th ACM Symposium on Theory of Computing*, pages 887–898, New York, NY, May 2012.
- [80] Wolfram. Mathematica. [www.wolfram.com/mathematica/](http://www.wolfram.com/mathematica/).
- [81] Zippia. The 10 largest shoe brands in the United States, August 2022. [www.zippia.com/advice/largest-shoe-brands/](http://www.zippia.com/advice/largest-shoe-brands/).
- [82] Daniel Zwillinger. *CRC Standard Mathematical Tables and Formulae*. Chapman & Hall, 31st ed., 2003.

# Index

- Accept–reject method, 232
- Active process migration, 182
- Adding  $n$ -bit numbers, 401
- Amplification of confidence, 397
- And/or tree evaluation, 379
- Approximate median algorithm, 399
- Approximating  $\pi$ , 395
- Arrival rate, 512
- Asymptotic notation
  - $O(\cdot)$ , 15
  - $\Omega(\cdot)$ , 17
  - $\Theta(\cdot)$ , 18
  - $\omega(\cdot)$ , 17
  - $o(1)$ , 16, 340
  - $o(\cdot)$ , 16
  - $o(\delta)$ , 213
- Average-case analysis, 365
  - Adding  $n$ -bit numbers, 401
  - Finding the max, 376
  - Marriage algorithm, 377
  - Move-to-Front, 376
  - Quicksort, 370
- Axioms of Probability, 22
- Balls and bins, 337
  - Lots of bins have many, 343
  - Max bin, 343, 344
  - With high probability, 338, 351
- Bayes' law
  - Continuous, 145, 157, 165
  - Extended, 33
  - Original, 32
- Bayesian estimators, 285, 299
- Bernoulli random variable, 46
- Binary symmetric channel, 56
- Binomial distribution, 47
  - Like Poisson, 55
- Binomial expansion, 13
- Birthday paradox, 36, 357
- Boosting, 397
- Bounded-Pareto distribution, 189
- Brownian motion, 504
- Caching, 472
- Carmichael number, 409
- Cauchy–Schwarz inequality, 109
- Central Limit Theorem, 176, 194, 313, 474
  - Accuracy, 179
  - Approximating sum, 177
  - Heuristic proof via transforms, 208
- Central moments, 92, 112
- Chain rule for conditioning, 26, 36
- Chebyshev's inequality, 99, 308
- Chernoff bound, 309
  - Change of variable, 323
  - For Binomial
    - Simple bound, 312
    - Stronger bound, 316, 324
  - For Binomial  $1/-1$ , 323
  - Poisson tail, 311
- Chess problems, 434, 476
- Chicken McNugget Theorem, 441
- Choosing,  $\binom{n}{k}$ , bounds on, 13
- Class properties, *see* Markov chains
- Coefficient of determination, 282
- Coefficient of variation, 87
- Coin with unknown probability, 144
- Combination, 12
- Concentration Inequalities
  - Chebyshev's inequality, 99
- Concentration inequalities, 307
  - Chebyshev's inequality, 308
  - Chernoff simple, 312
  - Chernoff stronger, 316, 324
  - For pair-wise independent r.v.s, 322
  - Hoeffding, 318, 326
  - Markov's inequality, 307, 310
  - Reverse Markov, 320
- Conditional expectation given event
  - Continuous, 147, 150
  - Discrete, 69
- Conditional independence, 38, 39
- Conditional p.d.f., 145, 157
- Conditional p.m.f., 67
- Conditional probability of event, 24
- Conditionally independent events, 30
- Conditioning on a zero-probability event, 143, 157
- Conditioning on random variable
  - Continuous, 143, 157, 161
  - Discrete, 53
- Confidence interval, 328
- Consistent estimator, 257
- Constant failure rate, 194

- Continuous distributions
  - Bounded-Pareto, 189
  - Erlang- $k$ , 195
  - Exponential, 137, 210
  - Hyperexponential, 195
  - Normal or Gaussian, 170
  - Pareto, 187
  - Uniform, 137
- Control group creation, 397
- Convex function, 102
- Convolution, 165
- Correlation, 35
- Correlation coefficient, 109
- Coupon collector, 65, 111, 321
- Covariance, 91, 108, 109
- COVID, 34, 35
- Cumulative distribution function, c.d.f., 46, 136
- Cups example, 64, 114
- Cut-set, 389
- Darts, 165
  - Distance between, 165
  - Probability of triangle, 167
  - Smallest interval, 166
- Data center utilization, 533
- Decreasing failure rate (DFR), 184, 185
- Deducing signal in noise, 301
- Degenerate Hyperexponential, 196, 250
- Delta-step proof, 211, 214, 215, 222
- Different units, 87
- Discrete distributions
  - Bernoulli, 46
  - Binomial, 47
  - Geometric, 48
  - Negative Binomial, 114
  - Poisson, 49
- Disk delay modeling, 168
- Dominance, 112
- Dominating set algorithm, 378
- Double integrals, 4
- Doubly stochastic matrix, 434
- Downloading files
  - Max time, 207, 227
  - Min time, 207, 227
- DTMC, *see* Markov chains
- Elephants and mice, 190
- Empirical measurements
  - Google jobs today, 191
  - Human wealth, 193
  - Internet node degrees, 193
  - IP flow durations, 193
  - Natural disasters, 193
  - Phone call durations, 193
  - UNIX process lifetimes, 186
  - Web file sizes, 193
  - Wireless session times, 193
- Ensemble average, 452
- Epidemic modeling, 96, 436
- Equal in distribution, 71, 84, 110, 139
- Ergodic theorem of Markov chains, 494
- Ergodicity, 438, 484
- Erlang- $k$  distribution, 195
- Error correcting codes, 303
- Estimating failure probability, 179
- Estimating more than one parameter, 276
- Estimating the max of a distribution, 273
- Estimating total noise, 177
- Euclidean number property, 441
- Euler's number ( $e$ ), 8
- Event, 21
- Event implies event, 35
- Event-driven simulation, 240
  - Call center, 248
  - Convergence, 245
  - Loss probability, 250
  - PASTA, 246
  - Performance metrics, 244
  - Queueing network, 247
  - Shortest-Job-First, 251
  - SITA, 251
  - SRPT, 251
- Expectation
  - Bernoulli, 59
  - Binomial, 63
  - Geometric, 59, 73
  - Poisson, 60
- Expectation of a continuous r.v.
  - As sum of tail, 151
  - Original, 141
- Expectation of discrete r.v.
  - As sum of tail, 62, 78
  - Original, 58
- Expectation of function of r.v.
  - Continuous, 141
  - Discrete, 60
- Expectation of function of random variables, 157, 163
- Expectation of product of r.v.s, 61, 77
- Expectation of product of random variables, 163
- Expectation of quotient, 77
- Expectation via conditioning
  - Discrete, 72
- Expectation via conditioning on r.v., 162
- Exponential distribution, 137, 210
  - Relationship with Geometric, 211
- Failure rate function, 185
  - Constant, 185, 194
  - Decreasing, 184
  - Increasing, 184
- Fermat primality test, 408
- Fermat's Little Theorem, 404
- Fibonacci sequence, 124

- Financial application, 503
- Finding  $k$  largest algorithm, 377
- Finding the max algorithm, 376
- Fractional moments, 179
- From Las Vegas to Monte Carlo, 394
- From Monte Carlo to Las Vegas, 394
- Fundamental Theorem of Calculus, 7, 137, 173
- Gambler's ruin problem, 505
- Gambler's walk, 490
  - 2D, 506
- Games
  - Axis & Allies, 435
  - Cards, 434
  - Chess, 434, 476
  - Monopoly, 435
- Generating function, *see* z-transform, *see* Laplace transform
- Generating random permutation, 399
- Generating random prime, 418
- Generating random variables, 229
  - Accept–reject method, 232
  - Geometric, 238
  - Heavy tail distributions, 239
  - Inverse transform method, 229
  - Joint distribution, 239
  - Normal r.v., 236
  - Poisson distribution, 239
- Geometric distribution, 48, 110, 211
- Getting distribution from z-transform, 130
- Goodness-of-fit, 282
- Google jobs
  - Compute usage, 191
  - Empirical measurements, 191
  - Memory usage, 191
- Hamming distance, 303
- Harmonic number,  $H_n$ , 10
- Harmonic series, 10
- Hashing, 346
  - Bloom filter hashing, 362
  - Bucket hashing, 347
    - With separate chaining, 350, 351
  - Cryptographic signature, 355
  - Expected hashes until collision, 361
  - Hash collision, 357
  - Hash table, 347
  - Linear probing, 353
  - Load factor, 348
  - Open addressing, 354, 361
  - Probability no collisions, 358
  - SHA-256, 359
  - SUHA, 348
- Hazard rate function, 185
- Healthcare testing, 33, 37
- Heavy-tail property, 189, 196
- Heavy-tailed distributions, 189
- Higher moments, 102, 116, 198
- Bernoulli, 91
- Binomial, 89, 91, 128
- Continuous r.v., 141
- Discrete r.v., 83
- Exponential, 142, 194, 201
- Geometric, 84, 91, 110, 121
- Normal, 194
- Pareto, 194
- Poisson, 91, 128
- Uniform, 141, 194
- Hoeffding's inequality, 318, 326
- HTTP request scheduling, 193
- Human wealth, 194
- Hyperexponential distribution, 195
- Hypothesis testing, 111
- i.i.d., 64
- Improving accuracy of randomized alg, 388
- Improving accuracy of randomized alg., 386
- Increasing failure rate (IFR), 184, 185
- Independence of three events, 37
- Independent events, 29
  - Alternative definition, 27
  - Conditionally independent, 30
  - Original definition, 27
  - Pairwise independence, 29
- Independent increments, 217
- Independent random variables
  - Continuous, 155
  - Discrete, 51
- Independent set algorithm, 382
- Indicator random variable, 64, 71
- Infinite variance, 189
- Inspection paradox, 104, 360
  - Number of friends, 106
  - Size of class, 104
  - Waiting for bus, 104, 110
- Interaction graph, 302
- Intersections of events, 21
- Interval estimation, 327, 342
- Interval estimator, 328
- Inverse transform method, 229
- Inverting transforms, 130
- IP flow durations, 193
- Jensen's inequality, 103, 113
- Job
  - Age, 183
  - CPU-hours, 191
  - Lifetime, 183
  - Memory-hours, 191
  - Multi-stage, 227
  - Remaining lifetime, 183
  - Remaining size, 183
  - Size, 183, 512
- Job migration, 182
- Joint p.d.f., 153, 158, 162, 164
- Joint p.m.f., 50



- k-Select algorithm, 371
  - Randomized, 371
- Knockout tournament algorithm, 400
- Kurtosis, 321
- Laplace transform, 198
  - Conditioning, 203
  - Cumulative distribution function, 205
  - Geometric number of Exponentials, 207
  - Inverting, 207
  - Linearity, 203
  - Moments, 201, 206
  - Normal, 207
  - Sum of random number of r.v.s, 204
  - Two-sided, 207
- Las Vegas algorithms, 366
- Law of Total Probability, 31
  - Continuous r.v.s, 143
  - Continuous random variables, 157
  - Continuous state space, 144, 158
  - Discrete r.v.s, 53
  - For conditional probability, 32
- Learning bias of coin, 149
- Likelihood function, 268
  - Log likelihood, 271
- Likelihood of clicking on ad, 148
- Limiting distribution, 429, 479
- Limiting probability, 426, 479
- Linear regression, 277, 278
- Linear transformation, 150, 172, 179
- Linearity of expectation
  - Continuous, 163
  - Discrete, 63
- Linearity of variance, 88, 163
- Little's Law, 523
- Load balancing, 182
- Loss probability, 250
- MAP estimator, 285, 289
  - As mode of posterior, 294
  - Posterior distribution, 289
  - Prior distribution, 287, 289
  - Relationship to MLE, 287
- Marginal p.m.f., 51, 56
- Markov chains
  - $n$ -step transition probabilities, 425
  - Aperiodic, 441
  - Balance equations, 464
  - Class properties, 488, 489, 496, 508
  - Continuous-time (CTMC), 422
  - Discrete-time (DTMC), 421, 422
  - Ensemble average, 452
  - Ergodic theorem, 494
  - Ergodicity, 438
    - Finite-state, 448
    - Infinite-state, 484, 496
  - Finite-state, 420, 431, 448, 477, 508
  - Gambler's walk, 490
  - Infinite-state, 479
  - Irreducible, 443, 477
  - Limiting distribution, 427, 429, 479
  - Limiting probabilities, 426, 479
  - Limiting probabilities as rates, 465
  - Love is complicated, 420
  - Markovian property, 421
  - Null recurrent, 496
  - Passage time
    - Mean, 113, 498
    - Variance, 112, 113, 498
  - Period, 441, 477
  - Positive recurrent, 496
  - Random walk, 450
    - Infinite, 490
  - Recurrent chain, 488, 491
  - Recurrent state, 487
  - Sample path, 451
    - Good vs. bad, 453
  - Solution via generating functions, 125, 508
  - Stationary distribution, 428, 429, 479
  - Stationary equations, 428
  - Stationary property, 421
  - Steady state, 431
  - Summary theorem, 497
  - Time average, 450
  - Time between visits to state, 448
  - Time to empty, 498
  - Time-reversibility equations, 467
  - Transient chain, 489, 491
  - Transient state, 487
  - Transition probability matrix, 421
- Markov's inequality, 98, 307
- Markovian property, 421
- Marriage algorithm, 57, 377
- Matrix multiplication checking
  - Freivalds' algorithm, 384
- Max-3SAT algorithm, 395
- Max-Cut algorithm, 396
- Maximum
  - Of Exponentials, 226, 227
  - Of Uniforms, 151
- Maximum a Posteriori (MAP), 285
- Maximum arrival rate, 533
- Maximum likelihood estimation (MLE), 267
- Maximum likelihood estimator, 267
  - Continuous, 273
  - Discrete, 273
  - Multiple estimators, 276
- Mean (expectation)
  - Continuous, 141
  - Continuous alternative, 151
  - Discrete, 58
  - Discrete alternative, 62, 78
- Mean estimator, 256
- Mean squared error (MSE), 257

- For Bayesian estimators, 299
- Median-Select, 371, 373
- Memorylessness, 74, 139, 150, 211
- Migrating jobs, 182
- Migrating old jobs, 190
- Miller–Rabin primality test, 410
- Min of rolls, 80
- Min-Cut algorithm, 389
- Minimum
  - Of Exponentials, 151, 215, 227
- Minimum mean squared error, 295
- MLE, 267
- MMSE estimator, 295
  - Minimizes MSE, 300
- Modeling disk delay, 168
- Moments of random variable, 83
- Monte Carlo algorithms, 366, 383
  - Amplification of confidence, 397
- Monty Hall problem
  - Original, 39
  - Variants, 40
- Mood chain, 451
- Mouse in maze example, 112
  - Infinite, 506
  - With transforms, 130
- Move-to-Front algorithm, 376
- MSE, 257
  - For Bayesian estimators, 299
  - For MMSE estimator, 301
- Multi-stage jobs, 227
- Multiplication of monomials, 387, 388
- Mutual funds, 107
- Mutually exclusive events, 21
- Negative Binomial
  - Tail, 325
- Negative Binomial distribution, 114
- Network of workstations (NOW), 182
- Noisy reading from flash storage, 56
- Non-preemptive migration, 182
- Normal approximation of Poisson, 179
- Normal approximation of sum, 177
- Normal distribution, 170
  - Laplace transform, 207
  - Linear transformation, 172
  - Standard Normal, 170
  - Tail, 325
- Number of time pattern appears, 77
- Nuts-and-bolts algorithm, 374
- One-sided error, 385, 388
- Packet corruption model, 38, 41
- PageRank algorithm, 458
  - Dead end, 461
  - Spider trap, 461
- Pairwise independence, 29, 38
- Pareto distribution, 187, 192
  - Properties, 189
  - Why comes up, 194
- Partition of space, 22, 31
- Permutation, 12
- Pittsburgh Supercomputing Center, 147
- Point estimation, 255
- Poisson approximation to Binomial, 55
- Poisson distribution, 49
  - Like Normal, 179
- Poisson number of Exponentials, 205
- Poisson process, 216, 225
  - Independent increments, 217
  - Merging processes, 220
  - Number arrivals during service, 226
  - Number of arrivals during service, 219
  - Origin of, 216
  - Poisson splitting, 221
  - Stationary increments, 217
  - Uniformity, 224
- Polygon triangulation, 131
- Population growth modeling, 228
- Posterior
  - Mean, 295
  - Mode, 294
- Power management, 533
- Power of two choices, 341
- Power-law distribution, 187
- Preemptive migration, 182
- Primality testing, 403
- Prime Number Theorem, 403
- Prior distribution, 287
- Probabilistic method, 382
- Probability density function, p.d.f., 134
  - Joint p.d.f., 153
  - Marginal p.d.f., 154
- Probability mass function, p.m.f., 46
  - Joint p.m.f., 50
  - Marginal p.m.f., 51
- Probability no collisions, 358
- Probability on events, 22
- Process migration, 182
- Processor with failures, 508
- Program analysis example, 424, 433
- Program checking, 383
- Quality of service, 164
- Quality of Service (QoS), 98
- Queueing network simulation, 240
- Queueing theory, 510
  - Arrival rate, 512
  - Interarrival time, 512
  - Job size, 512
  - Kendall notation, 513
  - Little’s Law, 523
    - For red jobs, 529
    - For waiting time, 527
  - Maximum arrival rate, 533
  - Number in system, 515

- Response time, 514
- Service order, 512
- Service rate, 512
- Service requirement, 512
- Slowdown, 537
- Stability, 516
- Throughput, 516
- Utilization, 520
- Utilization law, 528
- Waiting time, 515
- Quicksort
  - Deterministic, 367
  - Randomized, 368
    - Tail analysis, 378
- R squared, 282
- Ramanujan approximation, 361
- Random graphs, 76
  - Number of edges, 76
  - Triangles, 77
- Random prime, 418
- Random variable, 44
  - Continuous, 134
  - Discrete, 45
  - With random parameters, 166, 208
- Random variable conditioned on event
  - Conditional p.d.f., 145, 157
  - Conditional p.m.f., 67
- Random walk, 450
  - Infinite, 490
  - On clique, 434
- Randomized algorithms, 364
  - $k$ -Select, 371
  - 3-way fair coin, 374
  - And/or tree evaluation, 379
  - Approximate median, 399
  - Approximating  $\pi$ , 395
  - Balls and bins, 337
  - Bloom filter hashing, 362
  - Bucket hashing, 351
  - Control group creation, 397
  - Cryptographic signature hashing, 355
  - Dominating set, 378
  - Fermat Primality Test, 408
  - Finding  $k$  largest, 377
  - Generating random permutation, 399
  - Generating random prime, 418
  - Hashing, 346
  - Independent set, 382
  - Knockout tournament, 400
  - Las Vegas, 366
  - Linear probing, 353
  - Making biased coin fair, 373
  - Matrix multiplication checking, 384
  - Max-3SAT, 395
  - Max-Cut, 396
  - Median-Select, 373
  - Miller–Rabin primality test, 410
  - Min-Cut, 389
  - Monte Carlo, 366, 383
  - Multiplication of monomials, 387, 388
  - Near Adder, 401
  - Nuts and bolts, 374
  - Primality testing, 403
  - Program checking, 383
  - Quicksort, 368
  - Ropes and cycles, 374
  - Uniform sampling from stream, 374
  - Versus deterministic algorithms, 364
- Recurrence relations, 124, 131
- Recurrent chain, 488, 491
- Reliability, 151
  - Max of Exponentials, 226, 227
  - Max of Uniforms, 151
  - Min of Exponentials, 215
- Remote execution, 182
- Renewal process, 454
- Renewal theorem, 454
- Repair facility example, 422, 425, 432
- Repair queue, 529
- Rerouting IP flows, 193
- Response time, 514
- Reverse Markov inequality, 320
- Ropes and cycles, 374
- Sample average squared error, 278
- Sample mean, 180, 256, 327
- Sample path, 451
- Sample space, 21
  - Continuous, 21
  - Discrete, 21
- Sample standard deviation, 264
- Sample variance, 180
  - With known mean, 259
  - With unknown mean, 260, 263
- Sampling from unknown distribution, 180
- Sampling without replacement, 109
- SASE, 278
- Scheduling
  - Fairness and starvation, 193
  - Shortest Remaining Processing Time, 193
- Scheduling web requests, 193
- Security application, 226
- Simpson's paradox, 74
- Simulation
  - Event-driven simulation, 240
  - Generating random variables, 229
- SIR model, 436
- Size interval task assignment, 251
- Skew, 92
- Slowdown, 537
- Sojourn time, *see* Response time
- Solving recurrences via generating functions, 125

- Squared coefficient of variation, 87
- Stability, 516
- Standard deviation, 87
- Stationary but not limiting, 501
- Stationary distribution, 428, 429, 479
- Stationary increments, 217
- Stationary property, 421
- Statistical inference, 253, 265
- Stirling bounds, 14
  - Heuristic proof, 179
- Stochastic dominance, 99, 101, 108, 115
- Stochastic process, 421
- Stopping time, 114
- Strong Law of Large Numbers, 452, 474
- Subsets of  $n$  elements, 12
- Sum of random number of r.v.s
  - Geometric number of Exponentials, 207, 226
  - With transforms, 123, 129, 204
- Sum of random number of random variables, 113
  - Mean, 93
  - Variance, 95
- Sum of random variables
  - Binomials, 55
  - Continuous, 165
  - Laplace transforms, 203
  - Normals, 175, 208
  - Poissons, 128
  - z-transforms, 121
- Sum of series, 2
- Sunday colt, 36
- SYNC project, 193
- Tail bound, 307
- Tail of random variable, 46, 97, 136
  - Geometric, 78
  - Negative Binomial, 325
  - Normal, 325
- Tail probability, 306
- Taylor series, 9
- TCP flow scheduling, 193
- Threshold queue, 501
- Throughput, 516
- Time average, 450
- Time in system, *see* Response time
- Time reversibility, 467, 468, 473, 477
- Time to empty, 498, 499
- Time until  $k$  heads, 79, 501
- Total variation distance, 115
- Transforming p.d.f., 151
- Transient chain, 489, 491
- Tree growth, 96
- Two-offspring example
  - Extra information, 36
  - Original, 25
- Umbrella problem example, 423, 425, 433
- Unbiased estimator, 180, 256
- Unbounded queue example, 480
- Uniform distribution, 137
- Uniform sampling from stream, 374
- Union bound, 23, 338
- UNIX process lifetime, 183
  - Empirical measurements, 186
- Unreliable network, 28
- Utilization, load, 520
- Vandermonde's identity, 14
- Variance
  - Alternative definitions, 86
  - Bernoulli, 85
  - Continuous r.v., 141
  - Discrete r.v., 85
  - Equivalent definition, 88
- Variance and risk, 107
- Variance estimator
  - With known mean, 259
  - With unknown mean, 260
- Variance of difference, 107
- Variance of sum, 89, 107, 108
- Variance–bias decomposition, 263
- Virus propagation, 79
- Wald's equation, 114
- Walk on undirected weighted graph, 474
- Weak Law of Large Numbers, 323
- Web file sizes, 193
- Which Exponential happens first, 156, 158
- Which Geometric happens first, 52, 53
- Wireless session times, 193
- With high probability, 338, 378
- Witness, 384
  - Divisor witness, 403, 405
  - Fermat witness, 405
  - Gcd witness, 407
  - Root witness, 411
- Worst-case analysis, 364, 370
- z-transform, 117
  - Binomial, 118
  - Conditioning, 123
  - Geometric, 118
  - Linearity, 121
  - Moments, 120
  - Solving recurrence relations, 124, 131, 508
  - Sum of random number of r.v.s, 123, 204
  - Uniqueness, 130