

# Reasoning with Quantified Boolean Formulas

**Marijn J.H. Heule**

**Carnegie  
Mellon  
University**

<http://www.cs.cmu.edu/~mheule/15816-f20/>

<https://cmu.zoom.us/j/93095736668>

Automated Reasoning and Satisfiability

October 7, 2020

# What are QBF?

- **Quantified Boolean formulas (QBF)** are  
**formulas of propositional logic + quantifiers**
- *Examples:*
  - $(x \vee \bar{y}) \wedge (\bar{x} \vee y)$  (propositional logic)

## What are QBF?

- **Quantified Boolean formulas (QBF)** are

**formulas of propositional logic + quantifiers**

- *Examples:*

- $(x \vee \bar{y}) \wedge (\bar{x} \vee y)$  (propositional logic)

- $\exists x \forall y (x \vee \bar{y}) \wedge (\bar{x} \vee y)$

Is there a value for  $x$  such that for all values of  $y$  the formula is true?

# What are QBF?

- **Quantified Boolean formulas (QBF)** are

**formulas of propositional logic + quantifiers**

- *Examples:*

- $(x \vee \bar{y}) \wedge (\bar{x} \vee y)$  (propositional logic)

- $\exists x \forall y (x \vee \bar{y}) \wedge (\bar{x} \vee y)$


Is there a value for  $x$  such that for all values of  $y$  the formula is true?

- $\forall y \exists x (x \vee \bar{y}) \wedge (\bar{x} \vee y)$

For all values of  $y$ , is there a value for  $x$  such that the formula is true?


# SAT vs. QSAT aka NP-complete vs. PSPACE-complete

SAT  
 $\phi(x_1, x_2, x_3)$



Is there a satisfying assignment?

QBF  
 $\exists x_1 \forall x_2 \exists x_3 \phi(x_1, x_2, x_3)$



Is there a satisfying assignment **tree**?


## Small Example QSAT Problems

Consider the formula  $\forall a \exists b, c. (a \vee b) \wedge (\bar{a} \vee c) \wedge (\bar{b} \vee \bar{c})$

## Small Example QSAT Problems

Consider the formula  $\forall a \exists b, c. (a \vee b) \wedge (\bar{a} \vee c) \wedge (\bar{b} \vee \bar{c})$


A **model** is:



## Small Example QSAT Problems

Consider the formula  $\forall a \exists b, c. (a \vee b) \wedge (\bar{a} \vee c) \wedge (\bar{b} \vee \bar{c})$

A model is:




Consider the formula  $\exists b \forall a \exists c. (a \vee b) \wedge (\bar{a} \vee c) \wedge (\bar{b} \vee \bar{c})$



## Small Example QSAT Problems


Consider the formula  $\forall a \exists b, c. (a \vee b) \wedge (\bar{a} \vee c) \wedge (\bar{b} \vee \bar{c})$

A **model** is:



Consider the formula  $\exists b \forall a \exists c. (a \vee b) \wedge (\bar{a} \vee c) \wedge (\bar{b} \vee \bar{c})$

A **counter-model** is:



The quantifier prefix frequently determines the truth of a QBF.

# The Two Player Game Interpretation of QSAT

Interpretation of QSAT as *two player game* for a QBF


$\exists x_1 \forall a_1 \exists x_2 \forall a_2 \cdots \exists x_n \forall a_n \psi$ :

- Player A (existential player) tries to satisfy the formula by assigning existential variables
- Player B (universal player) tries to falsify the formula by assigning universal variables
  
- Player A and Player B make alternately an assignment of the variables in the outermost quantifier block
- Player A wins: formula is satisfiable, i.e., there is a strategy for assigning the existential variables such that the formula is always satisfied
- Player B wins: formula is unsatisfiable

# Promises of QBF

- QSAT is the prototypical problem for *PSPACE*.
- QBFs are suitable as *host language* for the encoding of many application problems like
  - verification
  - artificial intelligence
  - knowledge representation
  - game solving
- In general, QBF allow more succinct encodings than SAT

# Application of a QBF Solver



QBF Solver returns



1. yes/no
2. witnesses

## Example of $\exists\forall\exists$ : Synthesis

Given an input-output specification, does there exist a circuit that satisfies the input-output specification.

QBF solving can be used to find the smallest sorting network:

- ( $\exists$ ) Does there exist a sorting network of  $k$  wires,
- ( $\forall$ ) such that for all input variables of the network
- ( $\exists$ ) the output  $O_i \leq O_{i+1}$




## Example of $\forall\exists\dots\forall\exists$ : Games


Many games, such as Go and Reversi, can be naturally expressed as a QBF problem.

Boolean variables  $a_{i,k}$ ,  $b_{j,k}$  express that the existential player places a piece on row  $i$  and column  $j$  at his  $k$ th turn.

Variables  $c_{i,k}$ ,  $d_{j,k}$  are used for the universal player.



Go



Reversi

The QBF problem is of the form

$$\forall c_{i,1}, d_{j,1} \exists a_{i,1}, b_{j,1} \dots \forall c_{i,n}, d_{j,n} \exists a_{i,n}, b_{j,n} . \psi$$

Outcome “satisfiable”: the second player (existential) can always prevent that the first player (universal) wins.


## Illustrating Example $\forall\exists$ : Conway's Game of Life

Conway's Game of Life is an infinite 2D grid of cells that are either alive or dead using the following update rules:

- Any alive cell with fewer than two alive neighbors dies;
- Any alive cell with two or three live neighbors lives;
- Any alive cell with more than three alive neighbors dies;
- Any dead cell with exactly three alive neighbors becomes alive.

Game of Life is very popular: over 1,100 wiki articles

## Garden of Eden in Conway's Game of Life



A Garden of Eden (GoE) is a state that can only exist as initial state.

Let  $T(x, y)$  denote the CNF formula that encodes the transition relation from a state to its successor using variables  $x$  that describe the current state and variables  $y$  the successor state.

A QBF that encodes the GoE problem is simply

$$\forall y \exists x. T(x, y)$$

The smallest Garden of Eden known so far (shown above) was found using a QBF solver. [\[Hartman et al. 2013\]](#)



# The Language of QBF

The language of **quantified Boolean formulas**  $\mathcal{L}_{\mathcal{P}}$  over a set of propositional variables  $\mathcal{P}$  is the smallest set such that

- if  $v \in \mathcal{P} \cup \{\top, \perp\}$  then  $v \in \mathcal{L}_{\mathcal{P}}$  (variables, constants)
- if  $\phi \in \mathcal{L}_{\mathcal{P}}$  then  $\bar{\phi} \in \mathcal{L}_{\mathcal{P}}$  (negation)
- if  $\phi$  and  $\psi \in \mathcal{L}_{\mathcal{P}}$  then  $\phi \wedge \psi \in \mathcal{L}_{\mathcal{P}}$  (conjunction)
- if  $\phi$  and  $\psi \in \mathcal{L}_{\mathcal{P}}$  then  $\phi \vee \psi \in \mathcal{L}_{\mathcal{P}}$  (disjunction)
- if  $\phi \in \mathcal{L}_{\mathcal{P}}$  then  $\exists v \phi \in \mathcal{L}_{\mathcal{P}}$  (existential quantifier)
- if  $\phi \in \mathcal{L}_{\mathcal{P}}$  then  $\forall v \phi \in \mathcal{L}_{\mathcal{P}}$  (universal quantifier)

## Some Notes on Variables and Truth Constants


- $\top$  stands for *top*
  - always true
  - empty conjunction
- $\perp$  stands for *bottom*
  - always false
  - empty disjunction
- *literal*: variable or negation of a variable
  - examples:  $l_1 = v$ ,  $l_2 = \bar{w}$
  - $\text{var}(l) = v$  if  $l = v$  or  $l = \bar{v}$
  - complement of literal  $l$ :  $\bar{l}$
- $\text{var}(\phi)$ : set of variables occurring in QBF  $\phi$

## Some QBF Terminology

Let  $Qv\psi$  with  $Q \in \{\forall, \exists\}$  be a subformula in a QBF  $\phi$ , then

- $\psi$  is the *scope* of  $v$
- $Q$  is the *quantifier binding* of  $v$
- $\text{quant}(v) = Q$
- *free variable*  $w$  in  $\phi$ :  $w$  has no quantifier binding in  $\phi$
- *bound variable*  $w$  in QBF  $\phi$ :  $w$  has quantifier binding in  $\phi$
- *closed QBF*: no free variables

### Example



# Prenex Conjunctive Normal Form (PCNF)

A QBF  $\phi$  is in **prenex conjunctive normal form** iff

- $\phi$  is in *prenex normal form*  $\phi = Q_1v_1 \dots Q_nv_n\psi$
- matrix  $\psi$  is in *conjunctive normal form*, i.e.,

$$\psi = C_1 \wedge \dots \wedge C_n$$

where  $C_i$  are clauses, i.e., disjunctions of literals.

## Example

$$\underbrace{\forall x \exists y}_{\text{prefix}} \underbrace{((x \vee \bar{y}) \wedge (\bar{x} \vee y))}_{\text{matrix in CNF}}$$

## Some Words on Notation

If convenient, we write

- a conjunction of clauses as a set, i.e.,

$$C_1 \wedge \dots \wedge C_n = \{C_1, \dots, C_n\}$$

- a clause as a set of literals, i.e.,

$$l_1 \vee \dots \vee l_k = \{l_1, \dots, l_k\}$$

- $\text{var}(\phi)$  for the variables occurring in  $\phi$
- $\text{var}(l)$  for the variable of a literal, i.e.,

$$\text{var}(l) = x \text{ iff } l = x \text{ or } l = \bar{x}$$

### Example

$$\underbrace{\forall x \exists y}_{\text{prefix}} \underbrace{((x \vee \bar{y}) \wedge (\bar{x} \vee y))}_{\text{matrix in CNF}} \approx \underbrace{\forall x \exists y}_{\text{prefix}} \underbrace{\{\{x, \bar{y}\}, \{\bar{x}, y\}\}}_{\text{matrix in CNF}}$$

## Semantics of QBFs

A **valuation function**  $\mathcal{I}: \mathcal{L}_{\mathcal{P}} \rightarrow \{\mathcal{T}, \mathcal{F}\}$  for closed QBFs is defined as follows:

- $\mathcal{I}(\top) = \mathcal{T}; \mathcal{I}(\perp) = \mathcal{F}$
- $\mathcal{I}(\bar{\psi}) = \mathcal{T}$  iff  $\mathcal{I}(\psi) = \mathcal{F}$
- $\mathcal{I}(\phi \vee \psi) = \mathcal{T}$  iff  $\mathcal{I}(\phi) = \mathcal{T}$  or  $\mathcal{I}(\psi) = \mathcal{T}$
- $\mathcal{I}(\phi \wedge \psi) = \mathcal{T}$  iff  $\mathcal{I}(\phi) = \mathcal{T}$  and  $\mathcal{I}(\psi) = \mathcal{T}$
- $\mathcal{I}(\forall v. \psi) = \mathcal{T}$  iff  $\mathcal{I}(\psi[\perp/v]) = \mathcal{T}$  and  $\mathcal{I}(\psi[\top/v]) = \mathcal{T}$
- $\mathcal{I}(\exists v. \psi) = \mathcal{T}$  iff  $\mathcal{I}(\psi[\perp/v]) = \mathcal{T}$  or  $\mathcal{I}(\psi[\top/v]) = \mathcal{T}$

**Boolean** split (QBF  $\phi$ )

```
switch( $\phi$ )
  case  $\top$ : return true;
  case  $\perp$ : return false;
  case  $\bar{\psi}$ : return (not split( $\psi$ ));
  case  $\psi' \wedge \psi''$ : return split( $\psi'$ ) && split( $\psi''$ );
  case  $\psi' \vee \psi''$ : return split( $\psi'$ ) || split( $\psi''$ );
  case  $QX\psi$ :
    select  $x \in X$ ;  $X' = X \setminus \{x\}$ ;
    if ( $Q == \forall$ )
      return (split( $QX'\psi[x/\top]$ ) &&
              split( $QX'\psi[x/\perp]$ ));
    else
      return (split( $QX'\psi[x/\top]$ ) ||
              split( $QX'\psi[x/\perp]$ ));
```

## Some Simplifications

The following rewritings are *equivalence preserving*:

1.  $\overline{\top} \Rightarrow \perp$ ;  $\overline{\perp} \Rightarrow \top$ ;
2.  $\top \wedge \phi \Rightarrow \phi$ ;  $\perp \wedge \phi \Rightarrow \perp$ ;  $\top \vee \phi \Rightarrow \top$ ;  $\perp \vee \phi \Rightarrow \phi$ ;
3.  $(Qx \phi) \Rightarrow \phi$ ,  $Q \in \{\forall, \exists\}$ ,  $x$  does not occur in  $\phi$ ;

### Example

$$\begin{aligned} & \forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, \overline{c}\}, \{a, \overline{b}, \overline{\top}\}, \\ & \quad \{c, y, d, \perp\}, \{x, y, \overline{\perp}\}, \{x, c, d, \top\} \} \\ & \quad \approx \\ & \forall a b c \exists y \forall d \{ \{a, b, \overline{c}\}, \{a, \overline{b}\}, \{c, y, d\} \} \end{aligned}$$



**Boolean** splitCNF (Prefix P, matrix  $\psi$ )

**if** ( $\psi == \perp$ ): return **true**;

**if** ( $\perp \in \psi$ ): return **false**;

$P = QXP', x \in X, X' = X \setminus \{x\}$ ;

**if** ( $Q == \forall$ )

    return (splitCNF( $QX'P', \psi'$ ) &&  
            splitCNF( $QX'P', \psi''$ ));

**else**

    return (splitCNF( $QX'P', \psi'$ ) ||  
            splitCNF( $QX'P', \psi''$ ));

where

$\psi'$  : take clauses of  $\psi$ , delete clauses with  $x$ , delete  $\bar{x}$

$\psi''$  : take clauses of  $\psi$ , delete clauses with  $\bar{x}$ , delete  $x$

# Unit Clauses

A clause  $C$  is called **unit** in a formula  $\phi$  iff

- $C$  contains exactly one existential literal
- the universal literals of  $C$  are to the right of the existential literal in the prefix

The existential literal in the unit clause is called *unit literal*.

## Example

$$\forall a b \exists x \forall c \exists y \forall d \{ \{a, b, \bar{x}, \bar{c}\}, \{a, \bar{b}\}, \{c, y, d\}, \{x, y\}, \{x, c, d\}, \{y\} \}$$

# Unit Clauses

A clause  $C$  is called **unit** in a formula  $\phi$  iff

- $C$  contains exactly one existential literal
- the universal literals of  $C$  are to the right of the existential literal in the prefix

The existential literal in the unit clause is called *unit literal*.

## Example

$$\forall a b \exists x \forall c \exists y \forall d \{ \{a, b, \bar{x}, \bar{c}\}, \{a, \bar{b}\}, \{c, y, d\}, \{x, y\}, \{x, c, d\}, \{y\} \}$$

*Unit literals:*  $x, y$

## Unit Literal Elimination

Let  $\phi$  be a QBF with unit literal  $l$  and let  $\phi'$  be a QBF obtained from  $\phi$  by

- removing all clauses containing  $l$
- removing all occurrences of  $\bar{l}$

Then

$$\phi \approx \phi'$$

### Example

$$\forall a b \exists x \forall c \exists y \forall d \{ \{a, b, \bar{x}, \bar{c}\}, \{a, \bar{b}\}, \{c, y, d\}, \{x, y\}, \{x, c, d\}, \{y\} \}$$

*After unit literal elimination:*  $\forall a b c \{ \{a, b, \bar{c}\}, \{a, \bar{b}\} \}$

# Pure Literals

A literal  $l$  is called **pure** in a formula  $\phi$  iff

- $l$  occurs in  $\phi$
- the complement of  $l$ , i.e.,  $\bar{l}$  does not occur in  $\phi$

## Example

$$\forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, \bar{c}\}, \{a, \bar{b}\}, \{c, y, d\}, \{x, y\}, \{x, c, d\} \}$$

# Pure Literals

A literal  $l$  is called **pure** in a formula  $\phi$  iff

- $l$  occurs in  $\phi$
- the complement of  $l$ , i.e.,  $\bar{l}$  does not occur in  $\phi$

## Example

$$\forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, \bar{c}\}, \{a, \bar{b}\}, \{c, y, d\}, \{x, y\}, \{x, c, d\} \}$$

*Pure:*  $a, d, x, y$

## Pure Literal Elimination

Let  $\phi$  be a QBF with pure literal  $l$  and let  $\phi'$  be a QBF obtained from  $\phi$  by

- removing all clauses with  $l$  if  $\text{quant}(l) = \exists$
- removing all occurrences of  $l$  if  $\text{quant}(l) = \forall$

Then

$$\phi \approx \phi'$$

### Example

$$\forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, \bar{c}\}, \{a, \bar{b}\}, \{c, y, d\}, \{x, y\}, \{x, c, d\} \}$$

$$\text{After Pure Literal Elimination: } \forall b \{ \{b\}, \{\bar{b}\} \}$$

# Universal Reduction (UR)

- Let  $\Pi.\psi$  be a QBF in PCNF and  $C \in \psi$ .
- Let  $l \in C$  with
  - $\text{quant}(l) = \forall$
  - for all  $k \in C$  with  $\text{quant}(k) = \exists$   $k <_{\Pi} l$ , i.e., all existential variables  $k$  of  $C$  are to the left of  $l$  in  $\Pi$ .
- Then  $l$  may be removed from  $C$ .
- $C \setminus \{l\}$  is called the *universal reduct* of  $C$ .

## Example

$$\forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, x, \bar{c}\}, \{a, \bar{b}, x\}, \{c, y, d\}, \{x, y\}, \{x, c, d\} \}$$



## Universal Reduction (UR)

- Let  $\Pi.\psi$  be a QBF in PCNF and  $C \in \psi$ .
- Let  $l \in C$  with
  - $\text{quant}(l) = \forall$
  - for all  $k \in C$  with  $\text{quant}(k) = \exists$   $k <_{\Pi} l$ , i.e., all existential variables  $k$  of  $C$  are to the left of  $l$  in  $\Pi$ .
- Then  $l$  may be removed from  $C$ .
- $C \setminus \{l\}$  is called the *universal reduct* of  $C$ .

### Example

$$\forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, x, \bar{c}\}, \{a, \bar{b}, x\}, \{c, y, d\}, \{x, y\}, \{x, c, d\} \}$$

*After Universal Reduction:*

$$\forall a b \exists x \forall c \exists y z \forall d \{ \{a, b, x\}, \{a, \bar{b}, x\}, \{c, y\}, \{x, y\}, \{x\} \}$$

**Boolean** splitCNF2 (Prefix P, matrix  $\psi$ )

$(P, \psi) = \text{simplify}(P, \psi);$

**if** ( $\psi == \perp$ ): return **true**;

**if** ( $\perp \in \psi$ ): return **false**;

$P = QXP', x \in X, X' = X \setminus \{x\};$

**if** ( $Q == \forall$ )

    return (splitCNF2( $QX'P', \psi'$ ) &&  
            splitCNF2( $QX'P', \psi''$ ));

**else**

    return (splitCNF2( $QX'P', \psi'$ ) ||  
            splitCNF2( $QX'P', \psi''$ ));

where

$\psi'$  : take clauses of  $\psi$ , delete clauses with  $x$ , delete  $\bar{x}$

$\psi''$  : take clauses of  $\psi$ , delete clauses with  $\bar{x}$ , delete  $x$

## Resolution for QBF

**Q-Resolution:** propositional resolution + universal reduction.

### Definition

Let  $C_1, C_2$  be clauses with existential literal  $l \in C_1$  and  $\bar{l} \in C_2$ .

1. Tentative Q-resolvent:

$$C_1 \otimes C_2 := (UR(C_1) \cup UR(C_2)) \setminus \{l, \bar{l}\}.$$

2. If  $\{x, \bar{x}\} \subseteq C_1 \otimes C_2$  then no Q-resolvent exists.

3. Otherwise, Q-resolvent  $C := (C_1 \otimes C_2)$ .

- Q-resolution is a sound and complete calculus.
- Universals as pivot are also possible.

## Q-Resolution Small Example


**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$

## Q-Resolution Small Example

**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$

### Truth Table


$x$	$y$	$\psi$
0	0	0
0	1	1
1	0	1
1	1	0

 **unsat**

## Q-Resolution Small Example

**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$


### Q-Resolution Proof



## Q-Resolution Small Example

**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$


### Q-Resolution Proof



## Q-Resolution Small Example

**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$

### Q-Resolution Proof





## Q-Resolution Small Example


**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$

### Truth Table

x	y	$\psi$
0	0	0
0	1	1
1	0	1
1	1	0

unsat

### Q-Resolution Proof



$$\longrightarrow y = x \Rightarrow \psi = 0$$

## Q-Resolution Small Example


**Exclusive OR (XOR):** QBF  $\psi = \exists x \forall y (x \vee y) \wedge (\bar{x} \vee \bar{y})$

### Truth Table

$x$	$y$	$\psi$
0	0	0
0	1	1
1	0	1
1	1	0

unsat

### Q-Resolution Proof



$$\longrightarrow y = x \Rightarrow \psi = 0$$

$$\longrightarrow f_y(x) = x \quad (\text{counter model})$$

# Q-Resolution Large Example

## Input Formula


$$\exists a \forall b \exists c d \forall e \exists f g. (\bar{a} \vee \bar{g}) \wedge (b \vee f \vee g) \wedge (c \vee \bar{e} \vee \bar{f}) \wedge \\ (d \vee \bar{e} \vee \bar{f}) \wedge (\bar{c} \vee \bar{d} \vee e) \wedge (a \vee f)$$

# Q-Resolution Large Example

## Input Formula

$$\exists a \forall b \exists c d \forall e \exists f g. (\bar{a} \vee \bar{g}) \wedge (b \vee f \vee g) \wedge (c \vee \bar{e} \vee \bar{f}) \wedge \\ (d \vee \bar{e} \vee \bar{f}) \wedge (\bar{c} \vee \bar{d} \vee e) \wedge (a \vee f)$$


## Q-Resolution Proof DAG



# QBF Preprocessing

Preprocessing is **crucial** to solve most QBF instances efficiently.

Results of DepQBF w/ and w/o bloqer on QBF Eval 2012 [1]



## Quantified Blocked Clause

### Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if for every clause  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

### Definition (Quantified Blocked clause)

A clause is blocked if it contains a literal that blocks it.

# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if **for every clause**  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains **a literal** that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (b \vee f \vee g) \wedge (c \vee \bar{e} \vee \bar{f}) \wedge \\ (d \vee \bar{e} \vee \bar{f}) \wedge (\bar{c} \vee \bar{d} \vee e) \wedge (a \vee f)$$

# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if for every clause  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains a literal that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (b \vee f \vee g) \wedge (\cancel{c \vee \bar{e} \vee \bar{f}}) \wedge \\ (d \vee \bar{e} \vee \bar{f}) \wedge (\bar{c} \vee \bar{d} \vee e) \wedge (a \vee f)$$



# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if **for every clause**  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains **a literal** that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (b \vee f \vee g) \wedge (\cancel{c \vee \bar{e} \vee \bar{f}}) \wedge (\cancel{d \vee \bar{e} \vee \bar{f}}) \wedge (\bar{c} \vee \bar{d} \vee e) \wedge (a \vee f)$$

# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if **for every clause**  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains **a literal** that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (b \vee f \vee g) \wedge (\cancel{c \vee \bar{e} \vee \bar{f}}) \wedge (\cancel{d \vee \bar{e} \vee \bar{f}}) \wedge (\bar{e} \vee \bar{d} \vee e) \wedge (a \vee f)$$

# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if **for every clause**  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains **a literal** that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (\underline{b} \vee \underline{f} \vee \underline{g}) \wedge (\underline{c} \vee \bar{e} \vee \bar{f}) \wedge (\underline{d} \vee \bar{e} \vee \bar{f}) \wedge (\bar{e} \vee \bar{d} \vee e) \wedge (a \vee f)$$

# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if **for every clause**  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains **a literal** that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (\bar{b} \vee \bar{f} \vee \bar{g}) \wedge (\bar{c} \vee \bar{e} \vee \bar{f}) \wedge (\bar{d} \vee \bar{e} \vee \bar{f}) \wedge (\bar{e} \vee \bar{d} \vee e) \wedge (\bar{a} \vee f)$$

# Quantified Blocked Clause

## Definition (Quantified Blocking literal)

An existential literal  $l$  in a clause  $C$  of a QBF  $\pi.\varphi$  blocks  $C$  with respect to  $\pi.\varphi$  if **for every clause**  $D \in F_{\bar{l}}$ , there exists a literal  $k \neq l$  with  $k \leq_{\pi} l$  such that  $k \in C$  and  $\bar{k} \in D$ .

## Definition (Quantified Blocked clause)

A clause is blocked if it contains **a literal** that blocks it.

## Example

$$\exists a \forall b c d \exists e f \forall g. (\bar{a} \vee \bar{g}) \wedge (\underline{b} \vee \underline{f} \vee \underline{g}) \wedge (\underline{c} \vee \bar{e} \vee \bar{f}) \wedge (\underline{d} \vee \bar{e} \vee \bar{f}) \wedge (\bar{e} \vee \bar{d} \vee e) \wedge (\underline{a} \vee \underline{f})$$

# Reasoning with Quantified Boolean Formulas

**Marijn J.H. Heule**

**Carnegie  
Mellon  
University**

<http://www.cs.cmu.edu/~mheule/15816-f20/>

<https://cmu.zoom.us/j/93095736668>

Automated Reasoning and Satisfiability

October 7, 2020