

## 15-104 Introduction to Computing for Creative Practice

*Fall 2021*

### 29 Platform Game


Instructor: Tom Cortina, [tcortina@cs.cmu.edu](mailto:tcortina@cs.cmu.edu), GHC 4117, 412-268-3514

1



## A platform game

- The platforms scroll right to left.
- The character will always remain in the middle of the canvas.
- The character should jump when a key is pressed.
- If the character is in the air, it will fall.
- If the character lands on a platform, it is safe.
- If the character falls to the bottom, it will “die”.  
(but in our game, it will re-emerge, falling from the sky)




2



## Platform

- Each platform will be an object with three data fields:
  - x: horizontal location (top left)
  - y: vertical location (top left)
  - w: width of platform
- Methods:
  - right – returns the x location of the right end of the platform

(All platforms will have a thickness of 10 pixels.)



3



## Platform Code

```
function newPlatform(px, py, pw) {
  var p = {x: px, y: py, w: pw,
           right: platRight};
  return p;
}

// compute the location of the right end of a platform
function platRight() {
  return this.x + this.w;
}
```

4



## Setting up the game

```

var platforms = [];      // array of platforms

// To scroll, we will increment offset.
// Everything is shifted left by offset
var offset = 0;

function setup() {
  createCanvas(600, 300);
  // first platform:
  var pl = newPlatform(600, 200, 200);
  platforms.push(pl);
}

```

5



## Drawing the game

```

function draw() {
  background("lightblue");      // the sky
  fill("green"); stroke("green");
  rect(0, height - 50, width, 50); // the ground
  fill(0); stroke(0);
  for (var i = 0; i < platforms.length; i++) {
    var p = platforms[i];
    rect(p.x - offset, p.y, p.w, 10);
  }
  // UPDATE PLATFORM ARRAY HERE (next slide)
  offset += 1;
}

```

6

## Update Platform Array

```
// if first platform is offscreen to left, remove it
if (platforms.length > 0 && platforms[0].right() < offset) {
  platforms.shift();
}

// if last platform is totally within canvas, make a new one
var lastPlat = platforms[platforms.length-1];
if (lastPlat.right() - offset < width) {
  var p = newPlatform(lastPlat.right(), // start location
    random(50, 225), // height of new platform
    200); // all platforms have width 200 for now
  platforms.push(p); // add to our array of platforms
}
```

7

## Adding

- We always place the character in the middle of the canvas, so we only worry about the vertical (Y) coordinate.
- We need to find which platform is currently in the middle of the screen, so we do a *linear* search to find it.
- Then we move the character based on whether it is above, on, or below the relevant platform.
- The character automatically “wraps around” when it falls, which means we need no interaction to do some testing.

8




## Finding platform in middle

```

var i = 0;
var marioX = width / 2;
while (platforms[i].right() - offset < marioX) {
  i += 1;
}
var py = platforms[i].y; // height of middle platform

```



<code>platforms</code>	is the array of platforms
<code>platforms[i]</code>	is the $i^{\text{th}}$ platform in the array of platforms
<code>platforms[i].right()</code>	is the method of the $i^{\text{th}}$ platform in the array of platforms that returns its right coordinate.
<code>platforms[i].y</code>	is the y-value of the $i^{\text{th}}$ platform in the array of platforms

9



## Moving and drawing the character

```

var marioY = 0; // new global variable, start char. at top
-----
if (marioY <= py) { // above or on the platform, stop at py
  marioY = min(py, marioY + 1);
} else { // below the platform, stop at height (fall to bottom)
  marioY = min(height, marioY + 1);
}
if (marioY >= height) { // if char. hits bottom, reset to top
  marioY = 0;
}
// draw the "mario"
fill("brown");
stroke("brown");
rect(marioX, marioY - 20, 20, 20);

```


10



## Adding a Jump feature

- To implement jumping, we start by adding `marioDy`, which is the velocity of the “mario” character.
- New global variable:  
`var marioDy = 0;`  
 for the vertical velocity of the character:
 

zero:	floating
positive:	falling
negative:	rising



11



## Rising and Falling

```

if (marioY <= py) { // above or on platform
    marioY = min(py, marioY + marioDy);
} else { // below platform
    // we don't want upward movement
    if (marioDy < 0) {
        marioDy = 0;
    }
    marioY = min(height, marioY + marioDy);
}
if (marioY >= height) {
    marioY = 0; marioDy = 0;
}

```

If `marioDy > 0`, then “mario” is falling (y will increase).

If `marioDy < 0`, then “mario” is rising (jumping).

12

6




## Updating platform and “mario”

```
// move the "landscape"
offset += 1;
// accelerate "mario" with gravity
marioDy = marioDy + 1;
```

Making “mario” jump:

```
function keyPressed() {
  marioDy = -10;
}
```



Example of how marioY changes due to marioDy over repetitions of draw assuming a key press sets marioDy to -5.

13



## Fix This

- When the character lands on the platform, marioDy continues to increase. Fix this.
- When the character jumps, if its right edge touches the next platform, it still falls. Fix this.

14